



Gregory B. Medina
FL REG. # AR 93534
DATE 03-04-19
CONTRACT # 2019
NOT A PART OF THE SET. THIS DOCUMENT
REPRODUCED BY ANY MEANS WITHOUT THE
WRITTEN PERMISSION OF GRIECO DELRAY FORD



5001 E. SW 3RD AVENUE, SUITE F-5
FORT LAUDERDALE, FLORIDA 33315
T: 954.713.6101
C: 954.812.6680
E: GREG@CBMARCHITECTURE.COM
WWW.CBMARCHITECTURE.COM

DRAWING ISSUE DATES:

SECOND FLOOR:
LIFE SAFETY PLAN

A-1.2

PROJECT 161020
PERMIT SET 03-04-19

2nd FLOOR

INVENTORY/EMPLOYEE
GARAGE PARKING
TIER = 49,102 SF
GROUP "S-2"
(246 OCCUPANTS BY AREA)
199 PARKING STALLS

MEANS OF EGRESS:

TWO MEANS OF EXIT REQUIRED.
TWO MEANS OF EXIT PROVIDED WITH DIRECT EXIT TO PUBLIC
WAY (STAIR #2 & STAIR #4).
THIRD STAIR CASE PROVIDED FOR PARKING ATTENDANT USE
WITH KEY ACCESS PAD (STAIR #1).

INDICATES 2-HR. FIRE RATED PARTITION

EGRESS ANGLE
INDICATES REQUIRED MEANS OF EGRESS

EX/EM WALL MOUNTED EMERGENCY LIGHT W/ BACK-UP BATTERY AND EXIT

WALL MOUNTED FIRE EXTINGUISHER, @ LOCATIONS
W/AFS 2X TO BC FIRE EXTINGUISHER, @ LOCATIONS
1ST FLOOR (14 LOCATION AT 2ND FLOOR) = 1/2 PROVIDED

JOINT SEALANTS/DECK TRAFFIC COATING:

LYMTAL INTERNATIONAL, INC.
2ND FLOOR "PROVIDE" 2-HR RATED BAKER
RODS WITH SEALANT BETWEEN TEE JOINTS.
ULTRA BLOCK Backer Rod Mfg. Inc.

TRAFFIC COATING: ISO-FLEX 760 U-HL VC HVT

HEAVY DUTY DECK COATING SYSTEM
757 ISO-FLEX PRIMER
760 ISO-FLEX LOOK COAT ALIPHATIC "CONCRETE GREY"
760 ISO-FLEX LOOK COAT AROMATIC "CONCRETE GREY"
GRANUSIL 4095 MINERAL FILLERS FOR VEHICULAR TRAFFIC

