




NFRC Report

www.pgtwindows.com

Quote # 7034150
 PO Number: REED
 Job Name: 353 N SWINTON AVE
 Job Address:

Line #	Item Description	Quantity	Location
0001 (1.00)	MULTI-PART MULTI-PART UNITS 105.X52.5X.,7700A,TW,MTCH COL,W.,5FLANGE,EQUAL	Ordered: 1.00	
	 BEGIN MODEL SET 001: Combo Config: TW - Twin Unit 2: SH7700A Assembly Options: MTCHCOL Send Mull(s): Y Size Selection: ACTUAL Height: 52.5000 Frame Color: W - White Boxing Options: BS - Box Screen	PO Number: Series: 7700A Unit 1 (Bottom Left Unit): SH7700A Frame Type: .5FLANGE Width Equal or Width: EQUAL Mull Part Selection: MULL/CLPS Width: 105.0000 Vertical Mull: 1X2.750X0.650 Glass Color: GR - Gray	
0001 (2.00)	SH7700A SINGLE HUNG SERIES 7700A 52.5X52.5X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,DBL,SWEEP,1816K- BOXED,LSILL	Ordered: 1.00	
	Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 53 1/4 X 52 1/2 Egress Opening: 47 7/16 X 20 1/16 (6.5871 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 2.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 52 1/2 X 52 1/2 Wood Frame Opening: 51 3/4 X 51 3/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 26.7140 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800	
0001 (3.00)	SH7700A SINGLE HUNG SERIES 7700A 52.5X52.5X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,DBL,SWEEP,1816K- BOXED,LSILL	Ordered: 1.00	

Print Date 6/14/2022


Page 1 of 11

Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 53 1/4 X 52 1/2 Egress Opening: 47 7/16 X 20 1/16 (6.5871 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 2.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 52 1/2 X 52 1/2 Wood Frame Opening: 51 3/4 X 51 3/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 26.7140 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800
---	---

0001 (4.00)	MULL MULL BARS 51.5,W,.5FLANGE,MTCHCOL,MULL/CLPS,1 X 2.750 X .650	Ordered: 1.00	
------------------------------	---	-------------------------	--

Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Type: STDCLP/STDCLP Frame Color: W - White Boxing Options: BS - Box Screen	Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 1X2.750X0.650 Size Selection: CUSTOM Assembly Options: MTCHCOL END MODEL SET 001:
---	--

0002 (5.00)	MULTI-PART MULTI-PART UNITS 75.5X49.75X.,7700A,TW,MTCH COL,W,.5FLANGE,EQUAL	Ordered: 1.00	
------------------------------	---	-------------------------	--

	BEGIN MODEL SET 005: Combo Config: TW - Twin Unit 2: SH7700A Assembly Options: MTCHCOL Send Mull(s): Y Size Selection: ACTUAL Height: 49.7500 Frame Color: W - White Boxing Options: BS - Box Screen	Series: 7700A Unit 1 (Bottom Left Unit): SH7700A Frame Type: .5FLANGE Width Equal or Width: EQUAL Mull Part Selection: MULL/CLPS Width: 75.5000 Vertical Mull: 1X2.750X0.650 Glass Color: GR - Gray
--	--	--

0002 (6.00)	SH7700A SINGLE HUNG SERIES 7700A 37.75X49.75X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-BOXED,LSILL	Ordered: 1.00	
------------------------------	--	-------------------------	--

Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 38 1/2 X 49 3/4 Egress Opening: 32 11/16 X 18 11/16 (4.2249 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 37 3/4 X 49 3/4 Wood Frame Opening: 37 X 49 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N LmtD Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 25.3390 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800
---	---


0002 (7.00)	SH7700A SINGLE HUNG SERIES 7700A 37.75X49.75X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K- BOXED,LSILL	Ordered: 1.00	
------------------------	---	-------------------------	--

Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 38 1/2 X 49 3/4 Egress Opening: 32 11/16 X 18 11/16 (4.2249 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 37 3/4 X 49 3/4 Wood Frame Opening: 37 X 49 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N LmtD Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 25.3390 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800
---	---

0002 (8.00)	MULL MULL BARS ,48.75,W, .5FLANGE,MTCHCOL,MULL/CLPS,1 X 2.750 X .650	Ordered: 1.00	
------------------------	--	-------------------------	--

Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Type: STDCLP/STDCLP Frame Color: W - White Boxing Options: BS - Box Screen	Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 1X2.750X0.650 Size Selection: CUSTOM Assembly Options: MTCHCOL END MODEL SET 005:
---	--

0003 (9.00)	SH7700A SINGLE HUNG SERIES 7700A 52.5X38.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,DBL,SWEEP,1816K- BOXED,LSILL	Ordered: 1.00	
------------------------	--	-------------------------	--



Certification Type: MIAMI
 Frame Type: .5FLANGE
 Window Style: STD
 Size Ref: TTT
 Height: 38.0000
 Rough Masonry: 53 1/4 X 38
 Egress Opening: 47 7/16 X 12 13/16 (4.2016 SQFT)
 Glass Family: LM - Laminated
 Glass Makeup: LMS209S2
 Does unit need to meet Turtle Code: NO
 Low E: NONE
 Grid Type: DA1000 - 1" Raised Ext/Flat Bar In
 Grid Location: UNIT
 Summary Bottom: 1A1D LITES (0V0H BARS)
 Vent Latch: N
 Hi-Rise Sill: N
 Stainless Steel Package: Y
 Lock Quantity: 2.0000
 Decralite: N
 CAR#: 20-0401.11
 NegativeDesignPressure: 80.0000
 EnergyStar: NONE
 UF: 1.0400
 VT: 0.6300

NOA Selection: 20-0401.11
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 52 1/2
 Actual Size: 52 1/2 X 38
 Wood Frame Opening: 51 3/4 X 37 1/4
 Frame Color: W - White
 Interlayer Type: PVB090
 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS)
 Glass Color: CL - CLEAR
 Privacy Glass: NONE - NONE
 Grid Style: U.COL.LITES
 Summary Top: 2A1D LITES (1V0H BARS)
 Screen Type: 1816K - 1816 Charcoal
 WOCD: N
 Lmtd Sash Stop: N
 Lock Type: SWEEP - Sweep Latch
 Boxing Options: BS - Box Screen
 Vent Ht: 19.4640
 PositiveDesignPressure: 65.0000
 PANumber: FL-239
 CondensationResistance: 14.0000
 SolarHeatGainCoeff: 0.5600
 VTCOG: 0.8800

0004
 (10.00)

SH7700A SINGLE HUNG SERIES 7700A
 18.X38.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1"
 RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-
 BOXED,LSILL

Ordered:
 1.00




Certification Type: MIAMI
 Frame Type: .5FLANGE
 Window Style: STD
 Size Ref: TTT
 Height: 38.0000
 Rough Masonry: 18 3/4 X 38
 Egress Opening: 12 15/16 X 12 13/16 (1.1422 SQFT)
 Glass Family: LM - Laminated
 Glass Makeup: LMS209S2
 Does unit need to meet Turtle Code: NO
 Low E: NONE
 Grid Type: DA1000 - 1" Raised Ext/Flat Bar In
 Grid Location: UNIT
 Summary Bottom: 1A1D LITES (0V0H BARS)
 Vent Latch: N
 Hi-Rise Sill: N
 Stainless Steel Package: Y
 Lock Quantity: 1.0000
 Decralite: N
 CAR#: 20-0401.11
 NegativeDesignPressure: 80.0000
 EnergyStar: NONE
 UF: 1.0400
 VT: 0.6300

NOA Selection: 20-0401.11
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 18.0000
 Actual Size: 18 X 38
 Wood Frame Opening: 17 1/4 X 37 1/4
 Frame Color: W - White
 Interlayer Type: PVB090
 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS)
 Glass Color: CL - CLEAR
 Privacy Glass: NONE - NONE
 Grid Style: U.COL.LITES
 Summary Top: 2A1D LITES (1V0H BARS)
 Screen Type: 1816K - 1816 Charcoal
 WOCD: N
 Lmtd Sash Stop: N
 Lock Type: SWEEP - Sweep Latch
 Boxing Options: BS - Box Screen
 Vent Ht: 19.4640
 PositiveDesignPressure: 65.0000
 PANumber: FL-239
 CondensationResistance: 14.0000
 SolarHeatGainCoeff: 0.5600
 VTCOG: 0.8800

0005
 (11.00)

SH7700A SINGLE HUNG SERIES 7700A
 37.X26.25X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1"
 RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-
 BOXED,LSILL

Ordered:
 1.00




Certification Type: MIAMI
 Frame Type: .5FLANGE
 Window Style: STD
 Size Ref: TTT
 Height: 26 1/4
 Rough Masonry: 37 3/4 X 26 1/4
 Egress Opening: 31 15/16 X 6 15/16 (1.5264 SQFT)
 Glass Family: LM - Laminated
 Glass Makeup: LMS209S2
 Does unit need to meet Turtle Code: NO
 Low E: NONE
 Grid Type: DA1000 - 1" Raised Ext/Flat Bar In
 Grid Location: UNIT
 Summary Bottom: 1A1D LITES (0V0H BARS)
 Vent Latch: N
 Hi-Rise Sill: N
 Stainless Steel Package: Y
 Lock Quantity: 1.0000
 Decralite: N
 CAR#: 20-0401.11
 NegativeDesignPressure: 80.0000
 EnergyStar: NONE
 UF: 1.0400
 VT: 0.6300

NOA Selection: 20-0401.11
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 37.0000
 Actual Size: 37 X 26 1/4
 Wood Frame Opening: 36 1/4 X 25 1/2
 Frame Color: W - White
 Interlayer Type: PVB090
 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS)
 Glass Color: CL - CLEAR
 Privacy Glass: NONE - NONE
 Grid Style: U.COL.LITES
 Summary Top: 2A1D LITES (1V0H BARS)
 Screen Type: 1816K - 1816 Charcoal
 WOCD: N
 Lmtd Sash Stop: N
 Lock Type: SWEEP - Sweep Latch
 Boxing Options: BS - Box Screen
 Vent Ht: 13.5890
 PositiveDesignPressure: 65.0000
 PANumber: FL-239
 CondensationResistance: 14.0000
 SolarHeatGainCoeff: 0.5600
 VTCOG: 0.8800

0006
(12.00) **MULTI-PART MULTI-PART UNITS**
 75.75X62.X.,7700A,TW,MTCH COL,W.,5FLANGE,EQUAL

Ordered:
 2.00



BEGIN MODEL SET 012:
 Combo Config: TW - Twin
 Unit 2: SH7700A
 Assembly Options: MTCHCOL
 Send Mull(s): Y
 Size Selection: ACTUAL
 Height: 62.0000
 Frame Color: W - White
 Boxing Options: BS - Box Screen

Series: 7700A
 Unit 1 (Bottom Left Unit): SH7700A
 Frame Type: .5FLANGE
 Width Equal or Width: EQUAL
 Mull Part Selection: MULL/CLPS
 Width: 75.7500
 Vertical Mull: 1X2.750X0.650
 Glass Color: GR - Gray

0006
(13.00) **SH7700A SINGLE HUNG SERIES 7700A**
 37.875X62.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1"
 RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-
 BOXED,LSILL

Ordered:
 2.00


Certification Type: MIAMI
 Frame Type: .5FLANGE
 Window Style: STD
 Size Ref: TTT
 Rough Masonry: 38 5/8 X 62
 Egress Opening: 32 13/16 X 24 13/16 (5.6343 SQFT)
 Glass Family: LM -
 Glass Makeup: LMS209S2
 Does unit need to meet Turtle Code: NO
 Low E: NONE
 Grid Type: DA1000 - 1" Raised Ext/Flat Bar In
 Grid Location: UNIT
 Summary Bottom: 1A1D LITES (0V0H BARS)
 Vent Latch: N
 Hi-Rise Sill: N
 Stainless Steel Package: Y
 Lock Quantity: 1.0000
 Decralite: N
 CAR#: 20-0401.11
 NegativeDesignPressure: 80.0000
 EnergyStar: NONE
 UF: 1.0400
 VT: 0.6300

NOA Selection: 20-0401.11
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Actual Size: 37 7/8 X 62
 Wood Frame Opening: 37 1/8 X 61 1/4
 Frame Color: W - White
 Interlayer Type: PVB090
 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS)
 Glass Color: CL - CLEAR
 Privacy Glass: NONE - NONE
 Grid Style: U.COL.LITES
 Summary Top: 2A1D LITES (1V0H BARS)
 Screen Type: 1816K - 1816 Charcoal
 WOCD: N
 Lmtd Sash Stop: N
 Lock Type: SWEEP - Sweep Latch
 Boxing Options: BS - Box Screen
 Vent Ht: 31.4640
 PositiveDesignPressure: 65.0000
 PANumber: FL-239
 CondensationResistance: 14.0000
 SolarHeatGainCoeff: 0.5600
 VTCOG: 0.8800



0006 **SH7700A SINGLE HUNG SERIES 7700A**

Ordered:

(14.00)	37.875X62.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-BOXED,LSILL	2.00	
	Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 38 5/8 X 62 Egress Opening: 32 13/16 X 24 13/16 (5.6343 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 37 7/8 X 62 Wood Frame Opening: 37 1/8 X 61 1/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 31.4640 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800	
0006 (15.00)	MULL MULL BARS ,61.,W,,5FLANGE,MTCHCOL,MULL/CLPS,1 X 2.750 X .650	Ordered: 2.00	
	Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Type: STDCLP/STDCLP Frame Color: W - White Boxing Options: BS - Box Screen	Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 1X2.750X0.650 Size Selection: CUSTOM Assembly Options: MTCHCOL END MODEL SET 012:	
0007 (16.00)	SH7700A SINGLE HUNG SERIES 7700A 37.5X74.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-BOXED,LSILL	Ordered: 2.00	
	Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Height: 74.0000 Rough Masonry: 38 1/4 X 74 Egress Opening: 32 7/16 X 30 13/16 (6.9189 SQFT) Glass Family: LM - Laminated Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 37 1/2 Actual Size: 37 1/2 X 74 Wood Frame Opening: 36 3/4 X 73 1/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 37.4640 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800	
0008	SH7700A SINGLE HUNG SERIES 7700A	Ordered:	

(17.00)	25.75X38.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-BOXED,LSILL	1.00	
	Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Height: 38.0000 Rough Masonry: 26 1/2 X 38 Egress Opening: 20 11/16 X 12 13/16 (1.8294 SQFT) Glass Family: LM - Laminated Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 25 3/4 Actual Size: 25 3/4 X 38 Wood Frame Opening: 25 X 37 1/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 19.4640 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800	
0009 (18.00)	MULTI-PART MULTI-PART UNITS 76.X62.X.,7700A,TW,MTCH COL,W,.5FLANGE,EQUAL	Ordered: 1.00	
	BEGIN MODEL SET 018: Combo Config: TW - Twin Unit 2: SH7700A Assembly Options: MTCHCOL Send Mull(s): Y Size Selection: ACTUAL Height: 62.0000 Frame Color: W - White Boxing Options: BS - Box Screen	Series: 7700A Unit 1 (Bottom Left Unit): SH7700A Frame Type: .5FLANGE Width Equal or Width: EQUAL Mull Part Selection: MULL/CLPS Width: 76.0000 Vertical Mull: 1X2.750X0.650 Glass Color: GR - Gray	
0009 (19.00)	SH7700A SINGLE HUNG SERIES 7700A 38.X62.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-BOXED,LSILL	Ordered: 1.00	
	Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 38 3/4 X 62 Egress Opening: 32 15/16 X 24 13/16 (5.6558 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 38 X 62 Wood Frame Opening: 37 1/4 X 61 1/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 31.4640 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800	

0009 (20.00)	SH7700A SINGLE HUNG SERIES 7700A 38.X62.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K- BOXED,LSILL	Ordered: 1.00	
	Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 38 3/4 X 62 Egress Opening: 32 15/16 X 24 13/16 (5.6558 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 38 X 62 Wood Frame Opening: 37 1/4 X 61 1/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 31.4640 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800	
0009 (21.00)	MULL MULL BARS .61.,W.,5FLANGE,MTCHCOL,MULL/CLPS,1 X 2.750 X .650	Ordered: 1.00	
	Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Type: STDCLP/STDCLP Frame Color: W - White Boxing Options: BS - Box Screen	Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 1X2.750X0.650 Size Selection: CUSTOM Assembly Options: MTCHCOL END MODEL SET 018:	
0010 (22.00)	SH7700A SINGLE HUNG SERIES 7700A 37.25X62.X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K- BOXED,LSILL	Ordered: 2.00	
	Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Height: 62.0000 Rough Masonry: 38 X 62 Egress Opening: 32 3/16 X 24 13/16 (5.5268 SQFT) Glass Family: LM - Laminated Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 37 1/4 Actual Size: 37 1/4 X 62 Wood Frame Opening: 36 1/2 X 61 1/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 31.4640 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800	

0011 (23.00)	MULL MULL BARS .61.,W,.5FLANGE,MULL/CLPS,2 X 4 X .250,2	Ordered: 2.00	
	Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Qty: 2.0000 Size Selection: CUSTOM Frame Color: W - White	Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 2X4X0.250 Mull Clip Type: STDCLP/STDCLP Length: 61.0000 Boxing Options: N - None	
0012 (24.00)	FD101H WINGUARD FRENCH DOOR 35.5X90.,W,CL,NONE,G/H 3/8,NO GRID,OUTSWING,EXTERIOR,X,HNG LT,N,2PT,LMA209S3	Ordered: 1.00	
	Certification Type: MIAMI Assembly Type: X Door Width: 35.5000 Actual Size: 35 1/2 X 90 Opening Size: 35 3/4 X 90 1/4 Door Swing: OUTSWING Hinge Side: LEFT Door Glass: 3/8" Lami (1/8"An - .090 PVB- Glass Color: CL - CLEAR Low E: NONE Grid Type: NONE - NO Grid Hardware Distance: 4.0000 Anchor Group: 1.FD101 KD: N PositiveDesignPressure: 75.0000 PANumber: FL-253 CondensationResistance: 16.0000 SolarHeatGainCoeff: 0.4600 VTCOG: 0.8800	NOA Selection: 20-0427.01 Size Selection: CUSTOM Door Height: 90.0000 Assembly Sz: 35 1/2 x 90 Frame Color: W - White Threshold Type: EXTERIOR Glass Family: LM - Laminated Does unit need to meet Turtle Code: NO Door Glass Color: CLEAR Privacy Glass: NONE - NONE Hardware Prep: HANDLE/DBOLT 2-Point Lock: YES Boxing Options: N - None CAR#: 20-0427.01 NegativeDesignPressure: 75.0000 EnergyStar: NONE UF: 1.0200 VT: 0.5000	
0013 (25.00)	MULTI-PART MULTI-PART UNITS 102.X61.5X.,7700A,TR,MTCH COL,W,.5FLANGE,EQUAL	Ordered: 1.00	
	BEGIN MODEL SET 025: Combo Config: TR - Triple Unit 2: PW7720A Frame Type: .5FLANGE Width Equal or Width: EQUAL Mull Part Selection: MULL/CLPS Width: 102.0000 Vertical Mull: 1X2.750X0.650 Frame Color: W - White Boxing Options: BS - Box Screen	Series: 7700A Unit 1 (Bottom Left Unit): SH7700A Unit 3: SH7700A Assembly Options: MTCHCOL Send Mull(s): Y Size Selection: ACTUAL Height: 61.5000 Vertical Mull (2): 1X2.750X0.650 Glass Color: GR - Gray	
0013 (26.00)	SH7700A SINGLE HUNG SERIES 7700A 34.X61.5X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K- BOXED,LSILL	Ordered: 1.00	

Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 34 3/4 X 61 1/2 Egress Opening: 28 15/16 X 24 9/16 (4.9176 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 34 X 61 1/2 Wood Frame Opening: 33 1/4 X 60 3/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 31.2140 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800
--	---

--	--	--	--

0013 (27.00)	PW7720A PICTURE WINDOW SERIES 7720A 34.X61.5,1/2" FL,W,H/H 7/16,CL,OUTSIDE GLZ,NO GRID	Ordered: 1.00	
-------------------------------	--	-------------------------	--

Certification Type: MIAMI Frame Type: .5FLANGE Size Ref: TTT Rough Masonry Opening: 34 3/4 X 61 1/2 Frame Color: W - White Interlayer Type: PVB090 Glass: 7/16" LAMI (3/16 HS - .090 PVB- 3/16 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Stainless Steel Package: N CAR#: 20-0401.10 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 0.9900 VT: 0.7800	NOA Selection: 20-0401.10 Size Selection: CUSTOM Actual Size: 34 X 61 1/2 Wood Frame Opening: 33 1/4 X 60 3/4 Glass Family: LM - Laminated Glass Makeup: LMS309S3 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: NONE - NO Grid Boxing Options: BS - PositiveDesignPressure: 80.0000 PANumber: FL-243 CondensationResistance: 13.0000 SolarHeatGainCoeff: 0.6600 VTCOG: 0.8700
--	---

--	--	--	--

0013 (28.00)	SH7700A SINGLE HUNG SERIES 7700A 34.X61.5X.,STD,1/2" FL,W,EQUAL,H/H 5/16,CL,1" RM/FB,1V0H/0V0H,SS PACKAGE,SGL,SWEEP,1816K-BOXED,LSILL	Ordered: 1.00	
-------------------------------	---	-------------------------	--

Certification Type: MIAMI Frame Type: .5FLANGE Window Style: STD Size Ref: TTT Rough Masonry: 34 3/4 X 61 1/2 Egress Opening: 28 15/16 X 24 9/16 (4.9176 SQFT) Glass Family: LM - Glass Makeup: LMS209S2 Does unit need to meet Turtle Code: NO Low E: NONE Grid Type: DA1000 - 1" Raised Ext/Flat Bar In Grid Location: UNIT Summary Bottom: 1A1D LITES (0V0H BARS) Vent Latch: N Hi-Rise Sill: N Stainless Steel Package: Y Lock Quantity: 1.0000 Decralite: N CAR#: 20-0401.11 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 1.0400 VT: 0.6300	NOA Selection: 20-0401.11 Vent Configuration: EQUAL Size Selection: CUSTOM Actual Size: 34 X 61 1/2 Wood Frame Opening: 33 1/4 X 60 3/4 Frame Color: W - White Interlayer Type: PVB090 Glass: 5/16" LAMI (1/8HS - .090 PVB- 1/8 HS) Glass Color: CL - CLEAR Privacy Glass: NONE - NONE Grid Style: U.COL.LITES Summary Top: 2A1D LITES (1V0H BARS) Screen Type: 1816K - 1816 Charcoal WOCD: N Lmtd Sash Stop: N Lock Type: SWEEP - Sweep Latch Boxing Options: BS - Box Screen Vent Ht: 31.2140 PositiveDesignPressure: 65.0000 PANumber: FL-239 CondensationResistance: 14.0000 SolarHeatGainCoeff: 0.5600 VTCOG: 0.8800
--	---

--	--	--	--

0013 (29.00)	MULL MULL BARS ,60.5,W,.5FLANGE,MTCHCOL,MULL/CLPS,1 X 2.750 X .650	Ordered: 1.00	
-------------------------------	--	-------------------------	--

Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Type: STDCLP/STDCLP Frame Color: W - White Boxing Options: BS - Box Screen	Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 1X2.750X0.650 Size Selection: CUSTOM Assembly Options: MTCHCOL
---	--

--	--	--	--

0013 (30.00)	MULL MULL BARS ,60.5,W,.5FLANGE,MTCHCOL,MULL/CLPS,1 X 2.750 X .650	Ordered: 1.00	
-------------------------------	--	-------------------------	--

Product Family Series: 7700A NOA Selection: 20-0406.03 Frame Type: .5FLANGE Mull Clip Type: STDCLP/STDCLP Frame Color: W - White Boxing Options: BS - Box Screen	Certification Type: MIAMI Part Selection: MULL/CLPS - Mull & Clips set Mull Bar Type: 1X2.750X0.650 Size Selection: CUSTOM Assembly Options: MTCHCOL END MODEL SET 025:
---	--

--	--	--	--