



Arboriculture Tree Report Delray Swan, Delray Beach Fl

To: Guardian Capital
Attn: Jeffrey A. Costello
Delray Beach, FL

Date: Oct. 20, 2021
Office: 561-573-1486
Email: jcostello@jcplanningsolutions.com

Prepared by: John Sutton
International Society of Arboriculture Certified Arborist

Certification of Performance

I, John Sutton, certify to the best of my knowledge, and abilities:

That I have personally inspected the tree(s) and or the property referred to in this report.

That it is my professional opinion, that the following report is true, and the conclusions and results stated are correct based on the information received about the property evaluated and the evaluation methods followed.

That the reported analyses, opinions, and conclusions are only limited by the reported assumptions, methods and limiting conditions and my personal, unbiased professional analyses, opinions and conclusions.

That Sutton Consulting Arborist, Inc. acts as an independent tree, and landscape consultant. This firm has no prospective or current interest in the property evaluated or interest/bias with respect to the parties involved.

That this Report, or parts of this Report, have not been revealed to any party other than the Client named and will not be revealed to any other party unless authorized to do so by Client named or by due process of law or by legally required public testimony by this firm of these results.

This report is written in good faith and all rights are reserved by Sutton Consulting Arborist, Inc. It is for use by the client named only.

John Sutton
John Sutton/Sutton Consulting Arborist
ISA Certified Arborist #SO-0326

Report

I. Introduction

This is a city block with both residential homes and commercial properties. My assignment is to evaluate all trees and palms on site for health and condition.

II. Property Involved

The property involved is known as Delray Swan, Delray Beach, FL. I arrived on site 10-17-2021. The trees/palms are located throughout the property.

III. Data Collection

The property/trees were evaluated by site visit to determine environmental conditions, species, size (DBH and height) condition as a percentage and pictures.

IV. Limiting Conditions

This "Arboriculture Report" includes only the listed trees, landscape conditions in the immediate area where the tree is located, and conditions caused by or attributable to the trees on this property. We did not evaluate and make no evaluation or conclusions regarding any other part of the landscape or other items of this property.

Limits of the Assignment

1. This report is not intended as and does not represent legal advice and should not be relied upon to take the place of such advice.
2. This report is limited to documenting the condition of the tree on the dates given. Care has been taken to obtain all information from reliable sources. All data has been verified insofar as possible; however, the consultant can neither guarantee nor be responsible for the accuracy of information provided by others.
3. Loss or alteration of any part of this report invalidates the entire report.
4. Sketches and photographs used in this report are intended as visual aids only and are not necessarily to scale.

V. Discussion

An urban landscape is not a forest, woods or other wild habitat. It is intended to be a planned and controlled environment. Trees can cause considerable damage to structures when not planted in the right locations based on species and mature size. Trees should be planted with adequate green space for mature tree size both above and below ground in-order to prevent conflicts with all structures above and below ground. The appearance and value of residential landscapes suffer, and the property devaluates due to poor tree placement.

Poorly planned landscapes also give rise to possible property damage, bodily injury and other negative circumstances and unnecessary expenses

Properly designed and professionally maintained landscape, plants, shrubs and trees traditionally stabilize and/or increase property values.

Most tree roots grow out horizontally from the tree in the top 6-12 inches of soil. A mature tree's roots can spread 2-3 times the diameter of the tree's crown or canopy.

Critical Root Zone (CRZ)

For existing trees, there is a minimum amount of area, above (for the trunk and crown) and below ground (for soil health and the root system vitality) that is required to protect trees and preserve tree health. This area is identified as the Critical Root Zone (CRZ) and is generally agreed to be equivalent to the soil area below ground and the space above ground defined by the tree's dripline, or the greatest extent of the branches. Significant risk of catastrophic failure exists if structural roots within this given radius are destroyed or severely damaged. Limits of disruption are based upon tree diameter (DBH) at 4.5 feet above the ground. We define the Critical Root Zone for all trees as the circular area above and below ground with a radius equivalent to the greater of 6 feet or 1.0 feet for every inch in trunk diameter at 4.5 feet above the ground. For example, a tree with a trunk diameter (DBH) of 10 inches has a CRZ of 10 feet (10 inches x 1.0) around the tree. While the radius of the CRZ is 10 feet, the diameter of the entire CRZ is 20 feet.

Generally, the full Perimeter (PCRZ) is considered the optimum amount of root protection for a tree. (The ICRZ is identified as the inner half of the CRZ radius). As root impact occurs within the PCRZ, greater post care will be required for the tree to remain alive and stable. The absolute maximum disturbance allowed must still leave the ICRZ undisturbed if the tree is to have any chance of survival.

The CRZ (Critical Root Zone) is calculated at 1" of root for each inch of trunk diameter at or near breast height (dbh). This gives the radius of the CRZ.

Example:

| Tree Diameter | CRZ | Tree Diameter | CRZ |
|---------------|------------|---------------|------------|
| 2" diameter | 2' radius | 16" diameter | 16' radius |
| 4" diameter | 4' radius | 20" diameter | 20' radius |
| 6" diameter | 6' radius | 24" diameter | 24' radius |
| 10" diameter | 10' radius | 30" diameter | 30' radius |
| 12" diameter | 12' radius | 40" diameter | 40' radius |

The CRZ of a tree, also called the “tree protection zone”, is often defined as an imaginary circle on the ground that corresponds with the “dripline” of the tree. However, the dripline is very irregular and misleading, so the trunk diameter is referred to.

This is a generally accepted method for measuring CRZ, root systems do vary in depth and spread based on size of tree, soil quality, water table, species, and other related factors such as root obstructions.

VI. Conclusions and Recommendations

Please see attached survey with tree locations, below; excel spreadsheet, and pictures.

| Tree # | Common name | Botanical name | DBH | Height | Condition | Gen. Notes |
|--------|-----------------------|----------------------------------|------|--------|-----------|--|
| 1919 | Christmas palm DBL | <i>Adonidia merrillii</i> | | 7/8/ | 70% | |
| 1920 | Sabal palm | <i>Sabal palmetto</i> | | 5 | 70% | |
| 1982 | Laurel oak | <i>Quercus laurifolia</i> | 12 | | 45% | Restricted roots 2 sides, co-dom inclusion, decay in trunk |
| 1983 | Fishtail palm | <i>Caryota mitis</i> | | 7 | 70% | |
| 1984 | Live oak | <i>Quercus virginiana</i> | 19 | | 60% | Co-canopy |
| 1985 | Gumbo limbo | <i>Bursera simaruba</i> | 10.5 | | | |
| 1983A | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% | |
| 1983B | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% | |
| 1983C | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% | |
| 1983D | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% | |
| 1983E | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% | |
| 1983F | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% | |
| 1986 | Mango | <i>Mangifera indica</i> | 16.5 | | 60% | Co-dom inclusion |
| 1986A | Coconut palm | <i>Cocos nucifera</i> | | 18 | 70% | |
| 1986B | Citrus tree | <i>Citrus species</i> | 9 | | 30% | Co-canopy |
| 1986C | Tamarind | <i>Tamarindus indica</i> | 12 | | 60% | Co-canopy |
| 1986D | Avocado | <i>Persea americana</i> | 6 | | 40% | Co-canopy |
| 1989 | Green buttonwood | <i>Conocarpus erectus</i> | 4 | | 80% | New tree |
| 1990 | Pigeon plum | <i>Coccoloba diversifolia</i> | 3.5 | | 80% | Co-canopy, blocking road sign |
| 1991 | Sabal palm | <i>Sabal palmetto</i> | | 14 | 70% | |
| 1992 | Sabal palm | <i>Sabal palmetto</i> | | 18 | 70% | |
| 1993 | Sabal palm | <i>Sabal palmetto</i> | | 16 | 70% | |
| 1994 | Sabal palm | <i>Sabal palmetto</i> | | 16 | 70% | |
| 1995 | Mahogany | <i>Swietenia mahagoni</i> | 15 | | 40% | Restricted roots, co-canopy |
| 1996 | Mahogany | <i>Swietenia mahagoni</i> | 15 | | 30% | Restricted roots, co-canopy |
| 1997 | Mahogany | <i>Swietenia mahagoni</i> | 24 | | 60% | Restricted roots, trunk scared up |
| 1998 | Live oak | <i>Quercus virginiana</i> | 4 | | 40% | Leaning |
| 1999 | Live oak | <i>Quercus virginiana</i> | 16 | | 60% | Restricted roots 2 sides, co-canopy |
| 2000 | Live oak | <i>Quercus virginiana</i> | 15.5 | | 60% | Restricted roots 2 sides, co-canopy |
| 2001 | Live oak | <i>Quercus virginiana</i> | 12.5 | | 60% | Restricted roots 2 sides, co-canopy |
| 2002 | Live oak | <i>Quercus virginiana</i> | 9 | | 40% | Restricted roots 1 side, co-canopy |
| 2003 | Live oak | <i>Quercus virginiana</i> | 12 | | 45% | Restricted roots 1 side, co-canopy |
| 2004 | Live oak | <i>Quercus virginiana</i> | 12 | | 45% | Restricted roots 1 side, co-canopy |
| 2005 | Live oak | <i>Quercus virginiana</i> | 18.3 | | 70% | Restricted roots 2 sides, co-canopy, power lines |
| 2006 | Ficus nitida | <i>Ficus microcarpa</i> | 8 | | 20% | Invasive, co-canopy, co-dom inclusion |
| 2007 | Ficus nitida | <i>Ficus microcarpa</i> | 14.5 | | 30% | Invasive, co-canopy, co-dom inclusion |
| 2008 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 12 | 70% | Restricted roots 2 sides |
| Tree # | Common name | Botanical name | DBH | Height | Condition | Gen. Notes |
| 2009 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 12 | 70% | |
| 2010 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 12 | 70% | |
| 2011 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 7 | 70% | |

| | | | | | | |
|---------------|--------------------|---------------------------|------------|---------------|------------------|--|
| 2012 | Seagrape | <i>Coccoloba uvifera</i> | 70+ | | 30% | Co-canopy, Multitrunk, decay in scaffold |
| 2013 | Royal poinciana | <i>Delonix regia</i> | 6.5 | | 50% | Co-dom inclusion |
| 2014 | Coconut palm | <i>Cocos nucifera</i> | | 35 | 80% | |
| 2015 | Mango | <i>Mangifera indica</i> | 10.5 | | 20% | Co-canopy |
| 2014A | Avocado | <i>Persea americana</i> | 3 | | 30% | Co-canopy |
| 2014B | Avocado | <i>Persea americana</i> | 9 | | 20% | Co-canopy |
| 2015A | Mango | <i>Mangifera indica</i> | 12 | | 30% | Co-canopy |
| 2015B | Avocado | <i>Persea americana</i> | 9 | | 20% | Co-canopy |
| 2015C | Avocado | <i>Persea americana</i> | 4.5 | | 50% | Co-canopy |
| 2015D | Mango | <i>Mangifera indica</i> | 5.5 | | 20% | Co-canopy |
| 2015E | Coconut palm | <i>Cocos nucifera</i> | | 23 | 80% | |
| 2015F | Moringa | <i>Moringa oleifera</i> | 5.5 | | 20% | Co-canopy |
| 2015G | Sabal palm | <i>Sabal palmetto</i> | | 20 | 70% | |
| 2015H | Moringa | <i>Moringa oleifera</i> | 13 | | 30% | Multi trunk, co canopy |
| 2017 | Gumbo limbo | <i>Bursera simaruba</i> | 14.5 | | 60% | Co-dom inclusion |
| 2018 | Tropic almond | <i>Terminalia catappa</i> | 11 | | 20% | Tip decline, multiple broken branches |
| 2019 | Cacti | <i>Cactaceae</i> | n/a | n/a | n/a | Not a tree |
| 2020 | Citrus tree | <i>Citrus species</i> | 4.5 | | 60% | |
| 2021 | Mango | <i>Mangifera indica</i> | 18 | | 60% | DBL trunk |
| 2021A | Moringa | <i>Moringa oleifera</i> | 7.5 | | 45% | Poor structure |
| 2021B | Avocado | <i>Persea americana</i> | 8 | | 30% | Co-canopy, hat racked |
| 2021C | Mango | <i>Mangifera indica</i> | 8 | | 40% | Co-canopy |
| 2021D | Coconut palm | <i>Cocos nucifera</i> | | 30 | 80% | |
| 2021E | Mango | <i>Mangifera indica</i> | 7 | | 40% | Tip decline |
| 2021F | Mango | <i>Mangifera indica</i> | 24.5 | | 10% | Sprouted stump |
| 2021G | Mango | <i>Mangifera indica</i> | 8.5 | | 40% | Co-canopy |
| 2022 | Coconut palm | <i>Cocos nucifera</i> | | 12 | 80% | |
| 2023 | Mango | <i>Mangifera indica</i> | 24 | | 10% | Tall, sprouted stump |
| 2024 | Mango | <i>Mangifera indica</i> | 13 | | 50% | Multi trunk, co-dom inclusion |
| 2024A | Mango | <i>Mangifera indica</i> | 5 | | 20% | Multi trunk |
| 2024B | Mango | <i>Mangifera indica</i> | 8 | | 50% | Multi trunk |
| 2025 | Mango | <i>Mangifera indica</i> | 5.5 | | 50% | Co-dom inclusion, poor structure |
| 2025A | Soursop | <i>Annona muricata</i> | 3 | | 45% | |
| 2025B | Moringa | <i>Moringa oleifera</i> | 7 | | 50% | Poor structure |
| 2025C | Mango | <i>Mangifera indica</i> | 3.5 | | 60% | |
| 2025D | Mango | <i>Mangifera indica</i> | 4.5 | | 60% | |
| 2025E | Soursop | <i>Moringa oleifera</i> | 4.5 | | 40% | |
| 2025F | Soursop | <i>Moringa oleifera</i> | 2 | | 40% | |
| 2025G | Soursop | <i>Moringa oleifera</i> | 3.5 | | 20% | Major trunk damage |
| 2025H | Citrus tree | <i>Citrus species</i> | 3.5 | | 60% | |
| 2025I | Citrus tree | <i>Citrus species</i> | 4 | | 60% | |
| Tree # | Common name | Botanical name | DBH | Height | Condition | Gen. Notes |
| 2025J | Mango | <i>Mangifera indica</i> | 9 | | 60% | |
| 2025K | Mango | <i>Mangifera indica</i> | 3.5 | | 20% | Co-canopy |
| 2025L | Mango | <i>Mangifera indica</i> | 5 | | 20% | Co-canopy |

| | | | | | | |
|---------------|------------------|----------------------------------|------------|---------------|------------------|---|
| 2025M | Mango | <i>Mangifera indica</i> | 9 | | 30% | Co-canopy |
| 2025N | Avocado | <i>Persea americana</i> | 4 | | 50% | Co-canopy |
| 2025O | Pongam | <i>Millettia pinnata</i> | 2 | | 40% | Co-canopy |
| 2025P | Mango | <i>Mangifera indica</i> | 5 | | 20% | Co-canopy |
| 2025Q | Moringa | <i>Moringa oleifera</i> | 6 | | 30% | Co-canopy |
| 2025R | Mango | <i>Mangifera indica</i> | 3 | | 15% | Co-canopy |
| 2025S | Citrus tree | <i>Citrus species</i> | 3 | | 40% | Co-canopy |
| 2025T | Avocado | <i>Persea americana</i> | 6 | | 50% | |
| 2026 | Triangle palm | <i>Dypsis decaryi</i> | | 5 | 70% | |
| 2026A | Christmas palm | <i>Adonidia merrillii</i> | | 12 | 70% | |
| 2027 | Christmas palm | <i>Adonidia merrillii</i> | | 9 | 70% | 9/5/5- |
| 2027A | Mango | <i>Mangifera indica</i> | 14 | | 50% | Co-dom inclusion |
| 2027B | Avocado | <i>Persea americana</i> | 5 | | 60% | Co-canopy |
| 2058 | Coconut palm | <i>Cocos nucifera</i> | 4 | | 70% | |
| 2059 | Avocado | <i>Persea americana</i> | 6.5 | | 60% | |
| 2028 | Avocado | <i>Persea americana</i> | 26 | | 50% | Co-canopy, Dbl trunk |
| 2028A | Mango | <i>Mangifera indica</i> | 6 | | 60% | Co-canopy |
| 2028B | Mango | <i>Mangifera indica</i> | 8 | | 50% | Co-canopy |
| 2029 | Coconut palm | <i>Cocos nucifera</i> | | 17 | 80% | |
| 2030 | Mango | <i>Mangifera indica</i> | 11 | | 60% | Co-dom leaders |
| 2031 | Coconut palm | <i>Cocos nucifera</i> | | 19 | 80% | |
| 2032 | Royal poinciana | <i>Delonix regia</i> | 24 | | 30% | Major trunk decay |
| 2033 | Mango | <i>Mangifera indica</i> | 32 | | 30% | Co-canopy, decay in trunk, co-dom leaders |
| 2034 | Royal poinciana | <i>Delonix regia</i> | 24 | | 30% | Co-canopy |
| 2034A | Albizia | <i>Albizia lebbbeck</i> | 19 | | 30% | Invasive |
| 2035 | Mahogany | <i>Swietenia mahagoni</i> | 19 | | 45% | Power lines, large limbs broken and hanging |
| 2036 | Coconut palm | <i>Cocos nucifera</i> | | 14 | 60% | |
| 2037 | Mahogany | <i>Swietenia mahagoni</i> | 23 | | 40% | Power lines, co-dom with inclusion |
| 2037A | Christmas palm | <i>Adonidia merrillii</i> | | 12 | 60% | |
| 2037B | Christmas palm | <i>Adonidia merrillii</i> | | 12 | 60% | |
| 2056 | Mango | <i>Mangifera indica</i> | 8.5 | | 20% | Co-canopy |
| 2048 | Gumbo limbo | <i>Bursera simaruba</i> | 6.5 | | 20% | Restricted roots 3 sides |
| 2049 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2050 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2051 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2056 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2057 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2065 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2064 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2063 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| Tree # | Travelers's palm | Botanical name | DBH | Height | Condition | Gen. Notes |
| 2062 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2061 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| 2047 | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |

| | | | | | | |
|-------|------------------|----------------------------------|--|----|-----|--|
| 2057A | Travelers's palm | <i>Ravenala madagascariensis</i> | | 10 | 70% | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-----------------------|---------------------------|-----|--------|-----------|
| 1919 | Christmas palm DBL | <i>Adonidia merrillii</i> | | 7/8/ | 70% |



| Tree # | Common name | <i>Botanical name</i> | DBH | Height | Condition |
|---------------|--------------------|------------------------------|------------|---------------|------------------|
| 1920 | Sabal palm | <i>Sabal palmetto</i> | | 5 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|---------------------------|-----|--------|-----------|
| 1982 | Laurel oak | <i>Quercus laurifolia</i> | 12 | | 45% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|---------------|----------------------|-----|--------|-----------|
| 1983 | Fishtail palm | <i>Caryota mitis</i> | | 7 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|---------------------------|-----|--------|-----------|
| 1984 | Live oak | <i>Quercus virginiana</i> | 19 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|------|--------|-----------|
| 1985 | Gumbo limbo | <i>Bursera simaruba</i> | 10.5 | | |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|---------------|----------------------|-----|--------|-----------|
| 1983A | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% |
| 1983B | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% |
| 1983C | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% |
| 1983D | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% |
| 1983E | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% |
| 1983F | Fishtail palm | <i>Caryota mitis</i> | | 12 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|------|--------|-----------|
| 1986 | Mango | <i>Mangifera indica</i> | 16.5 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|-----------------------|-----|--------|-----------|
| 1986A | Coconut palm | <i>Cocos nucifera</i> | | 18 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-----------------------|-----|--------|-----------|
| 1986B | Citrus tree | <i>Citrus species</i> | 9 | | 30% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|--------------------------|-----|--------|-----------|
| 1986C | Tamarind | <i>Tamarindus indica</i> | 12 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 1986D | Avocado | <i>Persea americana</i> | 6 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|------------------|---------------------------|-----|--------|-----------|
| 1989 | Green buttonwood | <i>Conocarpus erectus</i> | 4 | | 80% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------------|-----|--------|-----------|
| 1990 | Pigeon plum | <i>Coccoloba diversifolia</i> | 3.5 | | 80% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-----------------------|-----|--------|-----------|
| 1991 | Sabal palm | <i>Sabal palmetto</i> | | 14 | 70% |
| 1992 | Sabal palm | <i>Sabal palmetto</i> | | 18 | 70% |
| 1993 | Sabal palm | <i>Sabal palmetto</i> | | 16 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-----------------------|-----|--------|-----------|
| 1994 | Sabal palm | <i>Sabal palmetto</i> | | 16 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|------------------------------|-----|--------|-----------|
| 1995 | Mahogany | <i>Swietenia macrophylla</i> | 15 | | 40% |
| 1996 | Mahogany | <i>Swietenia macrophylla</i> | 15 | | 30% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|------------------------------|-----|--------|-----------|
| 1997 | Mahogany | <i>Swietenia macrophylla</i> | 24 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|---------------------------|-----|--------|-----------|
| 1998 | Live oak | <i>Quercus virginiana</i> | 4 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|---------------------------|-----|--------|-----------|
| 1999 | Live oak | <i>Quercus virginiana</i> | 16 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|---------------|--------------------|----------------------------------|-------------|---------------|------------------|
| 2000 | Live oak | <i>Quercus virginiana</i> | 15.5 | | 60% |
| 2001 | Live oak | <i>Quercus virginiana</i> | 12.5 | | 60% |
| 2002 | Live oak | <i>Quercus virginiana</i> | 9 | | 40% |
| 2003 | Live oak | <i>Quercus virginiana</i> | 12 | | 45% |
| 2004 | Live oak | <i>Quercus virginiana</i> | 12 | | 45% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|---------------------------|-------|--------|-----------|
| 2005 | Live oak | <i>Quercus virginiana</i> | 18.25 | | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|-------------------------|------|--------|-----------|
| 2006 | Ficus nitida | <i>Ficus microcarpa</i> | 8 | | 20% |
| 2007 | Ficus nitida | <i>Ficus microcarpa</i> | 14.5 | | 30% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|----------------|----------------------------------|-----|--------|-----------|
| 2008 | Travelers palm | <i>Ravenala madagascariensis</i> | | 12 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|----------------|----------------------------------|-----|--------|-----------|
| 2009 | Travelers palm | <i>Ravenala madagascariensis</i> | | 12 | 70% |
| 2010 | Travelers palm | <i>Ravenala madagascariensis</i> | | 12 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|----------------|----------------------------------|-----|--------|-----------|
| 2011 | Travelers palm | <i>Ravenala madagascariensis</i> | | 7 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|--------------------------|-----|--------|-----------|
| 2012 | Seagrpa | <i>Coccoloba uvifera</i> | 70+ | | 30% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-----------------|----------------------|-----|--------|-----------|
| 2013 | Royal poinciana | <i>Delonix regia</i> | 6.5 | | 50% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|-----------------------|-----|--------|-----------|
| 2014 | Coconut palm | <i>Cocos nucifera</i> | | 35 | 80% |




| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|------|--------|-----------|
| 2015 | Mango | <i>Mangifera indica</i> | 10.5 | | 20% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2014A | Avocado | <i>Persea americana</i> | 3 | | 30% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2014B | Avocado | <i>Persea americana</i> | 9 | | 20% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|-------------------------|-----|--------|-----------|
| 2015A | Mango | <i>Mangifera indica</i> | 12 | | 30% |
| 2015B | Avocado | <i>Persea americana</i> | 9 | | 20% |
| 2015C | Avocado | <i>Persea americana</i> | 4.5 | | 50% |
| 2015D | Mango | <i>Mangifera indica</i> | 5.5 | | 20% |
| 2015E | Coconut palm | <i>Cocos nucifera</i> | | 23 | 80% |
| 2015F | Moringa | <i>Moringa oleifera</i> | 5.5 | | 20% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-----------------------|-----|--------|-----------|
| 2015G | Sabal palm | <i>Sabal palmetto</i> | | 20 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2015H | Moringa | <i>Moringa oleifera</i> | 13 | | 30% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|------|--------|-----------|
| 2017 | Gumbo limbo | <i>Bursera simaruba</i> | 14.5 | | 60% |




| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|---------------|---------------------------|-----|--------|-----------|
| 2018 | Tropic almond | <i>Terminalia catappa</i> | 11 | | 20% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-----------------------|-----|--------|-----------|
| 2020 | Citrus tree | <i>Citrus species</i> | 4.5 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2021 | Mango | <i>Mangifera indica</i> | 18 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2021A | Moringa | <i>Moringa oleifera</i> | 7.5 | | 45% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2021B | Avocado | <i>Persea americana</i> | 8 | | 30% |
| 2021C | Mango | <i>Mangifera indica</i> | 8 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|-----------------------|-----|--------|-----------|
| 2021D | Coconut palm | <i>Cocos nucifera</i> | | 30 | 80% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2021E | Mango | <i>Mangifera indica</i> | 7 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|------|--------|-----------|
| 2021F | Mango | <i>Mangifera indica</i> | 24.5 | | 10% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2021G | Mango | <i>Mangifera indica</i> | 8.5 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|-----------------------|-----|--------|-----------|
| 2022 | Coconut palm | <i>Cocos nucifera</i> | | 12 | 80% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2023 | Mango | <i>Mangifera indica</i> | 24 | | 10% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2024 | Mango | <i>Mangifera indica</i> | 13 | | 50% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2024A | Mango | <i>Mangifera indica</i> | 5 | | 20% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2024B | Mango | <i>Mangifera indica</i> | 8 | | 50% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025 | Mango | <i>Mangifera indica</i> | 5.5 | | 50% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|------------------------|-----|--------|-----------|
| 2025A | Soursop | <i>Annona muricata</i> | 3 | | 45% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025B | Moringa | <i>Moringa oleifera</i> | 7 | | 50% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025C | Mango | <i>Mangifera indica</i> | 3.5 | | 60% |
| 2025D | Mango | <i>Mangifera indica</i> | 4.5 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025E | Soursop | <i>Moringa oleifera</i> | 4.5 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025F | Soursop | <i>Moringa oleifera</i> | 2 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025G | Soursop | <i>Moringa oleifera</i> | 3.5 | | 20% |
| 2025H | Citrus tree | <i>Citrus species</i> | 3.5 | | 60% |
| 2025I | Citrus tree | <i>Citrus species</i> | 4 | | 60% |




| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025J | Mango | <i>Mangifera indica</i> | 9 | | 60% |




| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025K | Mango | <i>Mangifera indica</i> | 3.5 | | 20% |



| Tree # | Common name | <i>Botanical name</i> | DBH | Height | Condition |
|---------------|--------------------|------------------------------|------------|---------------|------------------|
| 2025L | Mango | <i>Mangifera indica</i> | 5 | | 20% |
| 2025M | Mango | <i>Mangifera indica</i> | 9 | | 30% |
| 2025N | Avocado | <i>Persea americana</i> | 4 | | 50% |
| | | | | | |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|--------------------------|-----|--------|-----------|
| 20250 | Pongam | <i>Millettia pinnata</i> | 2 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025P | Mango | <i>Mangifera indica</i> | 5 | | 20% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025Q | Moringa | <i>Moringa oleifera</i> | 6 | | 30% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2025R | Mango | <i>Mangifera indica</i> | 3 | | 15% |
| 2025S | Citrus tree | <i>Citrus species</i> | 3 | | 40% |
| 2025T | Avocado | <i>Persea americana</i> | 6 | | 50% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|---------------|-----------------------|-----|--------|-----------|
| 2026 | Triangle palm | <i>Dypsis decaryi</i> | | 5 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|----------------|---------------------------|-----|--------|-----------|
| 2026A | Christmas palm | <i>Adonidia merrillii</i> | | 12 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|----------------|---------------------------|-----|--------|-----------|
| 2027 | Christmas palm | <i>Adonidia merrillii</i> | | 9 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2027A | Mango | <i>Mangifera indica</i> | 14 | | 50% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2027B | Avocado | <i>Persea americana</i> | 5 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|-----------------------|-----|--------|-----------|
| 2058 | Coconut palm | <i>Cocos nucifera</i> | 4 | | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2059 | Avocado | <i>Persea americana</i> | 6.5 | | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2028 | Avocado | <i>Persea americana</i> | 26 | | 50% |



| Tree # | | | | | | on name |
|--------|-------|-------------------------|---|--|-----|---------|
| 2028A | Mango | <i>Mangifera indica</i> | 6 | | 60% | |
| 2028B | Mango | <i>Mangifera indica</i> | 8 | | 50% | |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|-----------------------|-----|--------|-----------|
| 2029 | Coconut palm | <i>Cocos nucifera</i> | | 17 | 80% |



| Tree # | Common name | <i>Botanical name</i> | DBH | Height | Condition |
|---------------|---------------------|--------------------------------|------------|---------------|------------------|
| 2030 | Mango | <i>Mangifera indica</i> | 11 | | 60% |
| 2031 | Coconut palm | <i>Cocos nucifera</i> | | 19 | 80% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-----------------|----------------------|-----|--------|-----------|
| 2032 | Royal poinciana | <i>Delonix regia</i> | 24 | | 30% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-----------------|-------------------------|-----|--------|-----------|
| 2033 | Mango | <i>Mangifera indica</i> | 32 | | 30% |
| 2034 | Royal poinciana | <i>Delonix regia</i> | 24 | | 30% |




| Tree # | Common name | <i>Botanical name</i> | DBH | Height | Condition |
|---------------|--------------------|-------------------------------|------------|---------------|------------------|
| 2034A | Albezia | <i>Albezia lebbeck</i> | 19 | | 30% |
| | | | | | |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|------------------------------|-----|--------|-----------|
| 2035 | Mahogany | <i>Swietenia macrophylla</i> | 19 | | 45% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|--------------|------------------------------|-----|--------|-----------|
| 2036 | Coconut palm | <i>Cocos nucifera</i> | | 14 | 60% |
| 2037 | Mahogany | <i>Swietenia macrophylla</i> | 23 | | 40% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|----------------|---------------------------|-----|--------|-----------|
| 2037A | Christmas palm | <i>Adonidia merrillii</i> | | 12 | 60% |
| 2037B | Christmas palm | <i>Adonidia merrillii</i> | | 12 | 60% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2056 | Mango | <i>Mangifera indica</i> | 8.5 | | 20% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|-------------|-------------------------|-----|--------|-----------|
| 2048 | Gumbo limbo | <i>Bursera simaruba</i> | 6.5 | | 20% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|----------------|----------------------------------|-----|--------|-----------|
| 2049 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2050 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2051 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2056 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2057 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2065 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |



| Tree # | Common name | Botanical name | DBH | Height | Condition |
|--------|----------------|----------------------------------|-----|--------|-----------|
| 2064 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2063 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2062 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2061 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2047 | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |
| 2057A | Travelers palm | <i>Ravenala madagascariensis</i> | | 10 | 70% |

Please feel free to contact me should you have any questions.

In Support

John Sutton

John Sutton/Sutton Consulting Arborist
 ISA Certified Arborist #SO-0326

Sutton Consulting Arborist is staffed by professional Arborists, Horticulturists, and Landscape Inspectors. We utilize associates with expertise in their fields to provide the most accurate, efficient and useful information available to clients. We stand behind our work and can additionally answer any questions or fulfill needs for additional information or services.