

GENERAL NOTES: OUT DOOR EVEN EGRESS PLAN. ALL EXITS AND ENTRANCES TO BE MONITORED.

## SITE INFORMATION

TOTAL AREA OF FENCED IN EVENT.....APPROX. 121,160 SF GROSS  
SEATING, WALKWAYS, & AISLE.....APPROX. 77,000 SF NET

CLASSIFICATION : ASSEMBLY

NUMBER OF FENCED IN EXITS:	11 EXITS PROVIDED (NOT INCLUDING BUILDING EXITS)
NUMBER OF INTERIOR EXITS:	6 EXITS EXISTING 2 REQUIRED

TOTAL EGRESS WIDTH: 400" REQUIRED (@ 2,000 PEOPLE)  
528" PROVIDED

MINIMUM GATE WIDTH: MIN ALLOWED 48"

OCCUPANCY LOAD CHART CHAPTER 10;

MAIN EVENT (1/7NET) .....	11,000 OCCUPANTS
77,000 SF / 7	

TOTAL:	11,000 OCCUPANTS
--------	------------------

CATERING (1/7NET) ..... 87 OCCUPANTS  
611 SF/7

JUDGING (1/7NET) ..... 65 OCCUPANTS  
611 SF / 7



KITCHEN (1/200NET) ..... 4 OCCUPANTS  
698 SF / 7

TOTAL INSIDE: 126 MAX. OCCUPANTS

CONTROLLED TOTAL: 2,000 OCCUPANTS AT A TIME.

CROWD CONTROL TOTAL: 8 GUARDS REQUIRED  
1 PER 250 OCC. 11 PROVIDED, 1 AT EACH EXIT.

LEGEND

EE		EMERGENCY EXIT ONLY
ENTRY		EMERGENCY EXIT AND CONTROLLED ENTRY

 TENT

 DIRECTION OF EXIT OR EXIT ACCESS

--- PATH OF TRAVEL

XX'E01 = MAX. DISTANCE TO EXIT 1  
XX'E02 = MAX. DISTANCE TO EXIT 2  
XX'CP = COMMON PATH OF TRAVEL

—MC— MAIN EVENT 6 FOOT FENCE

—X— INTERNAL CONTROL FENCE

—3A— MAIN EVENT 4 FOOT FENCE (AT N,E,S ENTRANCES)

 FIRE HYDRANT

NOTE: ARCHITECT OF RECORD IS NOT RESPONSIBLE FOR ANY SURVEY/CIVIL WORK AND/OR ANY SUCH DRAWINGS THAT ARE INSERTED INTO THIS SET AND/OR LACK THERE OF. THIS INCLUDES BUT IS NOT LIMITED TO THE PROPOSED AND/OR EXISTING CONDITIONS OF GRADING, PARKING, DRIVEWAYS, SEWER LINES, DRAINAGE, FINISH FLOOR ELEVATIONS, PROPERTY LINE LOCATIONS, EXISTING VEGETATION LOCATIONS, AND ETC. ALL FINISH FLOOR ELEVATIONS SHALL BE CONFIRMED BY THE ADJUDICATING CITY OR A LICENSED CIVIL ENGINEER.

55TH ANNUAL INTERNATIONAL DELRAY BEACH  
CONCOURSE D'ELEGANCE 2026  
DELRAY BEACH  
51 N Swinton Ave  
DeLray Beach, FL 33444

## LIFE SAFETY PLAN

## ARCHITECTURAL SEAL

PROJECT NUMBER
25-000
DRAWN
S.K.
SCALE
AS SHOWN
FULL RELEASE DATE
10/25/2025
REVISIONS

# LIFE SAFETY SITE PLAN

## SP1.0