

















COLOR SAMPLES/FINISHES SCHEDULE

Please note type of material proposed

ATTACH SAMPLES		ATT
ROOF		Sunbrell retracta Sample &
AWNINGS		
WALLS		RAILINGS
FASCIA		DOORS
WINDOWS		SCREENING (PATIO/POOL)
COLUMNS		OTHER



INDICATE FINISH TYPE (Flat, Gloss etc): _____

SUBMIT EIGHT COPIES OF A PHOTOGRAPH(S) OF THE STREETSCAPE VIEW(S) OF THE SUBJECT SITE AND THE BUILDINGS IMMEDIATELY ADJACENT TO IT.

AFFIX EIGHT COPIES OF A PHOTOGRAPH OF BUILDING WITH PROPOSED COLORS TO APPLICATION

The Sunstyle

Retractable Patio Awning




Custom Made Shade From the Pioneers in Customized Retractable Awnings.

No two homes are alike. That's why our Sunstyle model offers complete customization so that each awning is tailored to your needs and lifestyle. The possibilities are countless, with extensions up to 11'6", hundreds of fabrics and custom features all combining to provide you a perfect, made-to-order awning.

Sunesta®

AWNINGS & OUTDOOR COMFORT

www.sunesta.com




The Sunstyle

Retractable Patio Awning

Custom Sizes

Projection up to 11'6"
Widths up to 40' - made to the inch



Product Warranties

LIFETIME
FRAME

10 YEARS

FABRIC


5 YEARS

MOTOR




Frame Colors

Amorcoated[®] frames for superior durability



Fabric Selection

More than 150 colorfast striped and solid awning fabric choices



unique product ID number

Testing



The Only Wind-Resistant Retractable Awnings to Receive Miami-Dade County Approval

Standard Features



one step precision arm pitch adjustment



four PVC protected arm cables



protective hardware covers



mounting hardware for wall, ceiling, or roof location



arm folding for narrow widths and large projections



wireless remote controls, auto sensors and smart phone app



wireless motor operation



one-piece aluminum hood with weather seal



cassette for 360 degree total fabric protection



front bar drop valance for low sun protection



consumer adjustable arm pitch for low sun protection





