## QUOTATION

## Emergency Vehicles, Inc.

Delray Beach Police Department Lt. John Crane-Baker 300 West Atlantic Avenue Delray Beach, FL 33444-3695 561-243-7811 cranebak@mydelraybeach.com

**Quote No:** 

03/09/2016

DELRAYBEACH-0001 Delray Beach Police Department

Page 1

QTY	<b>PART NO</b>	DESCRIPTION
1	1	== FREIGHTLINER M2 2-DOOR - ==
1	A4-02-0100	2017 FREIGHTLINER M2-106 2-DOOR CHASSIS
	711 02 0100	CAB:
		2-Door Conventional
		106" BBC (Bumper to Back of Cab)
		GVWR:
		40,000 Pounds
		WHEELBASE:
		312"
		CAB TO AXLE:
		246" FDAME:
		FRAME:
		139" Frame Overhang (AF)
		Steel Channel - 7/16" x 3-9/16" x 11-1/8"
		Rated for 40,000 Pounds
		1/4" C-Channel Inner Frame Reinforcement
		FRONT BUMPER:
		Three-Piece 14" Chromed Steel with Collapsible Ends
		(2) Frame Mounted Front Tow Hooks
		FRONT AXLE:
		14,700 Pound Rating   Front Oil Seals
		Bonded Rubber Spring Pin Bushings
		FRONT SUSPENSION:
		14,600 Pound Taperleaf
		REAR AXLE:
		27,000 Pound Rating
		Ratio for 75 MPH (Top Speed)
		Driver Controlled Traction Device
		Driver Controlled Rear Differential Lock
		REAR SUSPENSION:
		Hendrickson Primaax EX 26,000 Pound
		Dual Leveling Valves
		Manual Dump Valve For Air Suspension Without Gauge
		Indicator Light For Control Switch
		SHOCKS:
		Heavy Duty Front and Rear
		STEERING:
		Power Hydraulic Assist
		Four Spoke 18" Steering Wheel
		Tilt/Telescoping Steering Column
		BRAKES:
		Anti-Lock Braking System Without Traction Control
		Full Air   Cam Type   Dual System
		Cummins 18.7 CFM Air Compressor
		(2) Steel Air Brake Reservoirs
		BW DV-2 Drain Valves

## **PART NO DESCRIPTION** -- Automatic Slack Adjusters -- Wabco SS-1200 Plus Air Dryer with Integral Air Governor and Heater -- Petcock Drain Valves on all Air Tanks PARKING BRAKE: -- MGM TR Parking Chambers (Axle Cam) ENGINE: -- Cummins ISL Turbo Diesel -- 350 Horsepower @ 2200 RPM -- Cummins Exhaust Brake Integral w/Variable Geometry Turbo w/Tail Light Activation -- Cummins Full Flow/Bypass Oil Filter -- Engine Speed Control (Set @ 1400 RPM) -- Heavy Duty Engine Cooling -- Coolant Recovery System -- Horton Drive Master On/Off Fan Drive -- Automatic Fan Control without Dash Switch -- Air Intake **EXHAUST:** -- RH Horizontal Muffler/Exhaust -- LH Discharge - Ahead of Rear Wheels -- Engine After Treatment Device -- Automatic Over the Road Regeneration -- Dash Mounted Regeneration Request Switch -- 6-Gallon Diesel Exhaust Fluid Tank, Mounted Next to Fuel Tank on Drivers Side TRANSMISSION: -- Allison 3000 HS | 6-Speed Automatic w/Auto Neutral -- Push Button Electronic Shift Control - Dash Mounted -- Vehicle Interface Wiring and PDM -- Body Builder Connector - Back of Cab -- Transmission Oil Check and Fill with Electronic Oil Level Check -- Transmission Cooler DRIVE SHAFT: -- Spicer Heavy Duty Tubular **FUEL TANK:** -- 50 Gallon Capacity Short Rectangular (Aluminum) - LH -- 50 Gallon Capacity Rectangular (Aluminum) - RH Side -- Fuel/Water Separator with Primer Pump **ELECTRICAL SYSTEM:** -- Delco 12V Starter with Integrated Magnetic Switch -- Engine Warning System Buzzer and Light -- Warning Alarms: Low Oil | Low Water | High Water Temperature -- Tail Light Connector - Back of Cab ALTERNATOR: -- 275 Amp 40-SI QuadraMount Pad Alternator w/Remote Battery Voltage Sensor **BATTERIES:** -- (3) Alliance Model 1231, Group 31, 12 Volt Maintenance Free 2280 CCA -- Single Battery Box LH - Frame Mounted Behind Cab (Relocated By Body Builder) -- Under Hood Mounted Jump Start Connection HORNS: -- Dual Electric HOOD: -- 1-Piece Moulded Fiberglass -- Tilting Hood and Fenders

### Page 3 **PART NO** DESCRIPTION -- Chrome Front Grille CAB GLASS: -- Tinted Safety Glass - All Windows -- No Rear Windows MIRRORS: -- 7" x 16" Stainless Steel/Heated -- LH/RH Remote Control -- 102" Wide Mirror Spacing -- 8" LH/RH Bright Finish Convex -- RH Down View Mirror GAUGES: -- Driver and Center Instrument Panel -- Tachometer with Hourmeter -- Speedometer -- Odometer -- Fuel Level -- Voltmeter -- Transmission Temperature Gauge -- Engine Coolant Temperature -- Engine ECM Customer Access -- Dual Air Pressure -- Air Restriction Indicator WIPERS: -- Electric Wipers and Washers -- Intermittent Wiper Switch PAINT COLOR: -- One Solid Color - White - Base Coat / Clear Coat ENVIRONMENTAL: -- Cab Air Conditioning -- Heavy Duty Heater -- Windshield Defroster CAB SEATING: -- High-Back Driver Air Ride Seat -- High-Back Passenger Air Ride Seat -- Black Cordura Fabric -- 3-Point High Visibility Orange Retractor Type Seat Belts CAB TRIM/COLOR: -- Custom Interior Opal Gray Vinyl -- Black Floor Mats with Insulation TIRES: -- Goodyear 12R22.5; 16-Ply -- (2) Front | Highway Tread G661 -- Goodyear 12R22.5; 16-Ply -- (4) Rear | Traction Tread G182 WHEELS: -- (6) 22.5 x 8.25 Alcoa DuraBright Polished Aluminum 10-Hole Pattern MISCELLANEOUS: -- LH/RH NFPA Exterior Grab Handles -- Power Windows / Door Locks -- AM/FM/WB/CD/Bluetooth Radio with Front Auxiliary Input -- (2) Speakers in Cab -- Self-Cancelling Turn Signal Switch with Dimmer -- Integral Headlight Beam 4-way Flasher -- Day Time Running Lights -- Cigarette Lighter -- Dual Interior Sun Visors -- Halogen Head Lamps -- LED Marker Lights -- Wiring with Separate Stop/Turn Wires to 4-Feet Beyond End of Frame

03/09/		Quote No: DELRAYBEACH-0001	Page 4
QTY	PART NO	LH/RH Dome Light/Map Light - Front Forward Roof Mounted Console with Upper Storage Compartment (2) Cup Holders - LH/RH Dash	
1 1 1 1	B0-00-0001 B1-00-0000 B1-02-0506 B1-20-0000	== 32-FT COMMAND UNIT == CHASSIS/FRAME RAILS PREPARATION - GENERAL (2/16) CHASSIS FRAME RAIL PREPARATION FRAME RAIL EXTENSION - FLAT FLOOR BODY (OVER 25') QUADRA MFG. BIG FOOT #QE-2 VEHICLE LEVELING SYSTEM Includes: Warning light in cab Foot Pad - 14" O.D. x 3/8"	
1	B1-70-0005	RELOCATION OF COMMERCIAL CHASSIS BATTERIES Location: Compartment #1	
2	B4-00-0002 B5-05-0500	ENGRAVED LABEL - ULTRA LOW SULFER DIESEL FUEL ONLY REAR STEP AND BUMPER ASSEMBLY Note: To be 21" deep The diamond plate utilized shall be "slip resistant", meeting NFPA requirements	
1 1 1 1 1 1 1 1 1	B6-00-1000 B7-06-0500 C0-01-0000 C0-32-CV00 C1-10-3840 C1-20-9600 C1-35-8600 C1-40-1000 C1-75-0000 C1-50-004X	PAIR REAR BLACK RUBBER WHEEL MUD FLAPS SET CHROME HUBS AND NUTS ALL ALUMINUM MODULAR BODY MODULE BODY PACKAGE; 32 FT COMMAND   MODULE BODY LENGTH - 380" ID / 384" OD   MODULE BODY WIDTH - 96"   MODULE BODY HEADROOM (WALK-IN) - 86"   MODULE FRONT WALL - SMOOTH PAINTED   SET STONE GUARDS   DIAMOND PLATE MODULE ROOF - NON SKID (NFPA) The diamond plate utilized shall be "slip resistant", meeting NFPA requirements	
1 1 1 1 1	C1-70-0000	EXTERIOR SHEETING - 1/8" THICKNESS   SET ROUNDED BODY VERTICAL CORNERS   DRIP RAIL PACKAGE   PAIR PAINTED EXTERIOR WHEELWELL PANELS   REAR DIAMOND PLATE KICK PANEL SIDE ENTRY DOOR(S) - CURBSIDE WITH #400 LATCH - 22" X 18" SLIDING WINDOW Lower entry door to be covered with aluminum tread plate	
1		STEPWELL WITH DOUBLE INTERMEDIATE STEPS LOWER BODY RUB RAILS - "C" CHANNEL Includes reflective stripe	
1	C2-90-2000 C3-40-K00S	PAIR RUBBER REAR WHEEL FENDERETTES KNURLED GRAB RAIL(S) - SMALL Location: Inside - near side entry door of body	

03/09/			age 5
QTY	PART NO	DESCRIPTION	
1	C3-40-K01M	KNURLED GRAB RAIL(S) - MEDIUM	
		Location:	
		Near side entry door	
1	C3-60-0112	MANUAL PULL-OUT/DROP-DOWN STEP - SIDE ENTRY	
		Includes warning light within the cab	
		** Step material to be type with small holes since ladies with heals will be coming in and out of	of
		vehicle **	· .
		venide	
6	C4-00-1122	22" X 12" SOLID WINDOW(S)	
U	04-00-1122	Location:	
		(2) for each slide-out room	
	04.00.4005	CONTY AND ENTERVISION IN LOWER BOOK WINDOWN	
1	C4-00-1225	22" X 18" ENTRY SOLID LOWER DOOR WINDOW(S)	
1	C5-30-0000	ALUMINUM ROOF ACCESS LADDER	
		Since access is provided to the roof, the diamond plate covering the roof shall be "sl	ip
		resistant", meeting NFPA requirements	
1	C5-30-0610	HINGED AND LOCKING PAINTED ALUMINUM LADDER COVER	
1	C5-90-0270	GIRARD G2000 ELECTRIC ACRYLIC AWNING 120V   UP TO 23-FT	
		Location:	
		Curbside	
		Canvas Color:	
		To be determined	
1	C5-90-0300	GIRARD #98003528-23 G-LITE LED LIGHT OPTION FOR AWNING	
		To be switched from the rear 12VDC switch panel near the side entry door of the body	
		, , , , , , , , , , , , , , , , , , ,	
1	C5-98-0084	CAREFREE #SOKIII SLIDE-OUT ROOM VINYL AWNING(S) - SMALL	
		Canvas Color:	
		To be determined	
2	C5-98-0093	CAREFREE #SOKIII SLIDE-OUT ROOM VINYL AWNING(S) - MEDIUM	
		Canvas Color:	
		To be determined	
1	C6-00-01SV	BOMAR #N2049-10AX ALUMINUM ESCAPE HATCH/ROOF VENT/SKYLIGHT	
1	C6-10-003L	ALUMINUM ANTENNA RACEWAY	
•	00 10 0002	To be 3" x 3"	
		Cover antenna raceway with diamond plate on exterior sides	
		Gover antenna raceway with diamond plate on extendi sides	
1	C9-00-3XL0	BODY INSTALLATION	
1	C9-02-0001		
ı	C9-02-0001	SLIDE-OUT ROOM(S)	
		Locations:	
		Rear streetside of body	
		Extension:	
		30"	
_	00.00.000	OURS OUT PROPRIENT POOLING STATES CO.	
2	C9-02-0002	SLIDE-OUT/DROP-DOWN ROOM(S) - FLAT FLOOR	
		Locations:	
		(1) Front streetside and (1) front curbside of body	

03/09/		Quote No. DELINAT BEACH-0001 Fage of
QTY	PART NO	DESCRIPTION
		Extension:
		30"
6	D0-50-0001	1/8" EXTERIOR COMPARTMENTS - BRUSHED ALUMINUM
		Compartment Floors:
		3/16" (.188") thick brushed aluminum
		6/10 (.100 ) thick brashed diaminant
1	D0-55-2700	EXTERIOR INSIDE/OUTSIDE ACCESS COMPARTMENT WITH LIFT-UP DOOR
		Location:
		Streetside of body - behind electronics rack - Size: 24" wide x 20" high
		Inside panel to be Raptor coated black
		Includes a 2-1/2" high x 16" wide lower pass-thru
		Includes a 2-1/2 High X 16 wide lower pass-thru
2	D0-71-020L	DOUBLE COMPARTMENT DOOR(S) - LOCKING
		Location:
		Compartment #2 (Generator compartment) and compartment #5 (Exterior TV compartment)
		Compartment #5 to include a lift-up upper section + fold-down lower section w/a smooth writing
		surface + a 1/2" lip on outer front edge for retention
3	D0-71-040L	DROP-DOWN COMPARTMENT DOOR(S) - LOCKING
		Location:
		Compartments #1, #3 and #6
		To include red labels on the inside of each door: Not A Step + Do Not Sit
1	D0-72-0002	ALUMINUM DOOR MANUFACTURER - AMDOR
1	D0-72-1MAL	ALUMINUM "ANODIZED" ROLL-UP COMPARTMENT DOOR(S) - LOCKING (MED)
	DO 72 HVI/LE	Location:
		Compartment #4 (Exterior galley compartment)
1	D0-97-1500	COMPARTMENT MODIFICATION - FOR INSIDE USE
		Location:
		Compartment #6 - Lower 6" section to be 34" deep - under frame rails for table storage
		Compartment #0 Lower of Section to be 54 deep under mane rails for table storage
1	D1-00-1500	3/16" (.188") EXTERIOR COMPARTMENT SHELVES - PERMANENT
		Location:
		Compartment #4 (Exterior galley)
		o comparison of the control of the c
1	D1 E4 0000	AU DIAMETED COMPARTMENT VENTON
4	D1-54-0000	4" DIAMETER COMPARTMENT VENT(S)
		Location:
		Compartments #1, #3, #4 and #6
9	D1-55-1000	TURTLE TILE COVERING FOR COMPARTMENT FLOORS
9	D1-33-1000	
		Color:
		Black
6	D1-55-1100	TURTLE TILE COVERING FOR COMPARTMENT SHELVES
	55	Color:
		Black
		Includes interior cabinet/closet shelves

03/09/		Quote No: DELRAYBEACH-0001 Page /
QTY	PART NO	DESCRIPTION
1	D1-61-2000	PATCH BLOCK COMPARTMENT W/ CAST DOOR #EB0010
		Location:
		Curbside front of body - for RCA jacks to connect to throw phone
1	D1-61-20LP	PAINTED ALUMINUM RECESSED ALUMINUM POCKET
		Location:
		Streetside of body
		To be used for 100 amp inlet
2	D1-61-2202	MAST TOWER CONTROL COMPARTMENT W/ CAST LOCKING DOOR #AD0030-1-B (LOCKING)
_		Location:
		Rear of body on each mast cover
		riour or body on odon made out of
1	D1-61-2220	WEATHERPROOF PASS-THRU HATCH WITH COVER
,	D1 01 2220	Location:
		On lift-up I/O compartment door
		On int-up 1/O compartment door
1	D2-20-0502	STEEL SUPPORT - GENERATOR
1	D2-20-0502	ROLL-OUT EQUIPMENT TRAY(S) - GRANT MANUFACTURING
3	DF-00-0024	ROLL-OUT EQUIPMENT TRAY(S) - GRANT MANOFACTORING  ROLL-OUT EQUIPMENT TRAY(S) - 24"
3	DF-00-0024	
		Location:
		(2) in compartment #1   For batteries
		(1) in compartment #4   Exterior galley
		Time Olidea, Oversteide macurated 400 lbs
		Type Slides: Grant side mounted - 400 lbs.
4	E0 0E 0VI 0	EVTEDIOD MODIJI AD DODV DAINITED DOLVIJDETIJANIE
1	F0-05-3XL0	EXTERIOR MODULAR BODY PAINTED POLYURETHANE
		Color:
		White #L0006EB to match cab
	F0 00 01/1 0	VEHIOLE LINDEDOCATINO
1	F3-02-3XL0	VEHICLE UNDERCOATING
70	F5-04-0008	FEET OF 8" SCOTCHLITE REFLECTIVE STRIPE
		Color:
		To be determined
	E0 0)/ 0// D	
1	F6-CV-01LP	CUSTOM VINYL LETTERING PACKAGE W/OUTLINE AND SHADE
		Color:
		To be determined
_	00 14/1 0000	INTERIOR RACIOAGE AS ET WALLOW
1	G0-WI-3200	INTERIOR PACKAGE; 32 FT WALK-IN
1	G1-00-005A	MODULAR BODY POLYSTYRENE INSULATION
1		MODULAR BODY INSULATED ALUMINUM SUB-FLOOR
1	G1-10-026F	LONSEAL VINYL FINISH FLOOR - COIN DESIGN
1	G1-12-005A	AISLE WALLS - A.B.S. FINISH
1	G1-13-005A	UPPER INTERIOR WALLS - A.B.S. FINISH
1	G1-14-005A	INTERIOR DECK AREA - A.B.S. FINISH
1	G1-16-0050	MODULE BODY SUB-CEILING - 1/4"
1	G1-16-005A	INTERIOR CEILING - A.B.S. FINISH
1	H1-02-1200	RADIO STORAGE CABINET(S) WITH REMOVABLE FACE
2	H1-02-1546	#MRK-4431LRD ELECTRONICS RACK ENCLOSURE - (44 SPACE) (31" DEEP)
		Fans and Mount Model #:
		MW-4QFT-FC
		Vented Front Door Model #:

	2010	Quote No. DELNATBEACH-0001	rage o
QTY	PART NO	LVFD-44 (includes non-locking latch assembly) Includes spare panels to cover empty spaces	
		Rack to slide out from its fixed position to allow side access to rack equipment	
		Type Slides: Grant Manufacturing - 300 lbs.	
5	H1-02-1600	INDIVIDUAL RACK MOUNT(S) FOR TV, VCR, DVD, DSS Includes rack mount tracks and trim	
2	H1-03-0205	HEAVY DUTY INTERIOR CABINET SHELF TRACKS Location: (2) Sets for interior storage cabinet/closet	
1	H1-03-02LP	1/8" (.125") PERMANENT SHELVES FOR INTERIOR CABINET(S) Location: (1) Rear storage cabinet   Curbside	
5	H1-03-0300	1/8" (.125") ADJUSTABLE SHELVES FOR INTERIOR CABINET(S) Location: (3) Interior storage closet - streetside (2) Interior storage cabinet - curbside	
1	H1-03-04LP	3/16" (.188") VERTICAL DIVIDER Location: Streetside mid storage closet	
2	H1-03-05LP	BROOM CLIP(S) Location: Streetside mid storage closet	
1	H1-07-0000	OVERHEAD STORAGE CABINET - ALUMINUM Location: Over streetside galley cabinet	
5	H1-07-0000	OVERHEAD STORAGE CABINET - ALUMINUM Location: (4) Over rear workstations and (1) over printer cabinet	
3	H1-12-002M	MEDIUM STORAGE CABINET(S) - ALUMINUM Location: (1) mid streetside of body (closet) (1) rear curbside of body (1) mid curbside or body (printer cabinet)  Printer cabinet includes Corian counter top Material: WilsonArt Gilbraltar Pebble Grey	

03/09/			age 9
<b>QTY</b>	PART NO H1-26-0000	GALLEY CABINET ASSEMBLY - ALUMINUM Includes Corian counter top Material:	
		WilsonArt Gilbraltar Pebble Grey	
2	H1-32-0500	FILE DRAWER(S) - ALUMINUM Location: (2) under rear streetside workstations in slide-out room	
1	H1-32-0500	FILE DRAWER(S) - ALUMINUM Location: Rear curbside storage cabinet	
2	H2-04-050S	HINGED SOLID LOCKING DOOR(S) FOR CABINETS/CLOSETS - SM Location: (2) For mid storage cabinet - curbside	
2	H2-06-050S	OPEN FINISH - NO DOOR FOR CABINETS/CLOSETS - SM Location: Lower galley cabinet and overhead cabinet over galley	
2	H2-07-050S	ROLL-UP LOCKING DOOR(S) FOR CABINETS/CLOSETS - SM Door Manufacturer: Amdor Door Finish: Anodized	
5	H2-08-051M	HINGED DRY/ERASE LOCKING DOOR FOR CABINETS/CLOSETS - MED Location: Overhead cabinets over workstations and printer cabinet	
7 4 4		SOUTHCO #M1-42-8 STAINLESS STEEL "D" DOOR LATCHES SQUAD BENCH BACKREST CUSHIONS - CORDURA FOLD-UP SQUAD BENCH WITH SPRING LOADED SEAT IRONS Seating Capacity for Each Bench: Two (2)	
2	H3-13-S12C	HIGH BACK BUCKET SEAT(S) WITH ARMRESTS - INDIVIDUAL Seats 911 Universal Black/Gray Cordura covered seat w/ EVI logo, 6" tracks & armrests with swivel base (model #: 144792PS) Note: Not to include FD / Maltese cross labeling	th
1 2	H5-01-K000 H5-12-0200	MODULE ENTRY DOOR GRAB RAIL(S)   KNURLED ALUMINUM FINISH MAGNETIC DRY/ERASE BOARD(S) Location: (2) Rear dispatch / communications room	
1	H5-12-0200	MAGNETIC DRY/ERASE BOARD(S) Location: Front conference room in curbside slide-out room	

03/09/	2016	Quote No: DELRAYBEACH-0001 Page	10
QTY	PART NO	DESCRIPTION	
1	H5-12-0202	EXTERIOR REMOVABLE MAGNETIC DRY/ERASE BOARD(S)	
	H6-04-005C	LARGE WORK STATION(S)   UP TO 60" WIDE	
		Location:	
		(1) Rear of body curbside and (1) rear of body streetside in slide-out room	
5	H6-10-0210	OFFICE STAR SPACE #5560 TASK SWIVEL CHAIR(S)	
2		SEATS, INC. 911 UNIVERSAL HIGH BACK DISPATCH CHAIR(S)	
		To be Codura covered - Black/Gray	
		Note:	
		Not to include FD / Maltese cross labeling	
	H6-12-0000	CONFERENCE TABLE	
32	H6-17-0500	CORIAN COUNTER TOP UPGRADE - SQ FT	
		Material: WilsonArt Gilbraltar Pebble Grey	
		WilsonAtt dilbrattar i Cobie Grey	
4	H6-24-0002	CABLE PASS-THRU	
		Location: Each rear workstation To be 3-1/2" diameter pass-thru(s) and utilize cable organizer P/N: DMC-YG3 desk grommets	
		10 be 6 1/2 diameter pass thru(s) and dimee dable organizer 17/14. Divio 1 do desix grommets	
2	H7-02-040L	BULKHEAD DIVIDER WITH SLIDING DOOR - LOCKING	
		Door Type: Locking pocket with snapped strap to hold open	
		Note:	
		There shall be NO sliding tracks for door on floor of module body	
		Finish:	
		ABS lower and magnetic dry/erase upper - toward front room and toward rear room	
2	H7-02-04LP	6" x 8" WINDOW(S) - POCKET DOOR(S)	
		To include removable cover panels	
8	H7-50-10LP	ONE-WAY WINDOW OVERLAY(S) - WHITE	
1	H8-05-02LP	HAMILTON BEACH #HCU045S 45 CUP COMMERCIAL GRADE COFFEE MAKER	
		Location: Slide-out tray in compartment #4	
		onde out tray in compartment #+	
1	H8-05-0300	PANASONIC #NN-SN661S 1.2 CU.FT. MICROWAVE - STAINLESS STEEL	
		Location: Permanent shelf in compartment #4	
		To this in the street in the s	
	110.05.4400	NODOCI D VIDE ATTACA A CILI ET L'ANVIAGNA DEEDIGEDATOR	
1	H8-05-1100	NORCOLD #DE-0788 3.1 CU. FT. 12V/120V REFRIGERATOR Location:	
		Streetside in galley	
		5 <b>,</b>	
4	110.00.0400	DI ACK AND DECKED LINDED COUNTED 40 OUR COFFEE MAKES	
1	H8-06-0400	BLACK AND DECKER UNDER COUNTER 12 CUP COFFEE MAKER Location:	
		Under overhead cabinet - Above interior galley	
		ų .	

03/09/		Quote No: DELRAYBEACH-0001 Page 11
QTY	PART NO H8-21-11LP	<b>DESCRIPTION</b> SAMSUMG #BD-E5700ZA WI-FI BLU-RAY AND DVD PLAYER
	110 21 112	Location:
		Electronics rack mounted
	H8-22-03LP	DIRECTV HD SATELLITE TV RECEIVER(S) W/DVR
1	H8-50-0200	CAPRICORN 2000EX VEHICLE MOUNT WEATHER STATION W/ DESK TOP DISPLAY CONSOLE
1	H8-50-02AA	CAPRICORN VEHICLE MOUNT CONNECTOR PLATE ASSEMBLY
	H8-50-0215	C2G #29341 SUPER BOOSTER USB EXTENDER KITS
		To be rack mounted and run to rear work stations
2	H8-99-0108	FRANKLIN INSTRUMENTS #FD254-100-0P4 DIGITAL WALL CLOCK(S)
		Location:
		(1) Front and (1) rear interior of body
1	H8-SP-0003	WEATHERPROOF SPEAKERS + AMPLIFIER + VOLUME CONTROL
		Location: Exterior TV Compartment
		Speakers:
		Marine box speakers (black) - Poly Planar #MA7500B
		Amplifier: Profile AP400 or current model
4	10-05-2L00	10 VOLT ELECTRICAL EVETEM
1		12 VOLT ELECTRICAL SYSTEM DRIVER'S CONSOLE - FLOOR MOUNT
		Aluminum with black Raptor finish
2	10-06-3000	SWITCH CONSOLE - MODULE
		(1) To be mounted next to side entry door of body for 12VDC switches and components
		(1) To be mounted over side entry door of body and to be angled for 120/240VAC switches and components
		Components
		**Doors to be raptor coated black for a durable finish**
5	10-06-9500	SOUTHCO #C2-32-25-3 KEYLOCK THUMB LATCH FOR CONSOLE DOOR(S)
		Locations:
		To be used on module panel doors
	10-10-0500	SWITCH LABEL PACKAGE
1 8	I0-10-1200 I0-10-2000	I.C.C. MARKER LIGHT/REFLECTOR PACKAGE - LED ADDITIONAL LED SIDE MARKER LIGHT(S)
	10 10 2000	Location:
		In lower rub rail - (4) each side
2	10-11-0100	BRITAX #63-4610-L 12V MARKER LED LIGHT(S)
		Location:
		Rear of body
	10-11-0200	TECNIQ #S33-RR00-1 RED LED MARKER LIGHT(S) FOR SLIDE-OUT ROOM(S)
5	10-12-0551	WHELEN #60CREGCS RED/WHITE LED INTERIOR DOME LIGHT(S) W/SWITCH Location:
		Under overhead cabinets - see drawings
		-

03/09/			je 12
QTY	PART NO	DESCRIPTION	
2	10-12-0600	WHELEN #80C0EJCR WHITE LED INTERIOR DOME LIGHT(S) Location: (1) above each electronics rack and to be switched at switch panel	
18	10-12-0606	WHELEN #80CREHCR RED/WHITE LED INTERIOR DOME LIGHT(S) Location:	
		Ceiling of command unit	
4	10-12-0925	WHELEN #3SC0CDCR LED 3" EXTERIOR COMPARTMENT LIGHT(S) Location: (2) in compartment #2 (generator compartment) and (2) in compartment #4 (TV compartment) Lights in compartment #4 are to be switched via a sealed Carling switch from compartment.	
5	10-12-0975	WHELEN #0SC0EDCR LED LIGHT(S) Location: (1) In each Cast door compartment (2) In I/O compartment ceiling mounted in compartment (not on compartment door)	
2	10-12-1500	TECNIQ #E03-W000-1 EON LINEAR LED ILLUMINATION LIGHT(S) Location: On rear of body near ladder	
	10-12-1501 10-12-1602	TECNIQ #E03-0SH0-1 EON LINEAR HORIZONTAL SS HOUSING & GASKET #E03-00HG- LED INTERIOR STRIP LIGHT(S) Locations: (1) in compartments #1, #3 and #6	1
3	10-12-1605	PAIR LED STRIP LIGHTS Locations: Pair in compartment #4 and for each interior compartment with roll-up doors	
14	10-12-3210	"DOOR OPEN" WARNING CIRCUIT(S) W/STEADY BURN LIGHT To be magnetic door switches Includes cab doors	
1	10-12-3500	INDIVIDUAL OPEN DOOR DISPLAY Location: (1) In cab (dash mounted)	
1 1 1 1 1 1	10-13-0540 10-14-1002 10-15-0025 10-15-0027 10-15-0029 10-15-0031 11-03-0502 12-00-0025 12-00-2000	AMDOR #AY-9500-012 LUMABAR H20 LED GROUND ILLUMINATION LIGHT(S) PAIR LED SIDE FACING TURN SIGNALS PAIR WHELEN #M6-SERIES STOP-TAIL / BACK-UP / DIRECTIONAL LIGHTS   PAIR WHELEN #M6BTT LED STOP/TAIL LIGHTS   PAIR WHELEN #M6BUW LED BACK-UP LIGHTS   PAIR WHELEN #M6T LED AMBER DIRECTIONAL LIGHTS   PAIR OF WHELEN #M6FCV3 POLISHED LIGHT HOUSINGS (M6) ECCO #SA917 SELF ADJUSTING BACK-UP ALARM LEVELING SYSTEM VISUAL & AUDIBLE ALARM	
	12-20-0620	PAIR OF AMDOR #AY-9500-012 LUMABAR H20 LED CAB AREA GROUND ILLUMINATION LIG	HTS

03/09/		Quote No: DELRAYBEACH-0001 Page 13
QTY	PART NO	DESCRIPTION
1	12-20-0652	GROUND LIGHTS ACTIVATION - CAB DOOR(S) + ON/OFF SWITCH IN CAB (NFPA)
1	12-20-1525	AMDOR #AY-9220-12 LED STEPWELL ILLUMINATION LIGHT(S)
		Specify angle side:
		Left
		To be mounted under step to illuminate stepwell/steps
1	13-00-2051	SS-TS2000 STAND ALONE WATER PROOF PROXIMITY KEYPAD W/WG26 KEYPAD
•	10 00 2001	Includes:
		(10) Prox Cards & (10) Key Fobs
		(10) Flox Galds & (10) Ney Lobs
1	I3-02-00LP	VEHICLE ALARM SYSTEM
1	13-02-00LF	
		System Includes:
		Magnetic contacts on all entry doors, exterior storage compartment doors, battery box doors,
		generator compartment doors and hood
		(2) Key fobs, key pad, siren and bell
	14 00 0500	LIGENIOS DI ATS LIGUIONIO
1		LICENSE PLATE HOUSING
12	I5-00-04SV	COAXIAL WIRING FOR ANTENNA WITH MOUNTING BASE
		Location:
		Antenna raceway
2	15-00-0501	ANTENNA BRACKET - MAST MOUNTED
		Antenna Quantity:
		Four (4) for each mast
1	15-00-0600	ANTENNA PATCH PANEL
		Location:
		Electronics rack
		Includes:
		(10) 18" TNC patch cords
		` '
1	15-00-3000	WIRING ACCESS COVE PACKAGE
		Note:
		Wiring access coves in overhead cabinets to be painted white Raptor like cabinets
3	15-00-5600	WIRING FOR FUTURE RADIO(S)
		Includes 12V circuit 20 amp breaker, #12 battery switched red wire and a battery direct ground lug
6	15-02-0000	PHONE OUTLET(S)
		Location:
		See Drawings
		**To be CAT 6 wiring + RJ-45 outlets
		To so on the summing a rise reasons.
1	15-02-00LP	PEPLINK #MAX-HD4-LTE-T CELLULAR ROUTER W/WI-FI CAPABILITY
	.5 52 552	Location:
		Electronics rack
		Cellular Carrier:
		To be determined
		TO DO GOLGITIIIIGU
4	I5-03-00LP	NETWORK INLET(S)
4	13-03-00LI	Location:
		LUCATION

03/09/		Quote No: DELRAYBEACH-0001	Page 14
QTY	PART NO	Curbside I/O compartment To be CAT 6 wiring and to be labeled w/Nelco #LSL-77 labels on each end	
6	15-04-0000	NETWORK OUTLET(S) Location: (2) In exterior TV compartment (1) At each rear curbside workstation (2) At each rear streetside workstation (1) At printer location  To be CAT 6 wiring and labeled w/Nelco #LSL-77 labels on each end	
1	I5-04-00LP	NETWORK WIRING/CABLE(S) Location: (1) In nycoil for 42' mast for future use To be CAT 6 cables/wiring to labeled w/Nelco #LSL-77 labels on each end	
1	15-04-0510	ALTINEX MODEL #PNP402 POP 'N PLUG DUAL SIDED TABLETOP INTERCONNECT BOX Includes: (2) Input Plates (One Per Side) Each Side Features:See Layout Sheet In File Folder Six Foot (6') Cable Attached to Feed Through Bottom of Unit	<
2	I5-04-SP03	HDMI CONNECTIONS AND CABLING Location: (1) At/near exterior TV compartment and run to Matrix switcher (1) Near curbside rear workstation and run to rear HDTV/monitor	
4	I5-04-SP04	DUAL USB WALL PLATE CONNECTIONS AND CABLING Location: From raceway to computer for Keyboards and Mouse - Rear workstations	
1	15-05-0001	RCA AUDIO/VIDEO CABLE OUTLET(S) Location: Under conference table - front area/section	
1	I5-05-01LP	TV ANTENNA COAXIAL CABLE INLET Location: Curbside I/O compartment + to include a 6-foot service loop on back side	
2	15-06-0001	AUDIO/VIDEO CABLE INLET(S) To be an RCA audio jack and BNC video jack Location: Curbside I/O compartment	
1	15-06-0003	RCA AUDIO/VIDEO CABLE & INLET(S) Location: In small Cast compartment on front curbside of body for throw phone connection	

03/09/		Quote No. Delha i beach-000 i Fage 15
QTY	PART NO	DESCRIPTION
5	15-06-0005	CAMERA COAXIAL CABLE & OUTLET(S)
		To be Belden #9116 series 6 coaxial cables
		. 6 26 26 36 7 6 7 7 6 6 7 7 6 7 7 7 7 7 7 7 7 7
1	15-06-00LP	RJ-11 INLET/OUTLET - THROW PHONE
		Inlet Location:
		In small Cast compartment on front curbside of body for throw phone connection
		in small dust compartment on none darbaide of body for throw priorite commodition
		Outlet Location:
		Under conference table - front area/section
_	10 00 1000	10 VOLT OUTLET(C) CICARETTE LICHTER TYPE
5	I8-00-1000	12 VOLT OUTLET(S) - CIGARETTE LIGHTER TYPE
		Location:
		(1) Near rear each streetside and curbside rear workstations
		(1) In exterior TV compartment
		(1) in extende 1 to comparation
	10.10	
1	19-10-0100	PHONE PATCH BLOCK
		Location:
		I/O compartment
		(3) RJ-11 Land line inlet/input - CAT 6
		(1) 66-style punch down block
8	19-10-01LP	INSTALL CUSTOMER SUPPLIED IP BASED TELEPHONE(S)
1	19-10-02LP	TRACSTAR MOBILE BROADBAND SATELLITE COMMUNICATIONS SYSTEM
1	19-10-02LF	
		Explorer 8100 Ku
		1.0m Carbon Fiber Reflector for Multi-Band Operation
		- Offset Feed Ku Band
		- 8 Watt extended range BUC from Nexgenwave
		- Multi-band LNB for International use
		- 1RU EXPLORER Antenna Control Unit - Built-in Wifi and a Web-based User Interface for Easy
		Configuration
		oomiga.a.io.
		VE Tracklast Bundle Madam Direct VE Evalution Series with quotem shalf mount kit Comm
		X5 TracVsat Bundle - Modem, iDirect X5 Evolution Series with custom shelf mount kit, Comm
		cable and Options file.
		**Note: Service contract, activation and set up not included.
_	10 40 001 5	INIOTALL ATION OF QUOTOMED OURDUIED 40 DODT OWITOUTES
2		INSTALLATION OF CUSTOMER SUPPLIED 48 PORT SWITCH(ES)
1	IS-20-01LP	WINEGARD #SK-SWM3 DIRECTV SLIMLINE HD SATELLITE ANTENNA
1	IT-25-1016	PRO-VISION #TV-505A DUAL REAR/SIDE VISION CAMERAS W/LCD MONITOR
	3 .0.0	System Includes:
		- 28 Infra Red LED - Night Vision
		- 130 degrees (h) Camera View Area
		- Audio
		- IP67 Waterproof Camera
		- IP67 Waterproof Connectors
		- Sharp Camera Chip Technology
		- 7" LCD Color Monitor
		- (1) Side mounted VLS camera (#PC-1107)
	IT 40 0040	MONINGO WHITE MOSSIN SOVERTALID CAMEDA SVOTEN
1	IT-42-0010	WONWOO #WTK-M202N 20X PTZ HD CAMERA SYSTEM
		Includes the Following:
		WTX-1200 A Controller
		(2) Converters for HD-SDI camera system
		(2) Conventions for the Optical metal system


03/09/			age 16	
QTY	PART NO	DESCRIPTION		
1	IT-43-01LP	WONWOO #WH-0801H 8 CHANNEL DVR W/6 TB WESTERN DIGITAL HARD DRIVE		
1	1 IT-46-0010 KRAMER #VS-88HN HDMI 8 X 8 MATRIX SWITCHER - RACK MOUNTED			
1				
-				
4	4 IT-46-0150 SURVEILLANCE DAY / NIGHT CAMERAS			
	Note:			
		Connected to onboard DVR		
	IT 70 0050	DAINTED ALLIMINI IN CAMEDA LIGHICINO (C)		
2		PAINTED ALUMINUM CAMERA HOUSING(S)		
6		DELL #P2414H 24" MONITORS (OR EQUIVALENT)		
2		SAMSUNG #UN32J6300AFXZA 32" LED HDTV / MONITORS (OR EQUIVALENT)		
2	IT-85-0020	SAMSUNG #UN40J6200AFXZA 40" LED HDTV/MONITOR(S) (OR EQUIVALENT)		
1	IT-85-00LP	INFOCUS #INF5720KIT 57" MONDOPAD TOUCH TABLET SYSTEM		
•	00 002.	Location:		
		Front conference area - front wall		
		Includes:		
		Conferencing camera system, speaker bar and wall mount bracket		
6	IT-85-0100	PEERLESS #SF630 FLAT WALL MOUNT FOR 10" TO 24" MONITOR(S)		
4		PEERLESS #SF640 FLAT WALL MOUNT FOR 23" TO 46" MONITOR(S)		
-		\ /		
1	J1-80-0000	SCHOTTKY #31 51-140 DIODE ISOLATOR		
2	J2-00-0015	INPOWER #DSP-DCS1 DIGITAL VOLTMETER / AMMETER W/LOW VOLT ALARM & LIGHT		
		(SINGLE)		
		Location:		
		(1) In cab floor console		
		(1) In rear 12VDC/120/240VAC panel in body		
		(1) III Teal 12 VDC/120/240 VAC patier III body		
1	J2-10-0000	COLE HERSEE #284 MASTER MODULE DISCONNECT SWITCH		
		Location:		
		Next to driver's seat in cab		
1	J2-10-30CV	BLUE SEA DUAL BATTERY SELECTOR SWITCH		
'	02 10 000 V			
		Location:		
		Next to driver's seat in cab		
1	J2-90-1210	KUSSMAUL #091-89-12 12V AUTOMATIC DUAL BANK CHARGER		
1	L1-25-2010	KUSSMAUL #091-55-20-120 20A SUPER L/L INLET W/AUTO-EJECT		
1		ADDITIONAL BATTERY SYSTEM - (3) AGM 31 SERIES 12V		
	02 00 0010	Location:		
		Compartment #1 - on slide-out tray		
1	J2-90-5055	12 VDC BATTERY/CHARGING SYSTEM - DUAL		
1	J3-65-0000	KUSSMAUL ELECTRIC AIR COMPRESSOR		
		Location:		
		Compartment #1		
		Compartment #1		
	10.70.0000	IZHOOMAHII III OAD MANAOEDII OYOTEMANAZOEDI ENOED		
1	J3-70-0000	KUSSMAUL "LOAD MANAGER" SYSTEM W/SEQUENCER		
1	J3-75-0000	(NFPA) CLEAR LIGHT CUT-OUT - PARK POSITION		
1	K0-10-00CV	GENERATOR INSTALLATION - 120/240 VOLT		
1	K2-02-002L	BASS 120/240 MAIN POWER SYSTEM W/ DISTRIBUTION PANEL		
		Panel Location:		
		Rear 12VDC / 120/240 VAC panel - near side entry of body		

03/09/		Quote No: DELRAYBEACH-0001	Page 17
QTY		DESCRIPTION	
1	K2-02-01LP	RED LED CHASSIS IGNITION "ON" INDICATOR LIGHT	
		Location:	
		On 120/240 VAC panel - above side entry door of body	
1		6-FT 100-AMP LANDLINE CORD	
1	K2-09-01LP	50-FT MARINCO 100 AMP LANDLINE CORD	
1		25-FT 20A 12/3 SAFETY LANDLINE CORD	
2	K2-25-120V	GFI BREAKER - 120 VOLT	
		Location of GFI Outlets:	
		To be wall mounted above printer station - For exterior outlets	
1		120/240 VAC HIGH VOLTAGE POWER INPUT SELECTOR	
1	K2-50-0055	120/240 VAC HIGH VOLTAGE ELECTRICAL SYSTEM - MULTIPLE SOURCE	
1	K2-55-0005	120/240 VAC HIGH VOLTAGE MULTI-METER	
1	K2-70-0110	TRANSIENT VOLTAGE SURGE SUPPRESSOR	
		Hardwired protection for entire AC power system w/green LED indicator	
1		VERTICAL EXHAUST - FOR GENERATOR	
1	K6-55-8000	POWER TECH #PTS-25 DIESEL 25KW GENERATOR - WATER COOLED	
		To include air bag mounting system	
1		POWER TECH #RAGP ANALOG GAUGE PANEL WITH START/STOP AND HOURMETE	
4		DOMETIC 15,000BTU 120 VOLT A/C- ROOF MOUNT WITH WALL MOUNTED THERMOSTA	.T
4		CONDENSATION PUMP AND PLUMBING	
4		DOMETIC A/C THERMOSTAT (WALL MOUNTED)	
2		120V TO 12V CONVERTER(S) - (80 AMP)	
2	L1-15-3000	TWISTLOCK NEMA #L5-30R 120V/30 AMP EXTERIOR RECEPTACLE(S)	
		Location:	
		(1) Behind each electronics rack for UPS to plug into	
	14 40 4540	LIGHTER OF AND INTERIOR RECEPTAGE E(O)	
	L1-16-1510	HOUSEHOLD 20 AMP INTERIOR RECEPTACLE(S)	
5		HOUSEHOLD 20 AMP INTERIOR RECEPTACLE(S) - SINGLE	
2	L1-16-1620	HOUSEHOLD 120V/20 AMP DUPLEX EXTERIOR RECEPTACLE(S)	
		GFCI protected exterior receptacles, (2) circuits	
		**Weather proof outlet covers to be Hubbell #HBL5221 - Gray	
4	14.05.5000	ACCUSACY ACCA TWO TO COLUMN AND INTERNITET CONN. TO MAIN DANIEL	
1		120V/240V 100A TWISTLOCK LANDLINE INLET CONN. TO MAIN PANEL	
2		110V POWER STRIP WITH (6) 15A PLUG-INS	
2	L1-50-0230	MIDDLE ATLANTIC #PDT-1415C-NS POWER STRIP(S)	
		Location:	
		(1) Behind each electronics rack	
2	L3-16-0226	FDC CDFCTDA #CDACOO MOO 100 MOI T I ED TDIDOD CCENE I ICHT/C)	
2		FRC SPECTRA #SPA600-K28 120-VOLT LED TRIPOD SCENE LIGHT(S)   HOUSEHOLD 120V/20 AMP DUPLEX EXTERIOR RECEPTACLE(S)	
1		KWIK-RAZE TELESCOPIC POLE - TOP RAISED	
	L4-05-0100	Location:	
		Passenger side front of body	
		Equipment to be mounted: Weather station	
		Weather station Offset:	
		Onset. 4"	
		4	


	V DART NO	Quote No. BEENATION
QTY		DESCRIPTION  WILL BURT 40ET HEAVY BUTY PARTIMATIC MACT
	2 LX-00-0742	WILL-BURT 42FT HEAVY DUTY PNEUMATIC MAST
	2 L8-50-1000	CAB MOUNTED TOWER UP INDICATOR LIGHT(S)
	2 LX-05-0005	WILL-BURT #4443615 EXTERNAL MOUNTING BRACKET
	2 LX-10-0003	WILL-BURT #915343 3" TOP TUBE PLATFORM
	2 LX-15-0003	WILL-BURT #902044 NR BASE PLATE
	2 LX-20-0002	WILL-BURT #4454001 NON-ROTATING SHELF BRACKET
	2 LX-25-0001	WILL-BURT #904034 SOLENOID VALVE KIT - 12VDC
	2 LX-25-0010	WILL-BURT #912247 HAND HELD REMOTE CONTROL
	2 LX-99-0008	50 FEET OF 1-1/4" BLACK NYCOIL CABLE CONDUIT
7	2 LX-65-05LP	WHELEN #NP6BW PIONEER NANO MICRO MAST MOUNTED LOOK-UP LIGHT(S)
		LED spot light to be switched from respectable mast compartment via a Carling Switch.
	2 LX-99-1000	PAINTED ALUMINUM MAST COVER
	2 LX-99-2000	FOUR (4) LED MARKER LIGHT(S) - TOP OF MAST(S)
		Specify LED Color:
		Red
		Note:
		LED lights to be switched from respectable mast compartments via a Carling switch
		EED lights to be stitlened in the service of the se
	1 LX-99-20LP	WILL-BURT ACCUPOINT100 POSITIONER W/POTENTIOMETER + PREMIUM CONTROLLER
		Will-Burt #753520000 AccuPoint 100
		Will-Burt #4208605 Premium Controller - Rack mounted
		Will-Burt #34052 (85-Ft) 12 pin conductor cable
		Will Built in 100E (55 1 t) 1E pin 55.15555. 552.5
	1 RD-05-0110	WHELEN #295HFS2 SIREN SYSTEM
	2 RD-90-0010	WHELEN #SA122FMP ELECTRONIC SIREN SPEAKER(S)
	6 SD-03-1062	WHELEN #M9LZC LINEAR SUPER-LED® SCENELIGHT(S) - SIDE
	2 SD-06-1062	WHELEN #M9LZC LINEAR SUPER-LED® SCENELIGHT(S) - REAR
	1 SD-99-0020	REVERSE RELAY FOR REAR SCENE LIGHTS
	1 SP-04-0026	BRIGHT STAR LIGHTHAWK #07837 HAND LIGHT(S) - YELLOW
	7 01 01 00	Location:
		To be determined
		To be determined
,	1 T0-02-0400	WHELEN #SSFPOS HEADLIGHT FLASHER
	1 T0-08-0200	VANNER #9860GCPE ELECTRONIC LED FLASHER UNIT
	1 TC-14-0012	WHELEN #M4BCS SERIES SUPER-LED WARNING LIGHT(S) - BLUE - CLEAR LENS -STEADY
		BURN
,	1 TC-14-0902	WHELEN #M4FC CHROME FLANGE
	1 TC-14-0022	WHELEN #M4RCS SERIES SUPER-LED WARNING LIGHT(S) - RED - CLEAR LENS -STEADY
	1 10	BURN
	1 TC-14-0902	WHELEN #M4FC CHROME FLANGE
	3 TC-17-0012	WHELEN #M7BCS SERIES SUPER-LED WARNING LIGHT(S) - BLUE - CLEAR LENS -STEADY
		BURN
,	3 TC-17-0902	WHELEN #M7FC CHROME FLANGE
	3 TC-17-0902	WHELEN #M7RS SERIES SUPER-LED WARNING LIGHT(S) - RED - RED LENS -STEADY BURN
	3 TC-17-0902	WHELEN #M7FC CHROME FLANGE
	2 TC-19-0007	WHELEN #M9ACS SERIES SUPER-LED WARNING LIGHT(S) AMBER - CLEAR LENS -STEADY
	10 10 000.	BURN
,	2 TC-19-0902	WHELEN #M9FC CHROME FLANGE
	3 TC-19-0012	WHELEN #M9BCS SERIES SUPER-LED WARNING LIGHT(S) - BLUE - CLEAR LENS -STEADY
	10 10 0012	BURN
,	3 TC-19-0902	WHELEN #M9FC CHROME FLANGE
	3 TC-19-0902	WHELEN #M9RCS SERIES SUPER-LED WARNING LIGHT(S) - RED - CLEAR LENS -STEADY
	10-10 0022	BURN
,	3 TC-19-0902	WHELEN #M9FC CHROME FLANGE
	1 U1-10-72LP	WHELEN #F4X7B0R0 FREEDOM IV 72" LED LIGHT BAR W/OPTIONS
	1 01-10 /22.	Options:
		Options.

03/09/	2016	Quote No: DELRAYBEACH-0001	Page 19
QTY	PART NO	DESCRIPTION	
		(1) #F4WAR - Add One Super-LED Warning/Alley Lights	
		(1) #F4WAB - Add One Super-LED Warning/Alley Lights	
		(3) #F4LDB - Add Super-LED Lighthead, 1 Long Blue/Blue	
		(3) #F4LDR - Add Super-LED Lighthead, 1 Long Red/Red	
		(1) #F4TL6 - Add Two Long Super-LED Flashing Takedown Lights	
1	U2-00-0050	PAIR FRONT LIGHT BAR MOUNTING BRACKETS - BODY	
		Brackets to be painted to match body color	
		=:a	
1	W0-15-0050	CHASSIS OWNER'S MANUAL(S)   FREIGHTLINER	
1	W0-90-0050	BODY MANUFACTURER'S MANUAL(S)	
1	W0-95-0050	WIRING MANUAL(S)	
1	W1-00-0020	ENGRAVED LABEL PACKAGE	
1	W1-05-0500	SEATING CAPACITY TAG	
1	W1-05-1500	SLATING OALAOTT TAG   ENGRAVED FLUID CAPACITY AND TYPE PLATE	
1	W1-05-1500 W1-05-2000	OVERALL HEIGHT/LENGTH/GVWR PLATE	
	VV 1-03-2000	· ·	
		When manufactured, this vehicle was:	
		VV # VV in High	
		XX ft. XX in. High	
		XX ft. XX in. Long	
		XXXX lb. GVWR	
		Changes in height since the apparatus was manufactured shall be noted on this plate by	/ the
		department	
	14/4 05 0500	DOWER COURSE (OFFI POWER LIP/DOWN) ARE	
1	W1-05-2500	POWER SOURCE/GEN. POWER UP/DOWN LABEL	
1	W5-00-0500	ROADSIDE EMERGENCY SAFETY KIT (8-PIECE)	
2	W5-02-0995	ABC 5 LB. DRY CHEMICAL FIRE EXTINGUISHER W/VEHICLE BRACKET	
3	W5-10-0500	FIRST ALERT COMBINATION SMOKE/CARBON MONOXIDE ALARM	
1	W6-05-0500	WINEGARD "ROADSTAR" RV TV ANTENNA	
1	Z2-00-0002	CHASSIS RELATED EXPENSES	
1	Z3-00-0002	FACTORY LIAISON/PROJECT COORDINATOR	
1	Z6-05-0000	ENGINEERING/PRE-CONSTRUCTION REVIEW	
1	Z6-10-0000	IN-HOUSE PRE-DELIVERY/DETAILING/INSPECTION	






# 








#### PRELIMINARY


THESE DESIGN/ENGINEERING DRAWING(S) ARE PROPERTY OF EMERGENCY VEHICLES, INC. TH ARE PROPRIETARY, AND ARE FOR THE EXCLUS USE OF YOUR ENTITY. ANY DIVILIGING OF TH DATA TO A THIRD PARTY IS PROHIBITED.

	/ Manuelly			11/03/1
		/		,, .
REVISION	1		-	
REVISION	2		-	
REVISION	3		-	
REVISION	4			

Front View








Streetside Body

SALESDWG\DELRAY\_BEACH\_FL\32CV\13\NS\110315





Curbside Body


THESE DESIGN/ENGINEERING PRAMING(S) ARE THE PROPERTY OF EMERGENCY VEHICLES, INC. THEY ARE PROPERTY AND ARE FOR THE EXCLUSIVE USE OF YOUR EMITY, ANY DIVILIANG OF THIS DATA TO A THIRD PARTY IS PROMBITED.

ATE: 11/03/15

REVISION 1

REVISION 2






PRELIMINARY
THESE DESIGN/ENDINEERING DRAWING(S) ARE THE
PROPERTY OF EMERGENCY VIHCLES, INC. THEY
ARE PROPRICTARY, AND ARE FOR THE EXCLUSIVE
USE OF YOUR ENTITY, AND OWN OWN OWN OWN
DATA TO A THIRD PARTY IS PROHIBITED.

ATTEMPT OF THE TOTAL OWN OWN OWN OWN OWN OWN
REVISION 1 —
REVISION 1 —
REVISION 3 —
REVISION 3 —
REVISION 4 —
REVISION 5 —

Streetside Interior




SALESDWG\DELRAY\_BEACH\_FL\32CV\14\NS\110315



Curbside Interior



SALESDWG\DELRAY\_BEACH\_FL\32CV\17\NS\110315



Body Planview