

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

Vendor: Priority towing

Inspection Date: 5-29-16

Class A - Tow Truck		Complies	
VIN # <u>1FD0X4GT1FEA71492</u>		<u>ESI 99C</u>	
a	Minimum wrecker requirement one (1) unit	<u>Yes</u>	No
b	Modern (Model year 2010 or better)	<u>Yes</u>	No
c	Good Mechanical Condition (working lights, cable, winch, hydraulics, chains)	<u>Yes</u>	No
d	Commercially Manufactured	<u>Yes</u>	No
e	Palm Beach County Towing Operator Permit <u>036</u>	<u>Yes</u>	No
f	Valid Inspection approval Decal	<u>Yes</u>	No
g	Minimum gross weight, 14500 lbs	<u>Yes</u>	No
h	Minimum boom capacity, 16,000 lbs	<u>Yes</u>	No
i	Minimum winching capacity, 8,000 lbs	<u>Yes</u>	No
j	Minimum cable size and length, 3/8"x100'	<u>Yes</u>	No
k	Minimum wheel lift retracted rating, 5,000 lbs	<u>Yes</u>	No
l	Minimum wheel lift extended rating, 4,000 lbs	<u>Yes</u>	No
m	Minimum tow sling safe lift, 3,500 lbs.	<u>Yes</u>	No
n	Minimum safety chains (2 each), 5/16" grade 70	<u>Yes</u>	No
o	Minimum cab to axle dimension, 60"	<u>Yes</u>	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

Class A - Car Carrier #1		Complies	
VIN # 2NKH4N7XXDM362341		E3526D	
a	Minimum wrecker requirement three (3) units	Yes	No
b	Modern (Model year 2010 or better)	Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	Yes	No
d	Commercially Manufactured	Yes	No
e	Palm Beach County Towing Operator Permit 029	Yes	No
f	Valid Inspection approval Decal	Yes	No
g	Minimum gross weight, 1500 lbs	Yes	No
h	Minimum deck capacity, 10,000 lbs	Yes	No
i	Minimum length, 19'	Yes	No
j	Minimum winching capacity, 8000 lbs	Yes	No
k	Minimum cable size and length 3/8"x50'	Yes	No
l	Minimum tie down chains (4 each) 5/16" grade 80	Yes	No
m	Tie down straps (optional) (4 each), 2000 lb capacity	Yes	No
n	Minimum cab to axle dimension, 120"	Yes	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

Class A - Car Carrier #2		Complies	
VIN #	1FUACWDT2F ^{H G} 4636027		E1850B
a	Minimum wrecker requirement three (3) units	<input checked="" type="radio"/> Yes	No
b	Modern (Model year 2010 or better)	<input checked="" type="radio"/> Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	<input checked="" type="radio"/> Yes	No
d	Commercially Manufactured	<input checked="" type="radio"/> Yes	No
e	Palm Beach County Towing Operator Permit 030	<input checked="" type="radio"/> Yes	No
f	Valid Inspection approval Decal	<input checked="" type="radio"/> Yes	No
g	Minimum gross weight, 1500 lbs	<input checked="" type="radio"/> Yes	No
h	Minimum deck capacity, 10,000 lbs	<input checked="" type="radio"/> Yes	No
i	Minimum length, 19'	<input checked="" type="radio"/> Yes	No
j	Minimum winching capacity , 8000 lbs	<input checked="" type="radio"/> Yes	No
k	Minimum cable size and length 3/8"x50'	<input checked="" type="radio"/> Yes	No
l	Minimum tie down chains (4 each) 5/16" grade 80	<input checked="" type="radio"/> Yes	No
m	Tie down straps (optional) (4 each), 2000 lb capacity	<input checked="" type="radio"/> Yes	No
n	Minimum cab to axle dimension, 120"	<input checked="" type="radio"/> Yes	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

Class A - Car Carrier #3		Complies	
VIN # 2NKHJ57X9GM483231		E6462D	
a	Minimum wrecker requirement three (3) units	Yes	No
b	Modern (Model year 2010 or better)	Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	Yes	No
d	Commercially Manufactured	Yes	No
e	Palm Beach County Towing Operator Permit 034	Yes	No
f	Valid Inspection approval Decal	Yes	No
g	Minimum gross weight, 1500 lbs	Yes	No
h	Minimum deck capacity, 10,000 lbs	Yes	No
i	Minimum length, 19'	Yes	No
j	Minimum winching capacity, 8000 lbs	Yes	No
k	Minimum cable size and length 3/8"x50'	Yes	No
l	Minimum tie down chains (4 each) 5/16" grade 80	Yes	No
m	Tie down straps (optional) (4 each), 2000 lb capacity	Yes	No
n	Minimum cab to axle dimension, 120"	Yes	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

Class B - Car Carrier		Complies	
VIN #	1HTMKA2N67H435734 E3634D		
a	Minimum wrecker requirement one (1)	<input checked="" type="radio"/> Yes	No
b	Modern (Model year 2010 or better)	<input checked="" type="radio"/> Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	<input checked="" type="radio"/> Yes	No
d	Commercially Manufactured	<input checked="" type="radio"/> Yes	No
e	Palm Beach County Towing Operator Permit 310	<input checked="" type="radio"/> Yes	No
f	Valid Inspection approval Decal	<input checked="" type="radio"/> Yes	No
1	Minimum gross weight 22,500 lbs.	<input checked="" type="radio"/> Yes	No
2	Minimum deck capacity 10,000 lbs.	<input checked="" type="radio"/> Yes	No
3	Minimum wheel lift capacity for 2nd vehicle 4,000 lbs	<input checked="" type="radio"/> Yes	No
4	Minimum length 19'	<input checked="" type="radio"/> Yes	No
5	Minimum winching capacity 8,000 lbs	<input checked="" type="radio"/> Yes	No
6	Minimum cable size and length 3/8" x 50"	<input checked="" type="radio"/> Yes	No
7	Minimum tie down chains (4 each) 5/16" grade 80	<input checked="" type="radio"/> Yes	No
8	Tie down straps (optional) (4 each) 2,000 lbs. ea. wheel	<input checked="" type="radio"/> Yes	No
9	Minimum cab to axle dimension 120"	<input checked="" type="radio"/> Yes	No
10	Required State DOT Registration	<input checked="" type="radio"/> Yes	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

N/A

Class C - Tow Truck		Complies	
VIN #			
a	Minimum wrecker requirement one (1)	Yes	No
b	Modern (Model year 2010 or better)	Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	Yes	No
d	Commercially Manufactured	Yes	No
e	Palm Beach County Towing Operator Permit	Yes	No
f	Valid Inspection approval Decal	Yes	No
1	Minimum gross weight 33,000 lbs.	Yes	No
2	Minimum boom capacity 50,000 lbs.	Yes	No
3	Minimum winching capacity 50,000 lbs.	Yes	No
4	Minimum cable size and length 5/8" x 150"	Yes	No
5	Minimum wheel lift retracted rating 40,000 lbs	Yes	No
6	Minimum wheel lift extended rating 12,000 lbs.	Yes	No
7	Minimum tow bar 10,000 lbs.	Yes	No
8	Minimum safety chains (2 each) 1/2" grade 80	Yes	No
9	Minimum cab to axle dimension 156"	Yes	No
10	Required State DOT Registration	Yes	No
11	Air brakes, all tires H rated, capacity must equal axle rating. Device required to control disabled vehicle's brakes.	Yes	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

Class D - Tow Truck		Complies	
VIN # <u>1NK2X4TK0FJ440711</u>		<u>E0875D</u>	
a	Minimum wrecker requirement one (1)	<u>Yes</u>	No
b	Modern (Model year 2010 or better)	<u>Yes</u>	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	<u>Yes</u>	No
d	Commercially Manufactured	<u>Yes</u>	No
e	Palm Beach County Towing Operator Permit	<u>Yes</u>	No
f	Valid Inspection approval Decal	<u>Yes</u>	No
1	Minimum gross weight 58,000 lbs.	<u>Yes</u>	No
2	Minimum boom capacity 100,000 lbs.	<u>Yes</u>	No
3	Minimum winching capacity 100,000lbs	<u>Yes</u>	No
4	Minimum cable size and length 3/4" x 250"	<u>Yes</u>	No
5	Minimum wheel lift retracted rating 40,000 lbs.	<u>Yes</u>	No
6	Minimum wheel lift extended rating 15,000 lbs.	<u>Yes</u>	No
7	Minimum heavy duty tow bar rating 10,000 lbs.	<u>Yes</u>	No
8	Minimum safety chains (2 each) 1/2" grade 80	<u>Yes</u>	No
9	Minimum cab to axle dimension 18"	<u>Yes</u>	No
10	Required State DOT Registration ^{D87} <u>1154337 FL</u>	<u>Yes</u>	No
11	Air brakes, all tires H rated, capacity must equal axle rating. Device required to control disabled vehicle's brakes. Tandem axles required.	<u>Yes</u>	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

Other Equipment		Complies	
VIN # 1FT8W4DT1BEC28074			
a	Minimum wrecker requirement one (1)	Yes	No
b	Modern (Model year 2010 or better)	Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	Yes	No
d	Commercially Manufactured	Yes	No
e	Palm Beach County Towing Operator Permit	Yes	No
f	Valid Inspection approval Decal	Yes	No
1	Four Wheel Drive vehicle with 4,000 lb. winch capacity for beach towing	Yes	No
2	Low-boy to transport large scale City trucks approx. 58,000 lbs. and 48' in length – This Vehicle may be subcontracted	Yes	No

Required Facilities		Complies	
1	Inside Storage: Paved floor, working area 9' x 20' per vehicle with 8' ceiling, electric lighting source, hydraulic lift, minimum of one (1) outside window, inside storage minimum of six (6) vehicles.	<i>Yes</i>	No
2	Outside Storage: Kept and maintained free of debris, drainage to prevent standing water, minimum of fifty (50) spaces with reasonable walking path, protected by alarm or guard dog, screened fenced, fully illuminated.	<i>Yes</i>	No
3	Office Facilities: Workspace, telephone, restroom facilities, ADA accessible.	<i>Yes</i>	No
4	Crime Scene Storage: Covered facility or tarpaulin type covers.	<i>Yes</i>	No
5	Subsidiary Compounds: Located in Palm Beach County	<i>Yes</i>	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

Communication Standard		Complies	
1	Twenty-four (24) hour telephone number answered by an individual employed by the Proposer (no phone service or other similar subcontracted services) that has the ability to dispatch a tow truck and towing services. Proposer's call taker/dispatcher shall have radio or cell phone access to their service trucks. Twenty-four (24) hour telephone number answered	Yes	No

Inspected By:

Name: J. Read

Signature: [Signature] 917

Inspected By:

Name: J. Wintemute 392

Signature: [Signature]