

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

007
1014288

Vendor: West Way

Inspection Date: 6-3-16

| Class A - Tow Truck | | Complies | |
|--------------------------------|--|---------------|----|
| VIN # <u>1FDUF4GT3EEA23835</u> | | <u>E5310D</u> | |
| a | Minimum wrecker requirement one (1) unit | <u>Yes</u> | No |
| b | Modern (Model year 2010 or better) | <u>Yes</u> | No |
| c | Good Mechanical Condition (working lights, cable, winch, hydraulics, chains) | <u>Yes</u> | No |
| d | Commercially Manufactured | <u>Yes</u> | No |
| e | Palm Beach County Towing Operator Permit <u>293</u> | <u>Yes</u> | No |
| f | Valid Inspection approval Decal | <u>Yes</u> | No |
| g | Minimum gross weight, 14500 lbs | <u>Yes</u> | No |
| h | Minimum boom capacity, 16,000 lbs | <u>Yes</u> | No |
| i | Minimum winching capacity, 8,000 lbs | <u>Yes</u> | No |
| j | Minimum cable size and length, 3/8"x100' | <u>Yes</u> | No |
| k | Minimum wheel lift retracted rating, 5,000 lbs | <u>Yes</u> | No |
| l | Minimum wheel lift extended rating, 4,000 lbs | <u>Yes</u> | No |
| m | Minimum tow sling safe lift, 3,500 lbs. | <u>Yes</u> | No |
| n | Minimum safety chains (2 each), 5/16" grade 70 | <u>Yes</u> | No |
| o | Minimum cab to axle dimension, 60" | <u>Yes</u> | No |

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

| Class A - Car Carrier #1 | | Complies | |
|--------------------------|--|--------------------------------------|----|
| VIN # IFUACXBS 99HAG1240 | | E405SD | |
| a | Minimum wrecker requirement three (3) units | <input checked="" type="radio"/> Yes | No |
| b | Modern (Model year 2010 or better) | <input checked="" type="radio"/> Yes | No |
| c | Good Mechanical Condition (working lights, cable, winch, chains) | <input checked="" type="radio"/> Yes | No |
| d | Commercially Manufactured | <input checked="" type="radio"/> Yes | No |
| e | Palm Beach County Towing Operator Permit 287 | <input checked="" type="radio"/> Yes | No |
| f | Valid Inspection approval Decal | <input checked="" type="radio"/> Yes | No |
| g | Minimum gross weight, 1500 lbs | <input checked="" type="radio"/> Yes | No |
| h | Minimum deck capacity, 10,000 lbs | <input checked="" type="radio"/> Yes | No |
| i | Minimum length, 19' | <input checked="" type="radio"/> Yes | No |
| j | Minimum winching capacity , 8000 lbs | <input checked="" type="radio"/> Yes | No |
| k | Minimum cable size and length 3/8"x50' | <input checked="" type="radio"/> Yes | No |
| l | Minimum tie down chains (4 each) 5/16" grade 80 | <input checked="" type="radio"/> Yes | No |
| m | Tie down straps (optional) (4 each), 2000 lb capacity | <input checked="" type="radio"/> Yes | No |
| n | Minimum cab to axle dimension, 120" | <input checked="" type="radio"/> Yes | No |

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

| Class A - Car Carrier #2 | | Complies | |
|--------------------------|--|------------|----|
| VIN # 2NP2AM6X76M 337185 | | E 06510 | |
| a | Minimum wrecker requirement three (3) units | <u>Yes</u> | No |
| b | Modern (Model year 2010 or better) | <u>Yes</u> | No |
| c | Good Mechanical Condition (working lights, cable, winch, chains) | <u>Yes</u> | No |
| d | Commercially Manufactured | <u>Yes</u> | No |
| e | Palm Beach County Towing Operator Permit 301 | <u>Yes</u> | No |
| f | Valid Inspection approval Decal | <u>Yes</u> | No |
| g | Minimum gross weight, 1500 lbs | <u>Yes</u> | No |
| h | Minimum deck capacity, 10,000 lbs | <u>Yes</u> | No |
| i | Minimum length, 19' | <u>Yes</u> | No |
| j | Minimum winching capacity, 8000 lbs | <u>Yes</u> | No |
| k | Minimum cable size and length 3/8"x50' | <u>Yes</u> | No |
| l | Minimum tie down chains (4 each) 5/16" grade 80 | <u>Yes</u> | No |
| m | Tie down straps (optional) (4 each), 2000 lb capacity | <u>Yes</u> | No |
| n | Minimum cab to axle dimension, 120" | <u>Yes</u> | No |

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

| Class A - Car Carrier #3 | | Complies | |
|--------------------------|--|--------------------------------------|--------------------------|
| VIN # 2MP2HM6X7HM387196 | | BSC 8000 | |
| a | Minimum wrecker requirement three (3) units | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| b | Modern (Model year 2010 or better) | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| c | Good Mechanical Condition (working lights, cable, winch, chains) | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| d | Commercially Manufactured | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| e | Palm Beach County Towing Operator Permit 340 | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| f | Valid Inspection approval Decal | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| g | Minimum gross weight, 1500 lbs | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| h | Minimum deck capacity, 10,000 lbs | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| i | Minimum length, 19' | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| j | Minimum winching capacity , 8000 lbs | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| k | Minimum cable size and length 3/8"x50' | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| l | Minimum tie down chains (4 each) 5/16" grade 80 | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| m | Tie down straps (optional) (4 each), 2000 lb capacity | <input checked="" type="radio"/> Yes | <input type="radio"/> No |
| n | Minimum cab to axle dimension, 120" | <input checked="" type="radio"/> Yes | <input type="radio"/> No |

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

| Class B - Car Carrier | | Complies | |
|-----------------------|--|--------------------------------------|--------|
| VIN # | 2NK4H57X5FM43313 | | E49260 |
| a | Minimum wrecker requirement one (1) | <input checked="" type="radio"/> Yes | No |
| b | Modern (Model year 2010 or better) | <input checked="" type="radio"/> Yes | No |
| c | Good Mechanical Condition (working lights, cable, winch, chains) | <input checked="" type="radio"/> Yes | No |
| d | Commercially Manufactured | <input checked="" type="radio"/> Yes | No |
| e | Palm Beach County Towing Operator Permit 279 | <input checked="" type="radio"/> Yes | No |
| f | Valid Inspection approval Decal | <input checked="" type="radio"/> Yes | No |
| 1 | Minimum gross weight 22,500 lbs. | <input checked="" type="radio"/> Yes | No |
| 2 | Minimum deck capacity 10,000 lbs. | <input checked="" type="radio"/> Yes | No |
| 3 | Minimum wheel lift capacity for 2nd vehicle 4,000 lbs | <input checked="" type="radio"/> Yes | No |
| 4 | Minimum length 19' | <input checked="" type="radio"/> Yes | No |
| 5 | Minimum winching capacity 8,000 lbs | <input checked="" type="radio"/> Yes | No |
| 6 | Minimum cable size and length 3/8" x 50" | <input checked="" type="radio"/> Yes | No |
| 7 | Minimum tie down chains (4 each) 5/16" grade 80 | <input checked="" type="radio"/> Yes | No |
| 8 | Tie down straps (optional) (4 each) 2,000 lbs. ea. wheel | <input checked="" type="radio"/> Yes | No |
| 9 | Minimum cab to axle dimension 120" | <input checked="" type="radio"/> Yes | No |
| 10 | Required State DOT Registration | <input checked="" type="radio"/> Yes | No |

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

N/A

| Class C - Tow Truck | | Complies | |
|---------------------|---|----------|----|
| VIN # | | | |
| a | Minimum wrecker requirement one (1) | Yes | No |
| b | Modern (Model year 2010 or better) | Yes | No |
| c | Good Mechanical Condition (working lights, cable, winch, chains) | Yes | No |
| d | Commercially Manufactured | Yes | No |
| e | Palm Beach County Towing Operator Permit | Yes | No |
| f | Valid Inspection approval Decal | Yes | No |
| 1 | Minimum gross weight 33,000 lbs. | Yes | No |
| 2 | Minimum boom capacity 50,000 lbs. | Yes | No |
| 3 | Minimum winching capacity 50,000 lbs. | Yes | No |
| 4 | Minimum cable size and length 5/8" x 150" | Yes | No |
| 5 | Minimum wheel lift retracted rating 40,000 lbs | Yes | No |
| 6 | Minimum wheel lift extended rating 12,000 lbs. | Yes | No |
| 7 | Minimum tow bar 10,000 lbs. | Yes | No |
| 8 | Minimum safety chains (2 each) 1/2" grade 80 | Yes | No |
| 9 | Minimum cab to axle dimension 156" | Yes | No |
| 10 | Required State DOT Registration | Yes | No |
| 11 | Air brakes, all tires H rated, capacity must equal axle rating. Device required to control disabled vehicle's brakes. | Yes | No |

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

| Class D - Tow Truck | | Complies | |
|---------------------|--|----------|--------|
| VIN # | 11UKDX4TX4 F3422352 | | E5186D |
| a | Minimum wrecker requirement one (1) | Yes | No |
| b | Modern (Model year 2010 or better) | Yes | No |
| c | Good Mechanical Condition (working lights, cable, winch, chains) | Yes | No |
| d | Commercially Manufactured | Yes | No |
| e | Palm Beach County Towing Operator Permit | Yes | No |
| f | Valid Inspection approval Decal | Yes | No |
| 1 | Minimum gross weight 58,000 lbs. | Yes | No |
| 2 | Minimum boom capacity 100,000 lbs. | Yes | No |
| 3 | Minimum winching capacity 100,000lbs | Yes | No |
| 4 | Minimum cable size and length 3/4" x 250" | Yes | No |
| 5 | Minimum wheel lift retracted rating 40,000 lbs. | Yes | No |
| 6 | Minimum wheel lift extended rating 15,000 lbs. | Yes | No |
| 7 | Minimum heavy duty tow bar rating 10,000 lbs. | Yes | No |
| 8 | Minimum safety chains (2 each) 1/2" grade 80 | Yes | No |
| 9 | Minimum cab to axle dimension 18" | Yes | No |
| 10 | Required State DOT Registration | Yes | No |
| 11 | Air brakes, all tires H rated, capacity must equal axle rating. Device required to control disabled vehicle's brakes. Tandem axles required. | Yes | No |

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

| Other Equipment | | Complies | |
|-----------------|--|--------------------------------------|----|
| VIN # | 3D73Y3H4B6603818 | | |
| a | Minimum wrecker requirement one (1) | <input checked="" type="radio"/> Yes | No |
| b | Modern (Model year 2010 or better) | <input checked="" type="radio"/> Yes | No |
| c | Good Mechanical Condition (working lights, cable, winch, chains) | <input checked="" type="radio"/> Yes | No |
| d | Commercially Manufactured | <input checked="" type="radio"/> Yes | No |
| e | Palm Beach County Towing Operator Permit 291 | <input checked="" type="radio"/> Yes | No |
| f | Valid Inspection approval Decal | <input checked="" type="radio"/> Yes | No |
| 1 | Four Wheel Drive vehicle with 4,000 lb. winch capacity for beach towing | <input checked="" type="radio"/> Yes | No |
| 2 | Low-boy to transport large scale City trucks approx. 58,000 lbs. and 48' in length – This Vehicle may be subcontracted | <input checked="" type="radio"/> Yes | No |

| Required Facilities | | Complies | |
|---------------------|--|--------------------------------------|----|
| 1 | Inside Storage: Paved floor, working area 9' x 20' per vehicle with 8' ceiling, electric lighting source, hydraulic lift, minimum of one (1) outside window, inside storage minimum of six (6) vehicles. | <input checked="" type="radio"/> Yes | No |
| 2 | Outside Storage: Kept and maintained free of debris, drainage to prevent standing water, minimum of fifty (50) spaces with reasonable walking path, protected by alarm or guard dog, screened fenced, fully illuminated. | <input checked="" type="radio"/> Yes | No |
| 3 | Office Facilities: Workspace, telephone, restroom facilities, ADA accessible. | <input checked="" type="radio"/> Yes | No |
| 4 | Crime Scene Storage: Covered facility or tarpaulin type covers. | <input checked="" type="radio"/> Yes | No |
| 5 | Subsidiary Compounds: Located in Palm Beach County | <input checked="" type="radio"/> Yes | No |

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

| Communication Standard | | Complies | |
|------------------------|--|--------------------------------------|--------------------------|
| 1 | Twenty-four (24) hour telephone number answered by an individual employed by the Proposer (no phone service or other similar subcontracted services) that has the ability to dispatch a tow truck and towing services. Proposer's call taker/dispatcher shall have radio or cell phone access to their service trucks. Twenty-four (24) hour telephone number answered | <input checked="" type="radio"/> Yes | <input type="radio"/> No |

Inspected By:

Name: Reed

Signature: [Signature]

Inspected By:

Name: J. Winterpuk 892

Signature: [Signature]