

RFQ 2016-091
 Vehicle Towing and Storage Services
 Inspection Report

Vendor : Bucks Towing & Recovery

Inspection Date: 5-31-16

Class A - Tow Truck		Complies	
VIN #	<u>1FD4F5GT8GEC47532 #22</u>	<u>D02 809B</u>	
a	Minimum wrecker requirement one (1) unit	<u>Yes</u>	No
b	Modern (Model year 2010 or better)	<u>Yes</u>	No
c	Good Mechanical Condition (working lights, cable, winch, hydraulics, chains)	<u>Yes</u>	No
d	Commercially Manufactured	<u>Yes</u>	No
e	Palm Beach County Towing Operator Permit <u>046</u>	<u>Yes</u>	No
f	Valid Inspection approval Decal	<u>Yes</u>	No
g	Minimum gross weight, 14500 lbs	<u>Yes</u>	No
h	Minimum boom capacity, 16,000 lbs	<u>Yes</u>	No
i	Minimum winching capacity, 8,000 lbs	<u>Yes</u>	No
j	Minimum cable size and length, 3/8"x100'	<u>Yes</u>	No
k	Minimum wheel lift retracted rating, 5,000 lbs	<u>Yes</u>	No
l	Minimum wheel lift extended rating, 4,000 lbs	<u>Yes</u>	No
m	Minimum tow sling safe lift, 3,500 lbs.	<u>Yes</u>	No
n	Minimum safety chains (2 each), 5/16" grade 70	<u>Yes</u>	No
o	Minimum cab to axle dimension, 60"	<u>Yes</u>	No

RFQ 2016-091
 Vehicle Towing and Storage Services
 Inspection Report

Class A - Car Carrier #1		Complies	
VIN # SPVNJ8J P2F45 S1374		E21810	
a	Minimum wrecker requirement three (3) units	Yes	No
b	Modern (Model year 2010 or better)	Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	Yes	No
d	Commercially Manufactured	Yes	No
e	Palm Beach County Towing Operator Permit 053	Yes	No
f	Valid Inspection approval Decal	Yes	No
g	Minimum gross weight, 1500 lbs	Yes	No
h	Minimum deck capacity, 10,000 lbs	Yes	No
i	Minimum length, 19'	Yes	No
j	Minimum winching capacity , 8000 lbs	Yes	No
k	Minimum cable size and length 3/8"x50'	Yes	No
l	Minimum tie down chains (4 each) 5/16" grade 80	Yes	No
m	Tie down straps (optional) (4 each), 2000 lb capacity	Yes	No
n	Minimum cab to axle dimension, 120"	Yes	No

RFQ 2016-091
 Vehicle Towing and Storage Services
 Inspection Report

Class A - Car Carrier #2		Complies	
VIN # <u>SPUNJ83P6G4551539</u>		<u>E7311D</u>	
a	Minimum wrecker requirement three (3) units	<input checked="" type="radio"/> Yes	No
b	Modern (Model year 2010 or better)	<input checked="" type="radio"/> Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	<input checked="" type="radio"/> Yes	No
d	Commercially Manufactured	<input checked="" type="radio"/> Yes	No
e	Palm Beach County Towing Operator Permit <u>051</u>	<input checked="" type="radio"/> Yes	No
f	Valid Inspection approval Decal	<input checked="" type="radio"/> Yes	No
g	Minimum gross weight, 1500 lbs	<input checked="" type="radio"/> Yes	No
h	Minimum deck capacity, 10,000 lbs	<input checked="" type="radio"/> Yes	No
i	Minimum length, 19'	<input checked="" type="radio"/> Yes	No
j	Minimum winching capacity , 8000 lbs	<input checked="" type="radio"/> Yes	No
k	Minimum cable size and length 3/8"x50'	<input checked="" type="radio"/> Yes	No
l	Minimum tie down chains (4 each) 5/16" grade 80	<input checked="" type="radio"/> Yes	No
m	Tie down straps (optional) (4 each), 2000 lb capacity	<input checked="" type="radio"/> Yes	No
n	Minimum cab to axle dimension, 120"	<input checked="" type="radio"/> Yes	No

RFQ 2016-091
 Vehicle Towing and Storage Services
 Inspection Report

Class A - Car Carrier #3		Complies	
VIN # <i>IHTmmmmN4GH263397</i>		<i>E7772D</i>	
a	Minimum wrecker requirement three (3) units	<i>Yes</i>	No
b	Modern (Model year 2010 or better)	<i>Yes</i>	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	<i>Yes</i>	No
d	Commercially Manufactured	<i>Yes</i>	No
e	Palm Beach County Towing Operator Permit <i>052</i>	<i>Yes</i>	No
f	Valid Inspection approval Decal	<i>Yes</i>	No
g	Minimum gross weight, 1500 lbs	<i>Yes</i>	No
h	Minimum deck capacity, 10,000 lbs	<i>Yes</i>	No
i	Minimum length, 19'	<i>Yes</i>	No
j	Minimum winching capacity , 8000 lbs	<i>Yes</i>	No
k	Minimum cable size and length 3/8"x50'	<i>Yes</i>	No
l	Minimum tie down chains (4 each) 5/16" grade 80	<i>Yes</i>	No
m	Tie down straps (optional) (4 each), 2000 lb capacity	<i>Yes</i>	No
n	Minimum cab to axle dimension, 120"	<i>Yes</i>	No

RFQ 2016-091
 Vehicle Towing and Storage Services
 Inspection Report

Class B - Car Carrier		Complies	
VIN # ^{#3} 2NKHHN7X3CM325310		E5507C	
a	Minimum wrecker requirement one (1)	Yes	No
b	Modern (Model year 2010 or better)	Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	Yes	No
d	Commercially Manufactured	Yes	No
e	Palm Beach County Towing Operator Permit 047	Yes	No
f	Valid Inspection approval Decal	Yes	No
1	Minimum gross weight 22,500 lbs.	Yes	No
2	Minimum deck capacity 10,000 lbs.	Yes	No
3	Minimum wheel lift capacity for 2nd vehicle 4,000 lbs	Yes	No
4	Minimum length 19'	Yes	No
5	Minimum winching capacity 8,000 lbs	Yes	No
6	Minimum cable size and length 3/8" x 50"	Yes	No
7	Minimum tie down chains (4 each) 5/16" grade 80	Yes	No
8	Tie down straps (optional) (4 each) 2,000 lbs. ea. wheel	Yes	No
9	Minimum cab to axle dimension 120"	Yes	No
10	Required State DOT Registration	Yes	No

RFQ 2016-091
Vehicle Towing and Storage Services
Inspection Report

N/A

Class C- Tow Truck		Complies	
VIN #			
a	Minimum wrecker requirement one (1)	Yes	No
b	Modern (Model year 2010 or better)	Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	Yes	No
d	Commercially Manufactured	Yes	No
e	Palm Beach County Towing Operator Permit	Yes	No
f	Valid Inspection approval Decal	Yes	No
1	Minimum gross weight 33,000 lbs.	Yes	No
2	Minimum boom capacity 50,000 lbs.	Yes	No
3	Minimum winching capacity 50,000 lbs.	Yes	No
4	Minimum cable size and length 5/8" x 150"	Yes	No
5	Minimum wheel lift retracted rating 40,000 lbs	Yes	No
6	Minimum wheel lift extended rating 12,000 lbs.	Yes	No
7	Minimum tow bar 10,000 lbs.	Yes	No
8	Minimum safety chains (2 each) 1/2" grade 80	Yes	No
9	Minimum cab to axle dimension 156"	Yes	No
10	Required State DOT Registration	Yes	No
11	Air brakes, all tires H rated, capacity must equal axle rating. Device required to control disabled vehicle's brakes.	Yes	No

RFQ 2016-091
 Vehicle Towing and Storage Services
 Inspection Report

Class D - Tow Truck		Complies	
VIN # <i>SKKXACG063PL 99539</i>		<i>D0314B</i>	
a	Minimum wrecker requirement one (1)	<input checked="" type="radio"/> Yes	No
b	Modern (Model year 2010 or better)	<input checked="" type="radio"/> Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	<input checked="" type="radio"/> Yes	No
d	Commercially Manufactured	<input checked="" type="radio"/> Yes	No
e	Palm Beach County Towing Operator Permit <i>050</i>	<input checked="" type="radio"/> Yes	No
f	Valid Inspection approval Decal	<input checked="" type="radio"/> Yes	No
1	Minimum gross weight 58,000 lbs.	<input checked="" type="radio"/> Yes	No
2	Minimum boom capacity 100,000 lbs.	<input checked="" type="radio"/> Yes	No
3	Minimum winching capacity 100,000lbs	<input checked="" type="radio"/> Yes	No
4	Minimum cable size and length 3/4" x 250"	<input checked="" type="radio"/> Yes	No
5	Minimum wheel lift retracted rating 40,000 lbs.	<input checked="" type="radio"/> Yes	No
6	Minimum wheel lift extended rating 15,000 lbs.	<input checked="" type="radio"/> Yes	No
7	Minimum heavy duty tow bar rating 10,000 lbs.	<input checked="" type="radio"/> Yes	No
8	Minimum safety chains (2 each) 1/2" grade 80	<input checked="" type="radio"/> Yes	No
9	Minimum cab to axle dimension 18"	<input checked="" type="radio"/> Yes	No
10	Required State DOT Registration <i>969188FL</i>	<input checked="" type="radio"/> Yes	No
11	Air brakes, all tires H rated, capacity must equal axle rating. Device required to control disabled vehicle's brakes. Tandem axles required.	<input checked="" type="radio"/> Yes	No

RFQ 2016-091
 Vehicle Towing and Storage Services
 Inspection Report

Other Equipment		Complies	
VIN #	LFTFW1EFXEFA07554		5839HL
a	Minimum wrecker requirement one (1)	Yes	No
b	Modern (Model year 2010 or better)	Yes	No
c	Good Mechanical Condition (working lights, cable, winch, chains)	Yes	No
d	Commercially Manufactured	Yes	No
e	Palm Beach County Towing Operator Permit <i>N/A</i>	Yes	No
f	Valid Inspection approval Decal	Yes	No
1	Four Wheel Drive vehicle with 4,000 lb. winch capacity for beach towing	Yes	No
2	Low-boy to transport large scale City trucks approx. 58,000 lbs. and 48' in length – This Vehicle may be subcontracted	Yes	No

Required Facilities		Complies	
1	Inside Storage: Paved floor, working area 9' x 20' per vehicle with 8' ceiling, electric lighting source, hydraulic lift, minimum of one (1) outside window, inside storage minimum of six (6) vehicles.	Yes	No
2	Outside Storage: Kept and maintained free of debris, drainage to prevent standing water, minimum of fifty (50) spaces with reasonable walking path, protected by alarm or guard dog, screened fenced, fully illuminated.	Yes	No
3	Office Facilities: Workspace, telephone, restroom facilities, ADA accessible.	Yes	No
4	Crime Scene Storage: Covered facility or tarpaulin type covers.	Yes	No
5	Subsidiary Compounds: Located in Palm Beach County <i>N/A</i>	Yes	No

RFQ 2016-091
 Vehicle Towing and Storage Services
 Inspection Report

Communication Standard		Complies	
1	Twenty-four (24) hour telephone number answered by an individual employed by the Proposer (no phone service or other similar subcontracted services) that has the ability to dispatch a tow truck and towing services. Proposer's call taker/dispatcher shall have radio or cell phone access to their service trucks. Twenty-four (24) hour telephone number answered	<input checked="" type="radio"/> Yes	<input type="radio"/> No

Inspected By:
 Name: J. Reed
 Signature: [Signature]

Inspected By:
 Name: [Signature]
 Signature: Tarnes Winterovich 392