

FLORIDA SHERIFFS ASSOCIATION

PART C – TECHNICAL SPECIFICATIONS

BID 15/17-07-0220

1. ELIGIBLE PRODUCTS

Tires offered under this Bid shall be as listed in the following specification classes:

- SPECIFICATION 1: PASSENGER**
Tire, Automobile, Radial, Standard Passenger
- SPECIFICATION 2: PURSUIT AND EMERGENCY HIGH SPEED**
Tire, Police Pursuit, Radial
- SPECIFICATION 3: LIGHT TRUCK**
Tire, Light Truck, Radial; Tire, Light Truck, Steel Casing (Includes Off-Road Applications)
- SPECIFICATION 4: MEDIUM TRUCK**
Tire, Medium Truck, Radial
- SPECIFICATION 5: OFF ROAD TIRES, INTERMITTENT HIGHWAY SERVICE**
Tire, Off Road, Radial; Tire, Off Road, Bias
- SPECIFICATION 6: IMPLEMENT/FARM**
Tire, Implement, Farm
- SPECIFICATION 7: SPECIALTY**
Tire, Specialty

All tires offered under the Contract shall be new and unused and in current production. Retreaded tires shall not be offered. Contractors shall offer only those brands qualified and listed in Cooperative Approved Tire List (CATL) (latest edition in effect at the time of this solicitation), published by the Associated Consultants of Technical Services, Inc., the contract manager for the Federal Government's program for testing new tire performance. In lieu of being listed in the publications, a Contractor may provide a Qualification Certification Form signed by the CATL Program Administrator.

2. REQUIRED RELATED SERVICES

Prices for the following services shall be supplied on the price sheets as separate items from the tire price for passenger, pursuit, and light truck tires (Specifications 1, 2, and 3):

- Mounting of the tire
- New valve stem and installation
- Dynamic balancing including weights

Customers may purchase tires alone, without related services. If additional services are purchased, each related cost shall be added to the invoice as an additional charge.

All bulk deliveries of tires shall be completed within thirty (30) days after receipt of an order, unless the Contractor and Customer negotiate a different delivery schedule and include it in an order.

Additional required related services are:

- Disposal of used tires. The Customer has the option of retaining used tires for recycling purposes. On bulk tire deliveries to a Customer's facility, the Contractor must pick up and dispose of an equal number of replaced used tires. This pickup of used tires may be required at a later date. All used tires must be disposed of in accordance with all Federal, State and local requirements, and disposal fee may be assessed (See Part D "Price Sheets") by contractor to recover such costs.
- Taxes, environmental or other waste cleanup. All taxes, environmental or other waste cleanup fees imposed by the State, Federal or local governments and in effect at the time of the bid opening shall be listed separately. Any increase or new fees effective subsequent to the bid opening date shall be approved in advance by the Cooperative Bid Coordinator.

3. PERFORMANCE STANDARDS AND WARRANTY

All work performed shall comply with customary, reasonable, and prudent standards of care in the industry. All products shall be covered by the manufacturer's standard warranty. A copy of the Manufacturer's standard warranty must be submitted with the bid..

4. TESTING

Samples of delivered tires may be selected at random and tested for compliance with these specifications using the following standards:

ASTM Standard F1922, Test Method-for Tires, Pneumatic, Vehicular Highway.

ASTM Standard F1923, Test Method-for Tires, Pneumatic, Vehicular Low Speed, Off Highway.

Delivery of non-conforming product shall be grounds for terminating the Contract.

5. POSTING AND REVISION OF AUTHORIZED PRODUCT AND PRICE LIST

Every Contractor shall maintain on the Internet a list of the products it is authorized to sell under the Contract. The list shall clearly indicate the discounted price for each product. On the Ordering Instructions form submitted with the bid, bidders shall note the proposed Universal Resource Locator (URL) for this list. Posting of the list in a form easily accessible to the Cooperative Bid Coordinator and Customers shall be a condition precedent to Contractor's right to payment under the Contract. The Cooperative Bid Coordinator, in its sole discretion, may maintain Contractor's authorized list or provide electronic links to it. Regardless of the number of links to the list, Contractor shall ensure that Customers are able to access one, and only one, version of the authorized list. The authorized list shall include, either directly or via electronic link, the following:

Contract number; contact person; part or product numbers and descriptions; ordering information; pricing information, and service/distribution points organized geographically by city. When submitting your information for your "Authorized Service Centers/Distributors", please provide the following headings:

Dealer/Distributor Name

Address

City

State

Zip

Phone Number

PS


LT

TB

OR

AG

Contact Name



Place an X in the all columns that the distributor provides

Contractor's initial authorized list shall be identical to the discounted list submitted with the bid. Contractor shall not make the list generally available or accept any orders off it until the Cooperative Bid Coordinator approves the list. Contractor may thereafter amend the list to reflect product line and price changes, subject to the following restrictions:

- For product line changes, a Contractor may amend its list to reflect product developments. Any added product shall be offered at the then-current authorized percentage discount, which shall always be at least as great as the discount offered initially.
- For price changes, a Contractor shall only decrease, and shall never increase, the prices offered initially. Posted price reductions shall take effect immediately and be applied to unshipped and subsequent orders. **CONTRACTORS ARE FREE TO OFFER GREATER DISCOUNTS FOR INDIVIDUAL TRANSACTIONS, AND CUSTOMERS ARE ENCOURAGED TO SEEK THEM AND TO EXPLORE WHETHER OTHER CONTRACTORS AUTHORIZED FOR THE PRODUCT GROUP MIGHT OFFER BETTER DISCOUNTS.**
- At least two (2) business days before making any changes to the posted authorized list – whether to products, to prices, or otherwise – a Contractor shall notify the Cooperative Bid Coordinator by mail of its intent to make a change and describe the proposed change. The Cooperative Bid Coordinator may, in its sole discretion, prohibit any requested change or direct a Contractor to undo any change already made.
- Changes to the authorized list or to related information (i.e.: ordering information) shall not be deemed Contract amendments.

**FLORIDA SHERIFFS ASSOCIATION
& FLORIDA ASSOCIATION OF COUNTIES**

PART D – BID FORMS

BID 14/15-06-0131

PRICE SHEETS

For each Specification, please identify the net discounted price of the tire bid. In addition, submit a price list reflecting the discounted prices (that is: expressing in dollars what customers actually will pay for each tire under the contract).

Tires bid as alternate manufacturer's brands must all be the same brand within the item, and cross reference listing must be supplied to substantiate equivalence to the listed benchmarks.

All required additional services must be bid and added to the manufacturer's benchmarks to obtain a total for each item.

All taxes and environmental or waste clean-up fees imposed by the state, federal or local governments, and in effect at the time of the bid opening shall be listed separately, and will be added to invoices. Any increases or mandated new fees effective subsequent to the bid opening must be approved in advance by the Cooperative Bid Coordinator.

BIDDER will furnish a CD in an Excel for Windows file. The CD must be formatted as follows:

- "Excel for Windows"
- Font: Arial – 12 point
- Margins: One-half inch (.5) all the way around
- Landscape **ONLY**
- No Headers or Footers

The following is a list of the headings (all caps) that will be used for formatting with an indication of the size for the column and whether or not the column will be in bold print:

SIZE	–	16	
S/W	–	8	
SR/LR	–	10	
PRODUCT NUMBER	–	10	
FL NET SHERIFF'S PRICE	–	11	– Bold Print
WASTE TIRE FEE	–	8	
TIRE DISPOSAL FEE	–	8	
TOTAL TIRE COST	–	11	– Bold Print
TIRE VALVE	–	8	
TIRE MOUNT	–	8	
TIRE BALANCE	–	8	
TOTAL TIRE PRICE WITH OPTIONS	–	12	– Bold Print

SPECIFICATION 1: PASSENGER – Tire, Automobile, Radial, Standard Passenger

VENDOR NAME: _____

**Statewide Net
Discounted Price**

GOODYEAR BENCHMARKS

402-406-477 P205/65R15 92T S1 INTEGRITY B03RPTL..... \$ _____
 738-236-571 P205/70R15 95T SL ASSURANCE FUEL MAX TL..... \$ _____

FIRESTONE BENCHMARKS

085-910 P205/65R15 92T BW FR710..... \$ _____
 047-150 P205/70R15 95S WS FR710..... \$ _____

CONTINENTAL BENCHMARKS

1544157 P205/65R15 94T ALTIMAX RT..... \$ _____
 1548872 P205/65R15 96T ALTIMAX RT..... \$ _____
 1547700 P205/65R15 96H GRABBER UHP..... \$ _____

BF GOODRICH BENCHMARKS

98654 P205/65R15 94T ADVANTAGE TA GO..... \$ _____
 51212 P205/70R15 95T TL ADVANTAGE TA..... \$ _____

MICHELIN BENCHMARKS

32737 P205/65R15 94T DEFENDER GRNXMI..... \$ _____
 60418 P205/65R15 96T DEFENDER GRNXMI..... \$ _____

UNIROYAL BENCHMARKS

13593 P205/65R15 94TL TP TOURING DT..... \$ _____
 95051 P205/70R15 95TL TOURING TL..... \$ _____

ALTERNATE MANUFACTURER’S BRAND

Brand Name: _____
 Model _____ \$ _____
 Model _____ \$ _____
 Model _____ \$ _____

REQUIRED ADDITIONAL SERVICES:

New valve stem and installation..... \$ _____
 Mounting of tire..... \$ _____
 Dynamic balancing including weights..... \$ _____

Vendor Signature _____ Date _____

SPECIFICATION 2: PURSUIT & EMERGENCY HIGH SPEED

Tire, Police Pursuit and Emergency High Speed, Radial

VENDOR NAME: _____

**Statewide Net
Discounted Price**

GOODYEAR BENCHMARKS

732-354-500 P225/60R16 97V S2 EAGLE RS-A V RPTL	\$ _____
732-002-500 P235/55R17 98W S2 EAGLE RS-A VSB RPTL	\$ _____
732-312-500 P225/60R18 99V SL EAGLE RS-A VSB RPTL.....	\$ _____
732-605-500 P265/60R17 108V SL EAGLE RS-A VSB RPTL.....	\$ _____

FIRESTONE BENCHMARKS

067-911 P225/60R16 97VR FIREHAWK PV41	\$ _____
077-325 P235/55R17 98W FIREHAWK GT PURSUIT.....	\$ _____
005-254 P225/60R18 99V FIREHAWK GT PURSUIT.....	\$ _____

CONTINENTAL BENCHMARKS

1547122 P225/60R16 97V CONTI EXTREME CONTACT	\$ _____
1547465 P225/60R18 99V CONTI PRO CONTACT	\$ _____
1548680 P235/55R15 99W CONTI PRO CONTACT	\$ _____

BF GOODRICH BENCHMARKS

58028 225/60R16 98V ADVANTAGE T/A.....	\$ _____
63395 235/55R17 99W G-FORCE SUPER SPORT A/S	\$ _____

ALTERNATE MANUFACTURER'S BRAND

Brand Name: _____	
Model _____	\$ _____
Model _____	\$ _____
Model _____	\$ _____

REQUIRED ADDITIONAL SERVICES:

New valve stem and installation	\$ _____
Mounting of tire	\$ _____
Dynamic balancing including weights.....	\$ _____

Vendor Signature _____ Date _____

SPECIFICATION 3: LIGHT TRUCK – Tire, Light Truck, Radial

VENDOR NAME: _____

**Statewide Net
Discounted Price**

GOODYEAR BENCHMARKS

744-395-900 LT245/75R16 120/116R E WRL HT OL BSL TL \$ _____
 744-725-502 LT235/85R16E WRL HT/S BSL TL \$ _____
 744-830-900 LT225/75R16E WRL HT OL BSL TL \$ _____

FIRESTONE BENCHMARKS

189-769 LT245/75R16 TRANSFORCE HT TL BL PS E \$ _____
 189-718 LT235/85R16 TRANSFORCE HT TL BL PS E \$ _____
 189-752 LT225/75R16 TRANSFORCE HT TL BL PS E \$ _____

CONTINENTAL BENCHMARKS

0457042 245/75R16 120/116 GRABBER HTS..... \$ _____
 0457040 235/85R16 120/116 GRABBER HTS..... \$ _____

UNIROYAL BENCHMARKS

55810 LT245/75R16/E LAREDO HD/H BSW TL \$ _____
 49827 LT235/85R16/E LAREDO HD/H BSW TL \$ _____
 80288 LT225/75R16 115Q LAREDO HD/H LRE \$ _____

MICHELIN BENCHMARKS

36228 LT245/75R16 120R LTX M/S2 RBL GRN..... \$ _____
 27679 LT235/85R16 120R LTX M/S2 LRE \$ _____

BF GOODRICH BENCHMARKS

89589 LT245/75R16 120R COMM T/A LRE..... \$ _____
 45879 LT235/85R16 120Q COMM T/A LRE..... \$ _____
 67515 LT225/75R16 115Q COMM T/A LRE..... \$ _____

ALTERNATE MANUFACTURER’S BRAND

Brand Name: _____
 Model _____ \$ _____
 Model _____ \$ _____
 Model _____ \$ _____

REQUIRED ADDITIONAL SERVICES:

New valve stem and installation \$ _____
 Mounting of tire \$ _____
 Dynamic balancing including weights..... \$ _____

Vendor Signature _____ Date _____

SPECIFICATION 3: LIGHT TRUCK – Tire, Light Truck, Steel Casing

VENDOR NAME: _____

**Statewide Net
Discounted Price**

GOODYEAR BENCHMARKS

139-072-303 LT225/75R16 E G949 RSA TL	\$ _____
139-080-303 LT235/85R16 E G949 RSA TL	\$ _____
139-081-303 LT215/85R16 E G949 RSA TL	\$ _____
139-177-907 245/70R195 G G149 RSA TL.....	\$ _____
139-418-053 225/70R19.5 F G647 RSS TL.....	\$ _____

BRIDGESTONE BENCHMARKS

206-361 LT225/75R16 DURAVIS R250 TL BW SL E	\$ _____
206-378 LT235/85R16 DURAVIS R250 TL BW SL E	\$ _____
206-327 LT215/85R16 DURAVIS R250 TL BW SL E	\$ _____

MICHELIN BENCHMARKS

08404 LT225/75R16E XPS Rib STTL	\$ _____
13080 LT235/85R16E XPS Rib STTL	\$ _____
39510 LT215/85R16E XPS Rib STTL	\$ _____

ALTERNATE MANUFACTURER’S BRAND

Brand Name: _____

Model _____	\$ _____
Model _____	\$ _____
Model _____	\$ _____

REQUIRED ADDITIONAL SERVICES:

New valve stem and installation	\$ _____
Mounting of tire	\$ _____
Dynamic balancing including weights	\$ _____

Vendor Signature _____ Date _____

SPECIFICATION 4: MEDIUM TRUCK – Tire, Medium Truck, Radial

VENDOR NAME: _____

	<u>Statewide Net Discounted Price</u>
<u>GOODYEAR BENCHMARKS</u>	
138-948-337 10R225 G G661 HSA TL.....	\$ _____
138-953-337 11R225 G G661 HSA MRT TL.....	\$ _____
756-817-337 295/75R22.5 G G661 HSA TL	\$ _____
138-577-337 12R225 H G661 HSA TL.....	\$ _____

<u>BRIDGESTONE BENCHMARKS</u>	
292-729 10R225 G R250.....	\$ _____
290-661 11R225 G R250.....	\$ _____
289-086 295/75R22.5 G R250	\$ _____
292-850 12R225 G R250.....	\$ _____
227-295 245/70R19.5 R250G	\$ _____
153-028 225/70R19.5 R250F	\$ _____

<u>CONTINENTAL BENCHMARKS</u>	
TBD 10R225 HSR2	\$ _____
0568631 11R225 HSR2	\$ _____
0568692 295/75R225 S371 (16 PLY).....	\$ _____
0512033 12R225 HSR	\$ _____

<u>MICHELIN BENCHMARKS</u>	
99141 10R225 G XZE	\$ _____
78390 11R225 XZE2 LRG	\$ _____
55895 275/80R225 XZE2 LRG	\$ _____
85335 12R225 H XZE	\$ _____
75997 245/70R19.5 XZE LRH	\$ _____
81473 225/70R19.5 XZE LRF	\$ _____

<u>BF GOODRICH BENCHMARKS</u>	
62086 10R22.5 ST230 LRG	\$ _____
40525 11R22.5 ST244 LRG	\$ _____
50614 275/80R22.5 ST230 LRG	\$ _____
63223 12R22.5 ST230 LRH	\$ _____
89688 245/70R19.5 ST230 LRG	\$ _____
74208 225/70R19.5 ST230 LRG	\$ _____

<u>ALTERNATE MANUFACTURER’S BRAND</u>	
Brand Name: _____	
Model _____	\$ _____
Model _____	\$ _____
Model _____	\$ _____

<u>REQUIRED ADDITIONAL SERVICES:</u>	
New valve stem and installation	\$ _____
Mounting of tire	\$ _____
Dynamic balancing including weights.....	\$ _____

Vendor Signature _____ Date _____

SPECIFICATION 5: OFF ROAD TIRES, INTERMITTENT HIGHWAY SERVICE
 Tire, Off the Road, Radial

VENDOR NAME: _____

		<u>Statewide Net Discounted Price</u>
<u>BRIDGESTONE BENCHMARKS</u>		
293-954	14.00R24 VUT	\$ _____
422-703	23.5R25 VUT	\$ _____
420-344	20.5R25 VUT	\$ _____
263-389	17.5R25 VKT	\$ _____

<u>MICHELIN BENCHMARKS</u>		
15924	14.00R24 XGLA2 G2/L2 TL	\$ _____
49977	23.5R25 XTLA G2/L2 TL	\$ _____
09122	20.5R25 XTLA G2/L2 TL	\$ _____
35052	17.5R25 XHA L3 TL	\$ _____

ALTERNATE MANUFACTURER'S BRAND

Brand Name: _____		
Model _____	\$ _____
Model _____	\$ _____
Model _____	\$ _____

REQUIRED ADDITIONAL SERVICES:

New valve stem and installation	\$ _____
Mounting of tire	\$ _____
Dynamic balancing including weights	\$ _____

Vendor Signature _____ Date _____

SPECIFICATION 5: OFF ROAD TIRES, INTERMITTENT HIGHWAY SERVICE
 Tire, Off the Road, Bias

VENDOR NAME: _____

		<u>Statewide Net Discounted Price</u>
<u>FIRESTONE BENCHMARKS</u>		
425-214	1400-24SGG2A SGG.....	\$ _____
425-129	17.5-25 12 SGG	\$ _____
425-248	15.5-25 12 SGG	\$ _____
405-175	20.5-25 12 SGG	\$ _____
425-180	17.525 16 SGG.....	\$ _____

ALTERNATE MANUFACTURER'S BRAND

Brand Name: _____		
Model _____	\$ _____
Model _____	\$ _____
Model _____	\$ _____

REQUIRED ADDITIONAL SERVICES:

New valve stem and installation	\$ _____
Mounting of tire	\$ _____
Dynamic balancing including weights.....	\$ _____

Vendor Signature _____ Date _____

SPECIFICATION 6: IMPLEMENT/FARM – Tire, Implement/Farm

VENDOR NAME: _____

		<u>Statewide Net Discounted Price</u>
<u>FIRESTONE BENCHMARKS</u>		
314-625	11L-16 10 PLY INDUSTRIAL SPECIAL	\$ _____
351-709	16.9-24 6 PLY ALL NON-SKID TRACTOR	\$ _____
372-626	18.4-30 8 PLY SUPER ALL TRACTION II 23	\$ _____
359-343	19.5L-24 10 PLY ALL TRACTION UTILITY	\$ _____

<u>MICHELIN BENCHMARKS</u>		
13902	11LR16 XM27 TL	\$ _____
68713	420/90R30 (16.9R30) AGRIBIB TL	\$ _____
97341	16.9R24 AGRIBIB TL	\$ _____
42060	18.4R30 TL 142A8/139B AGRIBIB	\$ _____

ALTERNATE MANUFACTURER’S BRAND

Brand Name:	_____	
Model	_____	\$ _____
Model	_____	\$ _____
Model	_____	\$ _____

REQUIRED ADDITIONAL SERVICES:

New valve stem and installation	\$ _____
Mounting of tire	\$ _____
Dynamic balancing including weights	\$ _____

Vendor Signature _____ Date _____

SPECIFICATION 7: SPECIALTY – Tire, Specialty

VENDOR NAME: _____

	<u>Statewide Net</u> <u>Discounted Price</u>
<u>FIRESTONE BENCHMARKS</u>	
416-177 14-17.5NHS 10 PLY SUPER TRACTION DELUXE	\$ _____

ALTERNATE MANUFACTURER’S BRAND

Brand Name: _____

Model _____	\$ _____
Model _____	\$ _____
Model _____	\$ _____

REQUIRED ADDITIONAL SERVICES:

New valve stem and installation	\$ _____
Mounting of tire	\$ _____
Dynamic balancing including weights	\$ _____

Vendor Signature _____ Date _____

