Vendor: Zucceller Inspection Date: 5-31-16

| 4 (5 (5) | Class A - Tow Truck | endeze de Com | oles en |
|----------|--|---------------|---|
| VIN# | 3C7WRKBL7EG166878 | 7 | # D7486A |
| а | Minimum wrecker requirement one (1) unit | Yes | No |
| þ | Modern (Model year 2010 or better) | Yes | No |
| С | Good Mechanical Condition (working lights, cable, winch, hydraulics, chains) | Yes | No |
| d | Commercially Manufactured | ∕® | No No |
| e | Palm Beach County Towing Operator Permit 643 | Yes | No |
| f | Valid Inspection approval Decal 6/17 | æs | No |
| g | Minimum gross weight, 14500 lbs | Yes | No |
| h | Minimum boom capacity, 16,000 lbs | (Yes) | No |
| i | Minimum winching capacity, 8,000 lbs | Yes | No |
| j | Minimum cable size and length, 3/8"x100' | Yes | No |
| k | Minimum wheel lift retracted rating, 5,000 lbs | Yes | No |
| I | Minimum wheel lift extended rating, 4,000 lbs | ∕ es) | No |
| m | Minimum tow sling safe lift, 3,500 lbs. | © | No |
| n | Minimum safety chains (2 each), 5/16" grade 70 | (PES) | No |
| 0 | Minimum cab to axle dimension, 60" | Yes | No |

DOT 956438 CC

| 907 EL 989 QE 80927 J | Class A - Car Carrier #1 | Com | plles |
|-----------------------------|--|-------|-------|
| VIN#. | 1HTMMAAL47H423670 | | |
| а | Minimum wrecker requirement three (3) units | Yes | No |
| b | Modern (Model year 2010 or better) | Yes | No |
| С | Good Mechanical Condition (working lights, cable, winch, chains) | Yes | No |
| d | Commercially Manufactured | Yes | No |
| e | Palm Beach County Towing Operator Permit 038 | Ye | No |
| f | Valid Inspection approval Decal DO308B | Yes | No |
| g | Minimum gross weight, 1500 lbs | Yes | No |
| h | Minimum deck capacity, 10,000 lbs | Yes | No |
| i | Minimum length, 19' | (Pes) | No |
| j | Minimum winching capacity , 8000 lbs | (Ves) | No |
| k | Minimum cable size and length 3/8"x50' | (Ve) | No |
| I | Minimum tie down chains (4 each) 5/16" grade 80 | Yes | No |
| m | Tie down straps (optional) (4 each), 2000 lb capacity | Yes | No |
| n | Minimum cab to axle dimension, 120" | Yes | No |

| | Class A - Car Carrier #2 | Co m | plies |
|------|--|-------------|-------|
| VIN# | 1HTMM4AN97H405110 | | |
| а | Minimum wrecker requirement three (3) units | Yes | No |
| b | Modern (Model year 2010 or better) | Yes | No |
| C | Good Mechanical Condition (working lights, cable, winch, chains) | Yes | No |
| d | Commercially Manufactured | Yes | No |
| e | Palm Beach County Towing Operator Permit 041 | Yes | No |
| f | Valid Inspection approval Decal €90 77C | Yes | No |
| g | Minimum gross weight, 1500 lbs | Yes | No |
| h | Minimum deck capacity, 10,000 lbs | (Yes) | No |
| i | Minimum length, 19' | Yes | No |
| j | Minimum winching capacity , 8000 lbs | (Yes) | No |
| k | Minimum cable size and length 3/8"x50' | @ | No |
| I | Minimum tie down chains (4 each) 5/16" grade 80 | (es) | No |
| m | Tie down straps (optional) (4 each), 2000 lb capacity | Yes | No |
| n | Minimum cab to axle dimension, 120" | (es) | No |

| | Class A - Car Garrier: #3 | Com | plies |
|------|--|-------|-------|
| VIN# | 34AMMMML7GL 162959 | | |
| а | Minimum wrecker requirement three (3) units | Yes | No |
| b | Modern (Model year 2010 or better) 2615 | (PS) | No |
| С | Good Mechanical Condition (working lights, cable, winch, chains) | Yes | No |
| d | Commercially Manufactured | Yes | No |
| е | Palm Beach County Towing Operator Permit 637 | (Yes) | No |
| f | Valid Inspection approval Decal D2160C | Yes | No |
| g | Minimum gross weight, 1500 lbs | (Yes) | No |
| h | Minimum deck capacity, 10,000 lbs | æŝ | No |
| i | Minimum length, 19' | (Pe) | No |
| j | Minimum winching capacity , 8000 lbs | Yes | No |
| k | Minimum cable size and length 3/8"x50' | (Ve) | No |
| 1 | Minimum tie down chains (4 each) 5/16" grade 80 | (e) | No |
| m | Tie down straps (optional) (4 each), 2000 lb capacity | Yes | No |
| n | Minimum cab to axle dimension, 120" | (Yes) | No |

| | -Class B - Car Carrier | Con | iplies | |
|-------------------------|--|---------------------|--------|--|
| VIN# 1 HTMKAZN7CH610387 | | | | |
| a | Minimum wrecker requirement one (1) | Yes | No | |
| b | Modern (Model year 2010 or better) | Yes | No | |
| С | Good Mechanical Condition (working lights, cable, winch, chains) | <u>@</u> | No | |
| d | Commercially Manufactured | © | No | |
| е | Palm Beach County Towing Operator Permit | (Yes) | No | |
| f | Valid Inspection approval Decal $\frac{624990}{2/16}$ | Yes | No | |
| 1 | Minimum gross weight 22,500 lbs. | (es) | No | |
| 2 | Minimum deck capacity 10,000 lbs. | <u></u> | No | |
| 3 | Minimum wheel lift capacity for 2nd vehicle 4,000 lbs | Yes | No | |
| 4 | Minimum length 19' | (Va)s | No | |
| 5 | Minimum winching capacity 8,000 lbs | (Pes | No | |
| 6 | Minimum cable size and length 3/8" x 50" | (Yes) | No | |
| 7 | Minimum tie down chains (4 each) 5/16" grade 80 | Y ® | No | |
| 8 | Tie down straps (optional) (4 each) 2,000 lbs. ea. wheel | 19 | No | |
| 9 | Minimum cab to axle dimension 120" | <i>(</i> 6 % | No | |
| 10 | Required State DOT Registration | Q | No | |

NA

| en engle Suburana Addisi Add | Class C - Tow Truck | Çomj | illes |
|------------------------------------|---|------|-------|
| VIN# | | | |
| а | Minimum wrecker requirement one (1) | Yes | No |
| b | Modern (Model year 2010 or better) | Yes | No |
| С | Good Mechanical Condition (working lights, cable, winch, chains) | Yes | No |
| d | Commercially Manufactured | Yes | No |
| е | Palm Beach County Towing Operator Permit | Yes | No |
| f | Valid Inspection approval Decal | Yes | No |
| 1 | Minimum gross weight 33,000 lbs. | Yes | No |
| 2 | Minimum boom capacity 50,000 lbs. | Yes | No |
| 3 | Minimum winching capacity 50,000 lbs. | Yes | No |
| 4 | Minimum cable size and length 5/8" x 150" | Yes | No |
| 5 | Minimum wheel lift retracted rating 40,000 lbs | Yes | No |
| 6 | Minimum wheel lift extended rating 12,000 lbs. | Yes | No |
| 7 | Minimum tow bar 10,000 lbs. | Yes | No |
| 8 | Minimum safety chains (2 each) 1/2" grade 80 | Yes | No |
| 9 | Minimum cab to axle dimension 156" | Yes | No |
| 10 | Required State DOT Registration | Yes | No |
| 11 | Air brakes, all tires H rated, capacity must equal axle rating. Device required to control disabled vehicle's brakes. | Yes | No |

| in a modi. | Class 0 - Tow Truck | Con Table 2 Con | plies |
|------------|--|--------------------|-------|
| VIN# | 1NKDLBOX2W3770588 | # D0311B | |
| а | Minimum wrecker requirement one (1) | Yes | No |
| b | Modern (Model year 2010 or better) 1998 Good cond | Yes Yes | No |
| С | Good Mechanical Condition (working lights, cable, winch, chains) | (Yes) | No |
| d | Commercially Manufactured | Yes | No |
| e | Palm Beach County Towing Operator Permit | Yes | No |
| f | Valid Inspection approval Decal 094 | (Yes) | No |
| 1 | Minimum gross weight 58,000 lbs. | (Yes) | No |
| 2 | Minimum boom capacity 100,000 lbs. | Yes | No |
| 3 | Minimum winching capacity 100,000lbs | Yes | No |
| 4 | Minimum cable size and length 3/4" x 250" | (Yes) | No |
| 5 | Minimum wheel lift retracted rating 40,000 lbs. | (Pes) | No |
| 6 | Minimum wheel lift extended rating 15,000 lbs. | (Yes) | No |
| 7 | Minimum heavy duty tow bar rating 10,000 lbs. | (Vi) | No |
| 8 | Minimum safety chains (2 each) 1/2" grade 80 | Yes | No |
| 9 | Minimum cab to axle dimension 18" | Yes | No |
| 10 | Required State DOT Registration 956 438 FC | (Yes) | No |
| 11 | Air brakes, all tires H rated, capacity must equal axle rating. Device required to control disabled vehicle's brakes. Tandem axles required. | Yes | No |

| | Other Equipment | Con | plies |
|------|--|-------------|------------|
| VIN# | 864 NZT - FC TGS | | |
| a | Minimum wrecker requirement one (1) | (e) | No |
| b | Modern (Model year 2010 or better) | Yes | No |
| С | Good Mechanical Condition (working lights, cable, winch, chains) | (e) | No |
| d | Commercially Manufactured | Yes | No |
| е | Palm Beach County Towing Operator Permit N | Yes | (No) |
| f | Valid Inspection approval Decal N/P | Yes | 6 9 |
| 1 | Four Wheel Drive vehicle with 4,000 lb. winch capacity for beach towing - Beach Bucy | Yes | No |
| 2 | Low-boy to transport large scale City trucks approx. 58,000 lbs. and 48' in length – This Vehicle may be subcontracted | Yes | No |

| | Required Facilities | Çın | ples |
|---|--|-----|----------|
| 1 | Inside Storage: Paved floor, working area 9' x 20' per vehicle with 8' ceiling, electric lighting source, hydraulic lift, minimum of one (1) outside window, inside storage minimum of six (6) vehicles. | Yes | No |
| 2 | Outside Storage: Kept and maintained free of debris, drainage to prevent standing water, minimum of fifty (50) spaces with reasonable walking path, protected by alarm or guard dog, screened fenced, fully illuminated. | Yes | No |
| 3 | Office Facilities: Workspace, telephone, restroom facilities, ADA accessible. | Yee | No |
| 4 | Crime Scene Storage: Covered facility or tarpaulin type covers. | Yes | No |
| 5 | Subsidiary Compounds: Located in Palm Beach County パト | Yes | ® |

| | Communication Standard | stand of Com | plies |
|---|--|--------------|-------|
| 1 | Twenty-four (24) hour telephone number answered by an individual employed by the Proposer (no phone service or other similar subcontracted services) that has the ability to dispatch a tow truck and towing services. Proposer's call taker/dispatcher shall have radio or cell phone access to their service trucks. Twenty-four (24) hour telephone number answered | Yes | No |

| Inspected By: Name: Reed 917 | |
|------------------------------|--|
| Signature: QQ 917 | |
| 0 | |
| Inspected By: | |
| Name: | |
| Signature: | |