

Arelia Dr

FarVision Cybersed

a Dr

General Comments:

- Work activities are scheduled between 8:00 AM and 5:00 PM
- The roadway will be restored at the end of each workday to ensure safe public use.
- Access for public service vehicles (e.g., emergency, waste collection, and utility services) will be maintained and facilitated at all times.
- Access to residential driveways will be maintained at all times

	FDOT	TABLE 1 CHANNELIZING DEVICE SPACING					ACING
and the second		JAVIER OLIVA-RODRIGUEZ	Work Zone Speed (mph)	Max. Spacing (feet)			
	Certificate:			Cones or Temporary Tubular Markers		Type I Barricades, Type II Barricades, Vertical Panels, or Drums	
TOR OF S	oci unocito.	Has Completed a FDOT Approved Temporary Traffic		Taper	Tangent		Tangent
State 1	634747	Control: Advanced Course.	≤ 45	25	50	25	50
Arelia I	034/4/		≥ 50	25	50	50	100
Arena I	Issued: 01/29/2025	Training Provider:	TABLE 3 WORK ZONE SIGN SPACING "X"				
and the second distance		Encobridge, Inc.	Road Type			Min. Spacing (feet)	
	Expires: 01/18/2029	7225 NW 25th Street, Suite 100 ENCOBRIDGE Miami, FL 33166	Arterials and Collectors with Work Zone Speed ≤ 40 mph			200	
	Instruction, J G		Arterials and Collectors with Work Zone Speed ≥ 45 mph			500	
Contraction of the local division of the loc			Limited Access Roadways *			1,500	
		Verify this Certificate at www.motadmin.com.	* For Limited access roadways with work zone speed ≤ 55 mph, the minimum spacing may be reduced in accordance with the MUTCD and as approved by the Engineer.				
curity			-				

Task Order #3 Lakeview Drainage Improvements. West Portion of Lakeview Dr. Delray Beach.