



## Arboriculture Tree Report

14145 S Military Trail, Delray Beach, Fl

**Name:** Fazio Enterprises, Inc  
**Attn.:** Jeff Fazio  
**Address:** 50 Liberty Drive, Suite 9F  
Boston, MA 02110

**Date:** March 29, 2025  
**Email:** jeff@jeffsexpress.net

**Prepared by:** John Sutton  
International Society of Arboriculture Certified Arborist

### Certification of Performance

I, John Sutton, certify to the best of my knowledge, and abilities:

That I have personally inspected the tree(s) and or the property referred to in this report.

That it is my professional opinion, that the following report is true, and the conclusions and results stated are correct based on the information received about the property evaluated and the evaluation methods followed.

That the reported analyses, opinions, and conclusions are only limited by the reported assumptions, methods and limiting conditions and my personal, unbiased professional analyses, opinions and conclusions.

That Sutton Consulting Arborist, Inc. acts as an independent tree, and landscape consultant. This firm has no prospective or current interest in the property evaluated or interest/bias with respect to the parties involved.

That this Report, or parts of this Report, have not been revealed to any party other than the Client named and will not be revealed to any other party unless authorized to do so by Client named or by due process of law or by legally required public testimony by this firm of these results.

This report is written in good faith and all rights are reserved by Sutton Consulting Arborist, Inc. It is for use by the client named only.

John Sutton  
John Sutton/Sutton Consulting Arborist  
ISA Certified Arborist #SO-0326

# Report

## I. Introduction

This is a unimproved property. My assignment is to evaluate all desirable tree species on site for health and condition.

## II. Property Involved.

The property involved is known as 14145 S Military Trail, Delray Beach, Fl. I arrived on site 3-25-2025. The trees subject of this report are located on this property.

## III. Data Collection

The property/trees were evaluated by site visit to determine environmental conditions, species and DBH (diameter @ or near 4.5' above grade).

## IV. Limiting Conditions.

This "Arboriculture Report" includes only the listed trees, landscape conditions in the immediate area where the tree is located, and conditions caused by or attributable to the trees on this property. We did not evaluate and make no evaluation or conclusions regarding any other part of the landscape or other items of this property.

### Limits of the Assignment

1. This report is not intended as and does not represent legal advice and should not be relied upon to take the place of such advice.
2. This report is limited to documenting the condition of the tree on the dates given. Care has been taken to obtain all information from reliable sources. All data has been verified insofar as possible; however, the consultant can neither guarantee nor be responsible for the accuracy of information provided by others.
3. Loss or alteration of any part of this report invalidates the entire report.
4. Sketches and photographs used in this report are intended as visual aids only and are not necessarily to scale.

## V. Discussion

An urban landscape is not a forest, woods or other wild habitat. It is intended to be a planned and controlled environment. Trees can cause considerable damage to structures when not planted in the right locations based on species and mature size. Trees should be planted with adequate green space for mature tree size both above and below ground in-order to prevent conflicts with all structures above and below ground. The appearance and value of residential landscapes suffer, and the property devaluates due to poor tree placement.

Poorly planned landscapes also give rise to possible property damage, bodily injury and other negative circumstances and unnecessary expenses.

Properly designed and professionally maintained landscape, plants, shrubs and trees traditionally stabilize and/or increase property values.

Trees growing in groups depend on each member of the group for stability of their root systems, wind breaks and shade. They work as one unit and appear as one from an aerial view. The loss of one or more from the group can and does have a detrimental effect on health, stability as well as aesthetically.

Most tree roots grow out horizontally from the tree in the top 6-12 inches of soil. A mature tree's roots can spread 2-3 times the diameter of the tree's crown or canopy.

### Critical Root Zone (CRZ)

For existing trees, there is a minimum amount of area, above (for the trunk and crown) and below ground (for soil health and the root system vitality) that is required to protect trees and preserve tree health. This area is identified as the Critical Root Zone (CRZ) and is generally agreed to be equivalent to the soil area below ground and the space above ground defined by the tree's dripline, or the greatest extent of the branches. Significant risk of catastrophic failure exists if structural roots within this given radius are destroyed or severely damaged. Limits of disruption are based upon tree diameter (DBH) at 4.5 feet above the ground. We define the Critical Root Zone for all trees as the circular area above and below ground with a radius equivalent to the greater of 6 feet or 1.0 feet for every inch in trunk diameter at 4.5 feet above the ground. For example, a tree with a trunk diameter (DBH) of 10 inches has a CRZ of 10 feet (10 inches x 1.0) around the tree. While the radius of the CRZ is 10 feet, the diameter of the entire CRZ is 20 feet.

Generally, the full Perimeter (PCRZ) is considered the optimum amount of root protection for a tree. (The ICRZ is identified as the inner half of the CRZ radius). As root impact occurs within the PCRZ, greater post care will be required for the tree to remain alive and stable. The absolute maximum disturbance allowed must still leave the ICRZ undisturbed if the tree is to have any chance of survival.

The CRZ (Critical Root Zone) is calculated at 1" of root for each inch of trunk diameter at or near breast height (dbh). This gives the radius of the CRZ.

Example:

Tree Diameter		CRZ		Tree Diameter		CRZ	
2" diameter	2' radius			16" diameter	16' radius		
4" diameter	4' radius			20" diameter	20' radius		
6" diameter	6' radius			24" diameter	24' radius		
10" diameter	10' radius			30" diameter	30' radius		
12" diameter	12' radius			40" diameter	40' radius		

The CRZ of a tree, also called the "tree protection zone", is often defined as an imaginary circle on the ground that corresponds with the "dripline" of the tree. However, the dripline is very irregular and misleading, so the trunk diameter is referred to.

This is a generally accepted method for measuring CRZ, root systems do vary in depth and spread based on size of tree, soil quality, water table, species, and other related factors such as root obstructions.

## VI. Conclusions and Recommendations

Please see attached survey with tree locations, individual tree specifics and pictures below.

Tree #	Plant Common name	Scientific/Botanical name	DBH Inches	Height FT. GW	Canopy	Condition %	Notes
1	Sabal palm	<i>Sabal palmetto</i>		21	18x18	80	
228	Slash pine	<i>Pinus elliottii</i>	24	60	48x48	45	Co-canopy, forest form, large dead branched
230	Slash pine	<i>Pinus elliottii</i>	23.75	60	48x48	45	Co-canopy, forest form, large dead branched
231	Slash pine	<i>Pinus elliottii</i>	12	50	24x24	30	Forest form
232	Slash pine	<i>Pinus elliottii</i>	0			0	Dead
233	Slash pine	<i>Pinus elliottii</i>	14	50	28x28	30	Forest form
235	Slash pine	<i>Pinus elliottii</i>	10.75	50	21x21	30	Forest form
238	Slash pine	<i>Pinus elliottii</i>	15.5	50	30x30	60	Forest form
237	Oak		0			0	Did not locate
236	Oak		0			0	Did not locate
251	Java plum	<i>Syzygium cumini</i>					Category I invasive "Florida Exotic Pest Plant Council's 2011 List of Invasive Plant Species".
252	Java plum	<i>Syzygium cumini</i>					Category I invasive "Florida Exotic Pest Plant Council's 2011 List of Invasive Plant Species".
253	Java plum	<i>Syzygium cumini</i>					Category I invasive "Florida Exotic Pest Plant Council's 2011 List of Invasive Plant Species".
254	Java plum	<i>Syzygium cumini</i>					Category I invasive "Florida Exotic Pest Plant Council's 2011 List of Invasive Plant Species".
255	Java plum	<i>Syzygium cumini</i>					Category I invasive "Florida Exotic Pest Plant Council's 2011 List of Invasive Plant Species".
256	Java plum	<i>Syzygium cumini</i>					Category I invasive "Florida Exotic Pest Plant Council's 2011 List of Invasive Plant Species".
257	Solitaire palm	<i>Ptychosperma elegans</i>		3			too small
265	Strangler fig	<i>Ficus aurea</i>	15.5	45	30x30	60	
266	Sabal palm	<i>Sabal palmetto</i>		7	18x18	70	



Tree #	Plant Common name	Scientific/Botanical name	DBH Inches	Height FT. GW	Canopy	Condition %	Notes
267	Alexander palm	<i>Archontophoenix alexandrae</i>		10	12x12	70	
268	Alexander palm	<i>Archontophoenix alexandrae</i>		10	12x12		
269	Alexander palm	<i>Archontophoenix alexandrae</i>		10	12x12		
270	Alexander palm	<i>Archontophoenix alexandrae</i>		10	12x12		
271	Alexander palm	<i>Archontophoenix alexandrae</i>		10	12x12		
272	Alexander palm	<i>Archontophoenix alexandrae</i>		10	12x12		
273	Alexander palm	<i>Archontophoenix alexandrae</i>		10	12x12		
274	Alexander palm	<i>Archontophoenix alexandrae</i>		10	12x12		
282	Mango	<i>Mangifera indica</i>	10	25	20x20	70	
283	Sabal palm	<i>Sabal palmetto</i>		25	18x18	70	
284	Sabal palm	<i>Sabal palmetto</i>		25	18x18	70	
290	Slash pine	<i>Pinus elliottii</i>	23	50	48x48	60	
286	Areca palm	<i>Dypsis lutescens</i>		16		70	
287	Areca palm	<i>Dypsis lutescens</i>		16		70	
288	Areca palm	<i>Dypsis lutescens</i>		16		70	
289	Areca palm	<i>Dypsis lutescens</i>		16		70	
291	Areca palm	<i>Dypsis lutescens</i>		16		70	
292	Corn plant						Not a tree



















































Please feel free to contact me should you have any questions.

In Support

*John Sutton*

John Sutton/Sutton Consulting Arborist

ISA Certified Arborist #SO-0326

TRAQ, Tree Risk Assessment Qualification

PPQ, Pruning Prescription Qualification

LIAF, Certified Landscape Inspector #2002-202

Sutton Consulting Arborist is staffed by professional Arborists, Horticulturists, and Landscape Inspectors. We utilize associates with expertise in their fields to provide the most accurate, efficient and useful information available to clients. We stand behind our work and can additionally answer any questions or fulfill needs for additional information or services.