



**4th FLOOR
INVENTORY GARAGE PARKING
TIER = 49,102 SF
GROUP "S-2"
(246 OCCUPANTS BY AREA)
202 INVENTORY PARKING STALLS**

MEANS OF EGRESS:
TWO MEANS OF EXIT REQUIRED.
TWO MEANS OF EXIT PROVIDED WITH DIRECT EXIT TO PUBLIC WAY (STAIR #2 & STAIR #4).
THIRD STAIR CASE PROVIDED FOR PARKING ATTENDANT USE WITH KEY ACCESS PAD (STAIR #1).

- INDICATES 2-HR. FIRE RATED PARTITION
- EGRESS AISLE
INDICATES REQUIRED MEANS OF EGRESS
- WALL MOUNTED FIRE EXTINGUISHER
WALL MOUNTED EMERGENCY LIGHT W/ BACK-UP BATTERY AND EXIT 1ST FLOOR (4 LOCATIONS AT 2ND FLOOR) 12 PROVIDED

CONSULTANT
STATE OF FLORIDA
REGISTERED ARCHITECT
Gregory B. Medina
FL REG. # AR 9334
DATE: 03-04-19

ARCHITECTURE
WASHINGTON
AS ASSOCIATES
ARCHITECTURE PA
CBM

GRIECO DELRAY FORD
2501 SOUTH FEDERAL HIGHWAY
DELRAY BEACH, FL 33483
CITY OF DELRAY BEACH
PALM BEACH COUNTY

5201 SW 2nd Avenue, Suite F3
Fort Lauderdale, Florida 33315
T: 954.713.6101
C: 954.812.6680
E: gbf@griecodelrayford.com
www.griecodelrayford.com

DRAWING ISSUE DATES:

FORTH FLOOR:
LIFE SAFETY PLAN

SHEET
A-1.4
PROJECT 16102D
PERMIT SET 03-04-19