
ADDENDUM NO. 2 TO CONTRACT DOCUMENTS For The CITY OF DELRAY BEACH ARCHITECTURAL CONSULTING SERVICES: DELRAY BEACH RAILWAY STATION PROJECT NO. 16-080 BID NO. 2016-081C


TO ALL BIDDERS AND OTHERS CONCERNED


Respondents submitting to the above-referenced bid project shall take note of the following changes, additions, deletions clarifications, etc., to the Plans and Specifications which, in accordance with the Contract Documents shall become part of and have precedence over anything shown or described otherwise.


- Enclosed for your review and information are the Historic Train Depot plans for the Delray Beach Railway Station.
- Bid Opening date has been extended to Tuesday, April 26, 2016 at 2:00 PM.


NOTE: Respondents must acknowledge Receipt of this Addendum on Form 8 "Acknowledgement of Addenda".






















CIATES MULIC


3444

H FLOOR ELEVATION


as requested by Rick Brautigan of Group aring the finished floor elevation for toject. As you are aware the Architect ainhed floor of the renovated section of tion approximately 1.5 feat below the of the existing building. This project b which is an area not subject to flood ; topography of the land in this area wards the E-3 canal as it passes under tation of the site, miscellaneous survey above consideration we do not see any tect's plan. We have discussed this and have pointed out that the entrance sction should be constructed to prevent inf the from entering the building. The intrance ramp should i at 22.10 feet or h the existing floor elevation. We also a areas to the south of the project be ional area for site storage.

ions or require additional information, contact this office.

ing + angineering + surveying FF = Dairsy Beach, Florida 33483 + (205) 278-7300










by our comments below:

floors intersect the exterior walls.





EEHLI IDUZISY NO OVENDE BELINY BEACH, FLORIDA 33444 205 278 28 PLAN REVIEW APPROVAL As a general rule, all plans submitted herewith are approved unless otherwise noted A103.2.4 Structural And Fire Resistance integrity. Plans for all buildings shall indicate how required structural and fire resistive integrity will be maintained where a constration of a required fire resistant wall, floor or partition will be made for electrical, mechanical, plumbing and communication conduits, pipes and systems and also indicate in sufficient detail how the fire integrity will be maintained where required fire resistant 00 @ 60 460 - 52×72 Contact Date:







51 ULINAL	LUILLING	JUCTICIN		· · · · · · ·	s (1997) 			
				1251.4				
30-0"	A	341.0	21				511.41	1
	A-1, BI.O" 41.0" 8" 11.4	" 12 ¹ .0" 8 ¹ .8"	13-4	2.8	(A ¹ , 0 ¹	2'0" A-4	141:0"	21 01
Mo		M.O,			· · · · · · · · · · · · · · · · · · ·]].	· · · · · · · · · · · · · · · · · · ·	
					12714		218	
ELEC HC.		W2						11. i. i.
87109 TOILET	GHOWER 1 2 101							
5 MECH 597 4		0RM 1 13 14 14 14 14 14 14 14 14 14 14	RM 3 5 3 ¹ 10 ¹¹ 37 5 ¹ 4 ¹¹					•
	フ 40 5'4	81.10 37 81.10 37	3'10" 37 5'4	3.4 8				
TOUPEX	- MENEO + 12101 31	/ /	3:01 51:101 31:41	ā	$\begin{pmatrix} 4\\ A-4 \end{pmatrix}$			
		10" 3010111 3		1125) 1125			<u>Z</u>	
	(06A	KM 5 DORM 6	DORM 7 DORI			1	Š	
				THE			5	
				(2-HR)	SLOPE	a I	Z	
- FITNESS		05. 			<u> </u>			
5 (91,10) 8" (91,10)	10 5'4" G'u		131.01	a'ia"		APPARA	TUG ANY	
THE AVILLA						121		•
	<u> </u>	ULTI-PURPOSE	H'.8" TO BI.10" FFICE TO WATCH 15 T					
			FFICE WATCH			and and an and an		· · · · ·
		+ 1001 011 + 20,1				9+20.1		
KITCHEN	DINING CT OPT]	(CPT CT)		1015				
				4				
						· · · · · · · · · · · · · · · · · · ·		
			2	12715 10				
W3			A-4		127 #		1216	
	_ /							
6'0" 12',0"	6 ¹ ·0 ¹¹ 3 ¹ ·4 ¹¹ 4 ¹ ·0 ¹¹ M.o.	41.0" 41.0" 91.4"	41.0" 41.0" 41.0" M.O.	3'4" 2',8"	1410	<u> </u>	141.01	21,0
24.0"	A	40 ¹¹ ,0 ¹¹					511.41	
	AI							







£.














3H FLOOR ELEVATION 203.700

As requested by Rick Brautigan of Group erning the finished floor elevation for raject. As you are aware the Architect ninhed floor of the renovated section of ion approximately 1.5 feet below the of the existing building. This project D which is an area not subject to flood ; topography of the land in this area that the E-3 canal as it passes under tation of the site, miscellaneous survey • above consideration we do not ase any rect's plan. We have discussed this and have pointed out that the entrance sction should be constructed to prevent intrance ramp should t at 22.10 feet or h the existing floor elevation. We also a areas to the mouth of the project be lonal area for site storage.

lons or require additional information, contact this office.

ing + englosering + surveying IF . Dalray Beach, Florida 33483 . (208) 278-7300




CITY OF DELRAY BEACH DODAY TO ASENDE 428-2950

Jones Const R APPLICANT 80. JOB ADDRESS 8-2-88-5 PLAN CHECK

As a general rule, all plans submitted herewith are approved unless otherwise noted by our comments below:

A103.2.4 Tistructural And Fire Resistance Integrity. Plans for all buildings shall indicate how required structural and fire resistive integrity will be maintained where a genetration of a required fire resistant wall, floor or partition will be made for electrical, mechanical, plumbing and communication conduits, pipes and systems and also indicate in sufficient 1 detail how the fire integrity will be maintained where required fire resistant floors intersect the exterior walls.




DELIAY BEACH, FLORIDA 33444 PLAN REVIEW APPROVAL

De la

205 278 284

Jon @ 600 460 - 52×72 len Contact Date:



£