

# Planning & Zoning Department

# **BOARD ACTION REPORT - APPEALABLE ITEM**

**Project Name:** 231 NE 1<sup>st</sup> Avenue

Project Location: 231 NE 1st Avenue, Old School Square Historic District

**Request:** Certificate of Appropriateness

**Board:** Historic Preservation Board

Meeting Date: December 7, 2016

# **Board Action:**

Approved the Certificate of Appropriateness, on a 7-0 vote.

# **Project Description:**

The property is located on the east side of NE 1st Avenue between NE 2nd Street and NE 3rd Street within Banker's Row of the Old School Square Historic District. The proposal consists of a flat roof between the historic structures and hip roof of the addition. The roof height of the bay window on the front elevation is proposed to be raised to provide additional interior head room.

Staff supported the Certificate of Appropriateness, subject to the four minor conditions of approval.

# **Board comments:**

The Board comments were supportive.

# Public input:

No members of the public spoke for or against the project.

**Associated Actions:** All required actions were taken.

Next Action: HPB actions are final.

# HISTORIC PRESERVATION BOARD **CITY OF DELRAY BEACH** ---STAFF REPORT---

**MEETING DATE:** December 7, 2016

231 NE 1<sup>st</sup> Avenue, Old School Square Historic District (2017-029) ITEM:

Certificate of Appropriateness for alterations to a contributing structure.

**RECOMMENDATION:** Approve.

# **GENERAL DATA:**

Owner/Applicant..... Mindi Schifrin

Agent...... Ames International Architecture

Location..... East side of NE 1<sup>st</sup> Avenue between NE 2<sup>nd</sup> Street and

NE 3<sup>rd</sup> Street.

Zoning District..... OSSHAD (Old School Square

Historic Arts District)


Adjacent Zoning:

North: OSSHAD

East: Central Business District

(CBD)

South: OSSHAD West: OSSHAD



## ITEM BEFORE THE BOARD

The item before the Board is the consideration of a Certificate of Appropriateness (COA) associated with alterations to the contributing structure located at **231 NE 1st Avenue**, **Old School Square Historic District**, pursuant to LDR Section 2.4.6(H).

# **BACKGROUND & PROJECT DESCRIPTION**

The subject property is located on the east side of NE 1<sup>st</sup> Avenue between NE 2<sup>nd</sup> Street and NE 3<sup>rd</sup> Street within Banker's Row of the Old School Square Historic District. A circa 1938, 1,503 square foot, single-family residence exists on the 0.17 acre property and is zoned OSSHAD (Old School Square Historic Arts District).

Banker's Row began from a replat of the original Block 66 as the individual lots were sold by J.C. Keen, who purchased the block from J.S. Sundy in 1924. Mr. Keen sold the lots to wealthy businessmen in Delray. By 1926, the west side of NE 1<sup>st</sup> Avenue within Block 66 was developed. Soon thereafter, the Great Depression hit and the east side of the street, which was part of Block 74, remained undeveloped. In 1938, however, the Mackle brothers received building permits for 11 modest houses and 9 guest cottages for the properties along the east aside of NE 1<sup>st</sup> Avenue. The first owner of the subject property was Harry J. Morgan, a local accountant, who purchased it in 1939.

The row of Minimal Traditional cottages along the east side of the street significantly contrast from the Mediterranean Revival structures across from them on the west side. The Banker's Row Plan, developed in the early 1990s, accurately described these structures as relatively small, simple one-story structures, with a dominant gable and simplified façade absent of traditional detailing with an off-center front door. With the increasing dependence on the automobile, garages were either integrated into the structure or free-standing. The houses were originally very much alike, however, changes were incorporated over the years "as owners adapted their houses to new housing needs."

At its meeting of October 19, 2016, the Board approved a COA (2016-202) for a one-story addition to the rear of the historic structure to provide approximately 910 square feet of additional living space, and modifications to the existing front elevation. The approval was subject to conditions which have been addressed. However, the applicant has made additional modifications which Staff determined should be reviewed by the Board as a new application.

The subject proposal includes a flat roof between the historic structure and hip roof of the addition; a gabled roof was previously proposed and approved in this location. A flat roof presently exists on the rear of the structure, which is not original. The proposed flat roof will be higher than the existing flat roof, but at the same height at the approved ridge line, and provide additional interior headroom in that portion of the residence. In addition, the roof height of the bay window on the front elevation is proposed to be raised to also provide additional interior head room.

The COA is now before the Board for consideration.

# **ANALYSIS OF PROPOSAL**

Pursuant to LDR Section 2.4.6(H)(5), prior to approval, a finding must be made that any Certificate of Appropriateness which is to be approved is consistent with Historic Preservation purposes pursuant to Objective A-4 of the Land Use Element of the Comprehensive Plan and specifically with provisions of Section 4.5.1, the Delray Beach Historic Preservation Design Guidelines, and the Secretary of the Interior's Standards for Rehabilitation.

# **Historic Preservation District and Sites**

Pursuant to **LDR Section 4.5.1(E)(4), Alterations**, in considering proposals for alterations to the exterior of historic buildings and structures and in applying development and preservation standards, the documented, original design of the building may be considered, among other factors.

The existing structure, and its remaining original form, has been considered in the proposed alterations and additions which have been sensitively designed.

Pursuant to LDR Section 4.5.1(E)(5), Standards and Guidelines, a historic site, building, structure, improvement, or appurtenance within a historic district shall only be altered, restored, preserved, repaired, relocated, demolished, or otherwise changed in accordance with the Secretary of the Interior's Standards for Rehabilitation, and the Delray Beach Historic Preservation Design Guidelines, as amended from time to time.

The applicable Standards are noted below:

- Standard 2: The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.
- Standard 9: New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.
- Standard 10: New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

In consideration of these applicable Standards noted above, the overall historic character will be maintained as the increased height on the flat roof or the front bay window is not deemed to impact the historic integrity of the structure. Further, these alterations could likely be removed in the future without again impacting the historic integrity. Therefore, positive findings can be made with respect to compliance with the Standards.

Pursuant to LDR Section 4.5.1(E)(8), Visual Compatibility Standards, new construction and all improvements to both contributing and noncontributing buildings, structures and appurtenances thereto within a designated historic district or on an individually designated property shall be visually compatible. In addition to the Zoning District Regulations, the Historic Preservation Board shall apply the visual compatibility standards provided for in this Section with regard to height, width, mass, scale, façade, openings, rhythm, material, color, texture, roof shape, direction, and other criteria set forth elsewhere in Section 4.5.1. Visual compatibility for minor and major development as referenced in Section 4.5.1(E)(2) shall be determined by utilizing criteria contained in (a)-(m) below. Visual compatibility for all development on individually designated properties outside the district shall be determined by comparison to other structures within the site.

In consideration of the Visual Compatibility Standards, the proposed alterations are generally in keeping with the intent of the standards. The flat roof will not be seen from the front elevation and essentially mimics the existing flat roof in that same location. The increased roof height for the bay window on the front elevation is also appropriately designed, and will be in line with the window headers and fascia on the opposite side of the elevation. The extended roofline of the bay window towards the rear is where a slight inconsistency is found; however, it isn't necessarily deemed to be inappropriate. Given the minor adjustments of the proposal, positive findings can be made.


# **ALTERNATIVE ACTIONS**

- A. Continue with direction.
- B. Approve the Certificate of Appropriateness (2017-029) for **231 NE 1st Avenue**, **Old School Square Historic District**, by adopting the findings of fact and law contained in the staff report, and finding that the request and approval thereof meets the criteria set forth in the Land Development Regulations Section 2.4.6(H)(5).
- C. Deny the Certificate of Appropriateness (2017-029) for **231 NE 1st Avenue**, **Old School Square Historic District**, by adopting the findings of fact and law contained in the staff report, and finding that the request and approval thereof does not meet the criteria set forth in the Land Development Regulations Section 2.4.6(H)(5).

# **RECOMMENDATION**

Approve the Certificate of Appropriateness (2017-029) for **231 NE 1st Avenue**, **Old School Square Historic District**, by adopting the findings of fact and law contained in the staff report, and finding that the request and approval thereof meets the criteria set forth in the Land Development Regulations Section 2.4.6(H)(5).

Report Prepared By: Amy E. Alvarez, AICP, Senior Planner






WESTELEVATION



AMES INTERNATIONAL ARCHIT 203 Dixie Blvd. Delray Beach, Florida t: 561.274.6444 • f: 561.274.644

NORTH EAST ELEVATION



SOUTH EAST ELEVATION



EAST VIEW FROM ALLEY









235 NE 1ST AVE.

231 NE 1ST AVE.

227 NE 1ST AVE.








238 NE 1ST AVE.

234 NE 15T AVE.

226 NE 15T AVE.





# ADDITION / RENOVATION FOR

### GENERAL NOTES:

- NERAL NOTES:

  CONSTRUCTION SHALL FOLLOW "F.B.C. STH EDITION 2014" AS ADOPTED BY THE COUNTY AND AS APPLICABLE TO THE AREA IN MHICH THE BUILDING IS TO BE CONSTRUCTED WITH ALL APPLICABLE AMENDMENTS.

  BUILDER SHAPLICABLE AMENDMENTS.

  BUILDER'S RECEIPT OF THESE

  FLAMS SHALL MOTIFY THE AMES INTERNATIONAL ARCHITECTURE (IN MRITING ONLY) OF ANY AND ALL DISCREPANCIES (MHETHER DISCREPANCIES ARE ERRORS OF COMMISSION OR ONLY). OTHERWISE THE AMES INTERNATIONAL ARCHITECTURE MULL NOT ASSUME BUILDER AMENDMENTS.

  BUILDER, SHAPLICABLE AMEND

- 8. THE AMES INTERNATIONAL ARCHITECTURE RESERVES, MAINTAINS AND RETAINS IT'S COMMON LAW COPYRIGHT RIGHTS AND ANY OTHER RIGHTS (EXPRESSED AND INTERPLET) IN THESE PLANS, DESIGNS, IDEAS, SPECIFICATIONS, ETC. THESE PLANS, IDEAS, DESIGNS, IDEAS, DESIGNS, INTERDITED TO THE EMPRESS WRITTEN PER INTERNATION OF A SPIGNED TO ANY PERSONS, FIRTH EMPRESS WRITTEN TO BE LOANED OR ASSIGNED TO ANY PERSONS, FIRTH ASSOCIATIONS, ORE THEY TO BE LOANED OR ASSIGNED TO ANY PERSONS, FIRTH ASSOCIATIONS, ORE THEY TO THE AMES INTERNATIONAL ARCHITECTURE, IN EACH AND EVERY INSTANCE.

  9. ANY CHANGES, REVISIONS, ALTERATIONS, ETC. REQUIRED TO THESE PLANS, DEAMINGS, SPECIFICATIONS, ETC. SHALL BE REQUESTED IN WRITING ONLY BY THE BUILDER OR BY THE OWNER TO THE AMES INTERNATIONAL ARCHITECTURE (IN WRITING ONLY) MILL FULLY, UNCONDITIONALLY AND ALL RESPONSIBILITY, CLAIMS ACAINST THE AMES INTERNATIONAL ARCHITECTURE (IN WRITING ONLY) MILL FULLY, DIVOIDITIONALL ARCHITECTURE (IN WRITING ONLY) MILL FULLY, UNCONDITIONAL ARCHITECTURE POR CULFABILITY, ETC. FROM THE DATE SHOWN ON THE PLANS ARCHITECTURE FOR CULFABILITY, ETC. FROM THE DATE SHOWN ON THE PLANS ARCHITECTURE FOR CULFABILITY, ETC. FROM THE DATE SHOWN ON THE PLANS PECIFICATIONS.

  10. BUILDER SHALL PROVIDE INSULATION AS PER ENERGY CALCULATIONS AND/OR PLAN SPECIFICATIONS.

  11. ALL MATERIALS SHOWN OR CALLED FOR ON THESE DRAWINGS SHALL BE INSTALLED WITH MANUFACTURERS RECOMMEND AND SPECIFICATIONS.

  12. APPROVED MANUF. SPECIFICATIONS SHALL TAKE PRECEDENCE OVER ANY DETAILS AND SPECIFICATIONS ON NOTES MUST CONFORT TO LOCAL BUILDING CODE REGUIREMENTS, AND MUST EMPROVED BY ARCHITECTURE FOR VERRICONS SHALL SUILDING CODE REGUIREMENTS, AND MUST CONFORT TO LOCAL BUILDING CODE REGUIREMENTS,

- 2010. 10, ALL EXTERIOR FIXED GLASS (EXCEPT AT WINDOWS) AND ALL INTERIOR FIXED GLASS SHALL HAVE TEMPERED GLASS. 19, ALL SHOURES MUST BE EQUIPPED WITH ANTI-SCALE FAUCETS


index of drawings		
SHEET NO.	SHEET CONTENTS	
A01	COVER SHEET # GENERAL NOTES	
A02	SITE PLAN, ARCHITECTURAL	
A03	DEMOLITION PLAN	
A04	EXISTING FLOOR PLAN	
A05	EXISTING BUILDING ELEVATIONS	
A06	NOTED FLOOR PLAN + DOOR/WINDOW SCHEDULE	
A07	DIMENSIONED FLOOR PLAN	
A08	ROOF PLAN ARCHITECTURAL	
AOP	BUILDING ELEVATIONS	
A10	BUILDING ELEVATIONS + LINE OF SIGHT PROFILE	

# DESIGN **PRELIMINARY**

# MINDI SCHIFRIN 231 NE 18T AVE. BANKERS ROW HISTORIC DI DELRAY BEACH FLORIDA 33444

DISTRICT

REVISIONS	BY
↑ 7/5/2016 BY CLIENT	A.G.
A 8/18/2016 BY CLIENT	A.G
▲ 9/23/2016 BY CLIENT	A,G
10/21/2016 HPB COMMENTS	A.G.






DRAWN A.G.
CHECKED
6/6/2016
AS NOTES
JOB NO. 16_4566
SHEET

SHEET

**A01** XX



NE 2nd S



# LOCATION MAP

DESIGN

**PRELIMINARY** 

### SITE PLAN NOTES

- LOWEST SLAB AT LIVING AREA SHALL BE MINIMUM 18" ABOVE CROWN OF ROAD.
- LOT DRAINAGE SHALL BE AS ALL LOCAL CODES, REGULATIONS AND RESTRICTIONS HAVING JURISDICTION.
- DRIVEWAYS, MALKWAYS, SLAB ON GRADE, POOL DECKS, SWIMMING POOL ARE BY OTHERS AND PERMITTED SEPARATELY. (NOT A PART OF THE AMES INTERNATIONAL
- OTHERS AND PERIOD THE ACTION OF THE ATTES INTERNATIONAL ARCHITECTURE, CONTRACT).
  SMIMTHING POOL, DECK, SPA, ETC., BY OTHERS, SEE POOL SUBCONTRACTORS
  ENGINEERED SHOP DRAWINGS. PERMITTED SEPARATELY AND NOT A PART OF THE
  AMES INTERNATIONAL ARCHITECTURE CONTRACT. SEE OWNER.
- LAND SURVEYOR SHALL VERIFY LOCATION OF HOUSE ON SITE AND ANY OCCURRING SETBACK ENCROACHIENTS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO ANY MORK BEING DONE.
- SITE PLAN AS DRAWN REFLECTS ARCHITECTS CONCEPTION OF OVERALL SITE LAYOUT AND FEATURES, AND MAY NOT NECESSARILY BE AN ACCURATE REPRESENTATION OF THE BUILDERS STANDARD INCLUDED FEATURES OR LAYOUT AND DESIGN.

- PLUMBING NOTES

  1. SANITARY LINES SHALL BE OF CAST IRON, OR PVC (SCHEDULE 40) AS APPROVED BY THE BUILDING OFFICIAL.
- WATER LINES SHALL BE COPPER (UNLESS NOTED OTHERWISE).
- CONDENSE LINES SHALL BE 3/4"  $\phi$  PVC (SCHEDULE 40), INSULATED WITH 1/2" AMAFLEX. HOT WATER LINES INSULATED WITH 1" ARMAFLEX ABOVE.
- PROVIDE AIR CHAMBER WITH ALL WATER SUPPLIES.
- COPPER MATER LINES RUN UNDER SLAB SHALL BE PROTECTED BY MINIMUM OF 12" OF EARTH COVER, 1" ARMAFLEX (HOT WATER ONLY) AND SLEEVED TO 12" ABOVE SLAB. PROVIDE CONDENSE DRIP PAN UNDERNEATH ELECTRIC WATER HEATERS, METAL PANS SHALL BE GALVANIZED AND RUSTPROOF. PROVIDE DRAIN LINE FROM DRIP PAN TO EXTERIOR OF BUILDING.
- SHOWER HEADS TO HAVE FLOW CONTROL DEVICE TO GIVE MAXIMUM FLOW OF  $(2\frac{N}{2})$  Gallons per minute each. Hose bibs to be provided with back flow preventer,
- ELECTRIC MATER HEATER SHALL HAVE A STAND BY LOSS NOT TO EXCEED 4.0 WATTS PER SQUARE FOOT TO TANK SERVICE AREA.
- PLUMBING FIXTURES, TRIM, ACCESSORIES, COLORS, ETC. SHALL BE SELECTED. (SEE BUILDER TO VERIFY).
- ALL POOL PLUMBING AND RELATED EQUIPMENT SHALL BE PROVIDED BY POOL
  SUBCONTRACTOR AND SHALL BE PERMITTED SEPARATELY. SEE POOL SUBCONTRACTOR'S
  BOKINEERED SHOP DRAMING, PLUMBING CONTRACTOR SHALL PROVIDE (2) TWO COPIES OF
  THE "AS-BUILT" PLUMBING RISER DIAGRAM TO THE AMES INTERNATIONAL ARCHITECTURE.
- THE PLUMBING SUBCONTRACTOR SHALL PROVIDE A HOSE BIB AT THE POLITION THE POLITION THE POLITION THE POLITION (VERIFY LOCATION WITH OWNER) AND SHALL LOCATE A POOL-FILL LINE WITH A VACUUM BREAKER, PLUMBING SUBCONTRACTOR SHALL COORDINATE NITH POOL SUBCONTRACTOR AND SHALL ALSO PROVIDE A LINE, TIED DIRECTLY FROM THE "FILL" LOCATION, UNDER POOL DECK (SLEEVED IN PVC PIPE) INTO TILE BAND AREA OF POOL AND COORDINATE SAME WITH SUBCONTRACTOR,
- ALL CLEAN OUTS UP TO GRADE.
- NO VENT STACKS SHALL PASS THROUGH ROOF CRICKETS OR VALLEYS.
- SIZE AND LOCATION OF CLEAN OUTS SHALL CONFORM TO ALL LOCAL BUILDING CODE. FIXTURE SUPPLY SIZES SHALL CONFORM TO ALL LOCAL BUILDING CODE.
- PLUMBER TO DIVERT ALL VENTS TO REAR ELEVATION,



~~~~	~~~	~~~~	~~~~	
AREA CALCULATIONS				
AREA EXIST'G NEW ADD		TOTAL		
A/C AREA	1503 S.F.	483 S.F.	1986 S.F.	
GARAGE	N/A	N/A	CN/A	
COV'D VERANDA	N/A	309 S.F.	309 S.F.	
COVERED ENTRY	N/A	82 S.F.	82 S.F.	
SIDE ENTRY	N/A	59 S.F.	59 S.F.	
TOTAL AIR CONDITIONED AREA			[1986 S.F.]	
TOTAL ROOFED			2437 S.F.	
			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	

LOT ADEA CAL	CIIIAT	IONIC		
LOT AREA CAI	_CULA I			
		ALLOWABLE	GIVEN	
				^
TOTAL LOT AREA		~	7358-S.F	./4\
LOT COVERAGE (40%)		2943 S.F.	2912 S.F.	<del></del>
NON VECH.OPEN SPACE	MIN.(25%)	1840 S.F.	3781 S.F.	ĭ
				7
CODE	PARAM	ETERS		
coursylvia con-				
GOVERNING CODE	•	2014 F.B.C.		
MUNICIPALITY		CITY OF DELI		
OCCUPANCY CLASS.	•	GROUP RESID		
MAX. BUILDING HEIGHT		35'-0" ABOVE	GRADE	
FRONT SETBACK		25'-0"		
REAR SETBACK		10'-0"		
SIDE SETBACK		7'-6"		
ZONING		OSSHAD		

ALL OF SOUTH 38.5' OF LOT 4 AND THE NORTH IT' OF LOT 5, BLK 74, CITY OF DELRAY BEACH, FLORIDA ACCORDINGTO THE PLAT OF SUBDIVISION OF SAID BLOCK 74,ON FILE IN THE OFFICE OF THE CLERK OF THE CIRCUIT COURT, IN AND FOR PALM BEACH COUNTY, FLORIDA IN PLABOOKII, PAGE 12.

LEGAL DESCRIPTION

VICINITY MAP

N.E. 1ST AVENUE OF WAY VARIES 37.2' ASI

-CITY OF DELRAY BEACH

NW 1stSt

NW.


REVISIONS 9/23/2016 CLIENT ∆ 10/21/2016

HPB COMMENT.

MINDI SCHIFRIN 231 NE 1ST AVE. BANKERS ROW HISTORIC DIS DELRAY BEACH FLORIDA 33444



ANOMITEOTORE
DRAWN A.G.
CHECKED
DATE 6/6/2016
%" = 1'-0"
JOB NO. 16_4566
SHEET
A02



DEMOLITION LEGEND:

- 1 REMOVE DOOR / WIN
- (2) REMOVE INTERIOR WALL
- 3 REMOVE BUILT-IN & CABINETS (4) REMOVE ELECTRICAL FIXTURES
- 5 REMOVE PLUMBING FIXTURES
- 6 REMOVE A/C UNITS/DUCTS/ RELATED A/C COMPONENTS
- (7) REMOVE FLOOR COVERING
- (8) REMOVE APPLIANCES.
- ALTER FINISH FLOOR ELEVATION AS REQUIRED SEE NEW PLANS
- (IO) REMOVE SOFFIT/BEAM
- 11 RAISE/MODIFY CEILING
- (12) REMOVE CONCRETE STEP/ STOOP/PAVERS
  (13) REMOVE THIS PORTION OF EXIST'G OVERHANG
- (4) REMOVE EXIST'G DRIVE AS REG'D TO ALLOW FOR NEW ADDITION
  (B) REMOVE EXIST'G SHED
- (6) REMOVE EXIST'S STEP STONE (17) RELOCATE EXISTING AHU
- (8) RELOCATE EXISTING GENERATOR
- (19) NEW CEILING REMOVE TREE

r	DEMOLITION LEGEND		
SYMBOL	TYPE OF WALL		
	EXISTING WALL TO REMAIN		
=====	EXISTING WALL TO BE REMOVED		
	NEW INTERIOR FRAMED WALL		
	NEW C.M.U. WALL		
	NEW CONC. COLUMN		

NOTE TO GC: GC TO COORDINATE THE DEMO PLAN AS INDICATED W/ NEW FLOOR PLAN LAYOUT TO DETERMINE THE EXACT EXTENT OF THE DEMOLITION.

NOTE TO GC:

DUE TO THE UNKNOWN / CONCEALED CONDITIONS OF THE EXISTING STRUCTURE MODIFICATION TO SOME PARTS OF THE CONSTRUCTION DOCUMENT AND DETAILING WILL BE REQUIRED. THIS ADJUSTMENT WILL BE ACCOMPLISHED DURING THE COURSE OF CONSTRUCTION, GC TO COORDINATE WITH ARCHITECT


# DEMOLITION NOTES:

- I. DOTTED LINES DENOTES ITEMS BEING REMOVED, COOR, WITH NEW PLAN. FOR EXTENT OF DEMO.
- GENERAL CONTRACTOR SHALL PROVIDE ALL SHORING AND BRACING PRIOR TO ANY DEMOLITION, OF THE PORTION OF THE STRUCTURE.
- 3. GENERAL CONTRACTOR TO VERIFY ALL DIMENSIONS IN THE FIELD AND COORDINATE THE DEMO, PLAN WITH THE NEW LAY OUT IN ORDER TO DETERMINE THE EXTENT OF DEMOLITICA AND ADVISE THE ARCHITECT OF ANY DISCREPANCY FIGOR TO ANY DEMOLITICAL OR CONSTRUCTION.

  4. DO NOT SCALE DRAWINGS. ALL WRITTEN DIMENSIONS TAKE PRECEDENCE.
- 5. GENERAL CONTRACTOR TO PERFORM ALL WORK ACCORDING TO ALL APPLICABLE CODES AND AS PER MANUFACTURER'S WRITTEN SPECIFICATIONS.
- GENERAL CONTRACTOR SHALL PATCH AND REPAIR ALL DISTURBED AREAS AS PER CODE TO MATCH EXISTING ADJACENT FINISHES.
- 7. ALL LUMBER IN CONTACT WITH CONCRETE SHALL BE PRESSURE TREATED.
- 8 REMOVED ELEC. FIX. SHALL BE CAPED OFF AND MADE SAFE. ALL WORK SHALL BE DONE AS PER LOCAL CODE.
- 10, REMOVED PLUM, FIX, SHALL BE CAPED OFF AND MADE SAFE, ALL WORK SHALL BE DONE AS PER LOCAL CODE.
- II. ALL AREAS HAVING PORTION OF WALLS, FLOORS, AND CEILINGS REMOVED SHALL BE PATCHED AND FINISHED TO MATCH EXIST. MATERIALS AND CONDITIONS. EXISTING SURFACES SHALL BE PREPARED TO RECEIVE NEW FINISHES AS INDICATED ON TYPICAL WALL SECTION, TYP. PARTITION DETAILS, ETC.
- 12. ALL ITEMS DETERMINED BY OWNER TO BE SALVAGEABLE SHALL BE REMOVED PRIOR TO START OF DEMOLITION, SEE OWNER FOR STORAGE,
- IS. REMOVAL OF ANY PORTION OF WALL, FLOOR, OR CEILING WHICH CONTAIN ELECTRICAL, HVAC OR PLUMBING SHALL HAVE SUCH ITEMS REROUTED OR REESTABLISHED AS PER ELECTRICAL, HVAC, OR PLUMBING PLANS PROVIDED, SEE CONSTRUCTION DOCUMENTS.
- 4. NEIGHBORING EXISTING STRUCTURES AROUND THE BUILDING UNDER DEMOLITION ARE TO BE SURVEYED FOR ANY EXISTING CRACKS IN THE STRUCTURAL ELEMENTS, AND NEIGHBORS ARE TO BE NOTIFIED.
- IS. GC. AND ALL TRADES INVOLVED IN THE PROJECT SHALL SURVEY THE EXIST, CONDITIONS PRIOR TO ANY WORK AND BE FAMILIAR WITH THE EXTENT OF WORK AND ALL NECESSARY STEPS IN ORDER TO COMPLETE THE PROJECT

DESIGN SCHIFRIN T AVE. ROW HISTORIC D SEACH FLORIDA **PRELIMINARY** MINDI 2231 NE 1ST 8 BANKERS R DELRAY BE 333444


REVISIONS







A.G. 6/6/2016 ½" = 1'-0" 16\_4566


**A03** 







EXT.LEFT ELEVATION (NORTH



EXT. RIGHT ELEVATION (SOUTH)




	REVISIONS	BY
	Y CLIENT	A.G.
Z B	8/18/2016 Y CLIENT	A.G
Z B	9/23/2016 Y CLIENT	A.G
Z.	10/21/2016 PB COMMENTS	A.G.
_		
	A m e s	Shane Ames - Archite


DRAWN A.G. CHECKED

DATE 6/6/2016 SCALE 4" = 1'-0"

JOB NO. 16\_4566

**A05** 





### MALL LEGEND TYPE OF WALL CONC, BLOCK WD. OR MTL. FRAME (FULL HEIGHT) BEARING WD. FRAME WALL / CONC. COL. INTERIOR WD, OR MTL. FR. (KNEE WALL) EXTERIOR CMU (KNEE WALL)

# GENERAL NOTES:

- SEE FOUND. PLAN FOR SLAB STEPS & SLOPES & FOR COLUMNS, FILLED BLOCK CELLS, ETC.
- VERIFY ALL MASONRY & WD. FRAME OPENING SIZES TO FIT DOORS & WINDOMS BEFORE CONSTRUCTION NOTIFY ARCHITECT IF A CONFLICT EXISTS.
- 3. USE WATER-RESISTANT GYP. BOARD IN ALL BATHROOMS & OTHER WET AREAS.
- AREAS.

  4. PROVIDE WOOD BACKING BEHIND CABINETS, SHELVES, BATH ACCESSORIES, ETC.

  5. ALL ATTIC SPACES AND SPACES ABOVE CEILING SHALL BE DIVIDED INTO HORIZONTAL AREAS NOT TO EXCEED 3,000 S.F. BY DRAFT STOPS, PROVIDE A 22"x38" (MIN) ATTIC ACCESS INTO EACH SPACE DIVIDED BY A DRAFT STOP. (SEE DTL SHEET)

# DOOR / WINDOW NOTES

- SEE PLAN AND ELEVATIONS FOR HIGH GLASS SIZE AND LOCATIONS.
- 2. ALL GLAZING SHALL COMPLY WITH CHAPTER 24. OF F.B.C. 2010 RES.
  3. SEE DETAIL SHEETS FOR ANCHORAGE OF ALL DOOR JAMBS, HEADS AND SILLS, ALSO REFER TO DETAIL SHEET FOR ANCHORAGE OF GARAGE DOOR BUCKS.
- ALL WINDOWS AND GLASS IN EXT. DOOR TO BE IMPACT-RESISTANT GLASS.
- GLASS.

  EGRESS MINDOWS SHALL COMPLY WITH SEC. 1005 4.2/F.B.C. 2010 RES. EACH EGRESS MINDOW SHALL PROVIDE A CLEAR OPENING NOT LESS THAN 20' IN WITH, 24' IN HEIGHT AND MIN. OF 5.7 S.F. IN AREA. BOTTOM EDGE OF SUCH OPENING SHALL NOT BE MORE THAN 44' AFF. AND NO PART OF THE OPERATING MECHANISM SHALL BE MORE THAN 54' AFF, THE MODE OF OPERATION SHALL NOT REQUIRE THE USE OF A KEY, TOOL, SPECIAL KNOWLEDGE OR EFFORT.
- ALL GLASS SHOWER & TUB ENCLOSURES SHALL BE TEMPERED GLASS.
- 7. EMERGENCY EGRESS DOOR DO NOT SHUTTER.
- DORS BETMEEN GARGE & HOUSE MUST BE SOLID CORE 1 3/4" THICK HY 2x4 SOLID RABBETED JAMB, OR A C-LABEL METAL DOOR & JAMB. DOORS TO HAVE AUTOMATIC CLOSER AS INDICATED IN DOOR SCHEDULE.
- 9. GENERAL CONTRACTOR TO FIELD VERIFY ALL MINDOM & DOOR SIZES/OPENINGS PRIOR TO ORDERING FROM SUPPLIER.
- SIZES/OPENINGS PRIOR TO ORDERING FROM SUPPLIER.

  10. FOR ALL EXTERIOR DOORS/MINDOMS, PRODUCT APPROVAL IS REQUIRED. SUBMIT TO ARCHITECT OR ENGINEER FOR REVIEW AND TO BUILDING DEPT. FOR APPROVAL.

  11. GLASS OR MIRRORS IMMEDIATELY SURROUNDING A BATHTUB OR SHOWER ENCLOSURE SHALL BE SAFETY GLAZED WHERE LESS THAN 60' ABOVE FLOOR OF TUB OR SHOWER.
- ALL GLASS IN DOORS & ALL SLIDING GLASS DOORS TO BE TEMPERED GLASS.
   G.C. TO COORDINATE THRESHOLD FOR ALL DOORS ON MASONRY WALL.
- OPERABLE WINDOWS WITH MORE THEN ONE LOCKING POINT SHALL HAVE ONLY ONE POINT OF OPERATION.


# RELIMINARY DESIGN

PRELIMINARY DE	MINDI SCHIFRIN 281 NE 18T AVE BANKERS ROW HISTORIC DIS DELRAY BEACH FLORIDA	66444
	REVISIONS	В
	A 7/5/2016 BY CLIENT	Α.
	8/18/2016     BY CLIENT	А
	A 9/23/2016 BY CLIENT	А
	10/21/2016 HPB COMMENTS	Α.
		L
		L
	Į.	

DISTRICT







TRUSS COMPANY
TO PROVIDE FOR A/C CHASES IN
FLOOR TRUSSES, ROOF TRUSSES AND
ALL GIRDER TRUSSES, COORDINATE
WITH GENERAL \$ A/C CONTRACTORS

# PRELIMINARY DESIGN MINDI SCHIFFIIN 231 NE 18T AVE BANKERS ROW HISTORIC DISTRICT DELRAY BEACH FLORIDA 33444


	_
REVISIONS	BY
7/5/2016 BY CLIENT	A.G
A 8/18/2016 BY CLIENT	A.G
A 9/23/2016 BY CLIENT	A.G
10/21/2016 HPB COMMENTS	A.G








┌.	
	DRAWN A.G.
Ę	CHECKED
힏	0/6/2016
A	1/4" = 1'-0"
Z	јов No. 16_4566
ارّ	SHEET
ш.	

AO8











\$\frac{\delta}{2}\ 8/18/2016 \frac{\delta}{2}\ 9/23/2016 \frac{\delta}{2}\ 9/23/2016 BY CLIENT

10/21/2016 HPB COMMENTS	A.G.
	81
	Architec
	Shane Ames - Archil
	Shane ,
$\bigwedge$	

DRAWN A.G. CHECKED

DATE 6/6/2016

1/4" = 1'-0" JOB NO. 16\_4566

**A10**