

D E L R A Y B E A C H

V A C C O N B O D Y A N D C H A S S I S

Q U O T A T I O N

114SD CONVENTIONAL CHASSIS

SET FORWARD AXLE - TRUCK	20,000# FLAT LEAF FRONT SUSPENSION
CUM L9 370 HP @ 2000 RPM, 2100 GOV RPM, 1250 LB/FT @ 1400 RPM	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	6850MM (270 INCH) WHEELBASE
RT-46-160 46,000# R-SERIES TANDEM REAR AXLE	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
HENDRICKSON RT463 REAR SUSPENSION @ 46,000#	1900MM (75 INCH) REAR FRAME OVERHANG
DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

		PER UNIT	TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	\$
EXTENDED WARRANTY		\$	\$
DEALER INSTALLED OPTIONS		\$	\$
CUSTOMER PRICE BEFORE TAX		\$	\$

TAXES AND FEES

TAXES AND FEES	\$	\$
OTHER CHARGES	\$	\$

TRADE-IN

TRADE-IN ALLOWANCE		\$	(0)	\$	(0)	
BALANCE DUE	CHASSIS PRICE	(LOCAL CURRENCY)	\$	101,848	\$	101,848
BODY	VAC CON PER SPECS		\$	307,805		307,805
TOTAL PRICE DELIVERED					\$	409,653

COMMENTS:

Projected delivery on ____ / ____ / ____ provided the order is received before ____ / ____ / ____.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X_____ Date: ____ / ____ / ____.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

SPECIFICATION PROPOSAL

Data Code	Description
Price Level	
PRL-14D	SD PRL-14D (EFF:10/05/15)
Data Version	
DRL-046	SPECPRO21 DATA RELEASE VER 046
Vehicle Configuration	
001-177	114SD CONVENTIONAL CHASSIS
004-218	2018 MODEL YEAR SPECIFIED
002-003	SET FORWARD AXLE - TRUCK
019-002	STRAIGHT TRUCK PROVISION
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-002	TRUCK CONFIGURATION
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE
A84-1GM	GOVERNMENT BUSINESS SEGMENT
AA4-002	LIQUID BULK COMMODITY
AA5-006	TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-003	MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-1AE	FREIGHTLINER LEVEL II WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 20000.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 66000.0 lbs
Truck Service	
AA3-034	SEWER/INDUSTRIAL VACUUM BODY

Data Code	Description
Engine	
101-22V	CUM L9 370 HP @ 2000 RPM, 2100 GOV RPM, 1250 LB/FT @ 1400 RPM
Electronic Parameters	
79A-072	72 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-009	PTO MODE ENGINE RPM LIMIT - 1200 RPM
79L-011	PTO MODE THROTTLE OVERRIDE - LIMIT TO 1400 RPM
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED
79P-009	PTO RPM WITH CRUISE SET SWITCH - 1200 RPM
79Q-009	PTO RPM WITH CRUISE RESUME SWITCH - 1200 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-006	PTO GOVERNOR RAMP RATE - 200 RPM PER SECOND
79W-002	TWO REMOTE PTO SPEEDS
79X-001	REMOTE PTO SPEED 1 SETTING - 700 RPM
79Y-001	REMOTE PTO SPEED 2 SETTING - 900 RPM
80G-002	PTO MINIMUM RPM - 700
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
Engine Equipment	
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)
PMT-998	NO 2013 ENGINE ESCALATOR
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-098	(2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED STUD BATTERIES

Data Code	Description
290-017	BATTERY BOX FRAME MOUNTED
281-001	STANDARD BATTERY JUMPERS
282-042	LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
293-060	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH WITH LOCKING PROVISION MOUNTED OUTBOARD DRIVER SEAT
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-200	INTEGRATED STACK AND B-PILLAR PIPE WITH MINIMUM STACK PROTRUSION ABOVE CAB
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILOUT SHIELD(S)
273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
110-003	CUMMINS SPIN ON FUEL FILTER
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER

Data Code	Description
120-009	FLEETGUARD PLAIN COOLANT FILTER
266-017	1300 SQUARE INCH ALUMINUM RADIATOR
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
360-016	1310 ADAPTER FLANGE FOR FRONT PTO PROVISION
132-004	ELECTRIC GRID AIR INTAKE WARMER
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
---------	--

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

Data Code	Description
84L-000	LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES
353-022	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
427-001	FRONT BRAKE DUST SHIELDS
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
406-001	STANDARD KING PIN BUSHINGS
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR
539-003	POWER STEERING PUMP
534-003	4 QUART POWER STEERING RESERVOIR
533-004	OIL/AIR POWER STEERING COOLER MOUNTED ABOVE FRONT CLOSING CROSSMEMBER

Data Code	Description
40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE
Front Suspension	
620-006	20,000# FLAT LEAF FRONT SUSPENSION
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equipment	
420-103	RT-46-160 46,000# R-SERIES TANDEM REAR AXLE
421-538	5.38 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-076	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES
87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-003	STANDARD BRAKE CHAMBER LOCATION
451-023	CONMET CAST IRON REAR BRAKE DRUMS
425-002	REAR BRAKE DUST SHIELDS
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS
426-099	HALDEX GOLDSEAL LONGSTROKE HEAVY DUTY 30/36 2-DRIVE AXLES SPRING PARKING CHAMBERS
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE
42T-001	STANDARD REAR AXLE BREATHER(S)
Rear Suspension	
622-1CJ	HENDRICKSON RT463 REAR SUSPENSION @ 46,000#
621-016	HENDRICKSON RT/RTE - 7.19" SADDLE
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP
624-009	54 INCH AXLE SPACING

Data Code	Description
628-005	STEEL BEAMS AND BRONZE CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS
623-005	FORE/AFT CONTROL RODS

Brake System

490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
413-1AA	STANDARD U.S. FRONT BRAKE VALVE WITH ABS VALVES IN RAILS WITH RH HEAT SHIELDING
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-086	BW AD-9SI BRAKE LINE AIR DRYER WITH HEATER
479-024	AIR DRYER MOUNTED OUTBOARD ON RH RAIL BACK OF CAB, MAXIMUM 20 INCHES BACK OF CAB PROTRUSION
460-089	(1) 12 INCH STEEL AIR TANK MOUNTED ABOVE FRAME BACK OF CAB, 20 INCHES MAXIMUM BACK OF CAB PROTRUSION
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS
485-045	METALLIC AIR MANIFOLD MOUNTED TO BACK OF CAB CROSSMEMBER WITH SIX 1/4 INCH FITTINGS AND 70 PSI PROTECTION VALVE

Trailer Connections

335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
---------	------------------------------------

Wheelbase & Frame

545-686	6850MM (270 INCH) WHEELBASE
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
552-014	1900MM (75 INCH) REAR FRAME OVERHANG

Data Code	Description
55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 186.54 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 183.54 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 396.69
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 186.54 in
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 95.28 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 155.38 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203
551-017	GRADE 8 THREADED HEX HEADED FRAME FASTENERS INSTALLED WITH BOLT HEADS ON OUTSIDE OF FRAME
606-1U5	DRILLING PREP FOR VAC CON PER DRAWING 670-30020 REV

Fuel Tanks

204-155	90 GALLON/340 LITER ALUMINUM FUEL TANK - LH
218-006	25 INCH DIAMETER FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
122-1H7	DAVCO 245 FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR
216-020	EQUIFLO INBOARD FUEL SYSTEM

Data Code	Description
20E-004	AUXILIARY FUEL SUPPLY AND RETURN PORTS LOCATED ON LH FUEL TANK
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
221-001	FUEL COOLER
Tires	
093-0TB	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL FRONT TIRES
094-0DG	MICHELIN XDE M/S 10R22.5 14 PLY RADIAL REAR TIRES
Hubs	
418-056	CONMET PRESET PLUS IRON FRONT HUBS
450-056	CONMET PRESET PLUS IRON REAR HUBS
Wheels	
502-566	MAXION WHEELS 10035 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC FRONT WHEELS
505-524	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS
Cab Exterior	
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-008	AIR CAB MOUNTS
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
667-001	FRONT FENDERS
754-002	3-1/2 INCH FENDER EXTENSIONS
678-001	LH AND RH GRAB HANDLES
646-041	STATIONARY BLACK GRILLE
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE
644-004	FIBERGLASS HOOD
690-002	TUNNEL/FIREWALL LINER
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK
726-002	DUAL ELECTRIC HORNS
728-001	SINGLE HORN SHIELD
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS

Data Code	Description
302-001	(5) AMBER MARKER LIGHTS
311-012	DAYTIME RUNNING LIGHTS - LOW BEAM ONLY
294-1A6	GROTE 54332 LED STOP TAIL TURN LIGHTS GROMMET MOUNTED WITH SEPARATE GROTE 62401 LED BACKUP LIGHTS.
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
729-001	STANDARD SIDE/REAR REFLECTORS
677-998	NO CAB MOUNTED STEPS
768-043	63X14 INCH TINTED REAR WINDOW
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)
663-013	TINTED WINDSHIELD
659-007	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR
706-013	MOLDED PLASTIC DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
694-010	IN DASH STORAGE BIN
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR

Data Code	Description
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-011	DOMED DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF
655-005	LH AND RH ELECTRIC DOOR LOCKS
284-023	(1) 12 VOLT POWER SUPPLY IN DASH
756-1D9	PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER
760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-036	VINYL WITH VINYL INSERT DRIVER SEAT
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT
763-101	BLACK SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL
734-004	GRAY CENTER INSTRUMENT PANEL
87L-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

Data Code	Description
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-071	ENGINE REMOTE INTERFACE WITH INCREMENT/DECREMENT
163-004	ENGINE REMOTE INTERFACE CONNECTOR IN ENGINE COMPARTMENT
33U-004	PREWIRE PACKAGE FOR VAC CON CONTROL MODULE AND CHASSIS INTERFACE
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
679-001	OVERHEAD INSTRUMENT PANEL
746-1B3	AM/FM/WB RADIO WITH BLUETOOTH AND MICROPHONE, FRONT USB PORT, FRONT AND REAR AUXILIARY INPUTS AND J1939
747-001	DASH MOUNTED RADIO
750-002	(2) RADIO SPEAKERS IN CAB
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
813-998	NO VEHICLE PERFORMANCE MONITOR
162-018	IGNITION SWITCH CONTROLLED ENGINE STOP WITH CONTROL MOUNTED AT FIREWALL
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

Data Code	Description
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

065-000	PAINT: ONE SOLID COLOR
---------	------------------------

Color

980-3F8	CAB COLOR A: N0225EA WHITE ELITE SS
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
98K-998	NO FUEL TANK CABINET PAINT
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
963-003	STANDARD E COAT/UNDERCOATING

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

Secondary Factory Options

998-001	CORPORATE PDI CENTER IN-SERVICE ONLY
999-003	FRONT AND/OR REAR TIRE WIDTH EXCEEDS 2.6M (102.4 INCHES); DEALER ADVISED AND ACCEPTS

Extended Warranty

WAG-010	TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES
BODY	VAC CON BODY WITH ALL OPTIONS INCLUDED IN THIS PRICE



2840 Center Port Circle
Pompano, Bch, FL. 33064



Freightliner
SPRINTER



PURCHASER: _____ DATE: _____

ADDRESS: _____ PHONE: _____

CITY: _____ ATTN: _____

BASE MODEL: _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

OPTION # _____ PRICE: _____

Budget Challenges?

Daimler Truck Financial offers special municipal financing programs to help fund the purchase of needed vehicles and other equipment.

TOTAL PRICE: _____

***MTHLY PAYMENT:** _____

- Monthly, annual, semi-annual or quarterly payment options
- Flexible repayment terms (tied to your budget)

*Actual rate, terms, down payment, and program eligibility will be determined by DTF credit team based upon credit worthiness and experience of customer.