

Development Services Department

BOARD ACTION REPORT – APPEALABLE ITEM

Project Name:	Hideaway-by-the-Sea
Project Location:	126 SE 7th Avenue
Request:	Certificate of Appropriateness (COA)
Board:	Historic Preservation Board
Meeting Date:	November 7, 2018

Board Action:

Approved the Certificate of Appropriateness for the installation of 2 new aluminum pergolas to the existing historic structure on the property located at 126 SE 7th Avenue, Marina Historic District, on a 6 to 0 vote (Reeve Bright absent).

Project Description:

The property is located within the RM (Multi-Family Residential) zoning district. The 0.16-acre lot measures 50' wide x 135' deep and contains a 1,660 sq. ft. existing duplex. The historic Post-World War II, Mid-Century Modern style structure was built in 1949 and is classified as contributing to the Marina Historic District. According to the City Property cards, the historic structure had a floorplan consisting of six rooms, flat roof and composition shingle roof, concrete block construction, stucco exterior walls, plaster interior finish, and terrazzo flooring.

At its June 13, 2018 meeting the Historic Preservation Board approved a COA request for exterior renovations and additions to the existing duplex including:

- 1. Construction of two (2) 65 sq. ft. bathroom additions on the south side of the structure, one
- 1. bathroom for each dwelling unit of the duplex;
- 2. Construction of two new pools (one on the east side of the property and one on the west side of
- 3. the property);
- 4. Installation of dark anodized bronze aluminum impact-resistant windows and doors;
- 5. Installation of a new bitumen sloped roof to match the existing roof over the enclosed porch on
- 6. each dwelling unit;
- 7. 5. Removal of wood-framed washer/dryer exterior enclosure on the North side of the property;
- 8. 6. Installation of new fencing, landscaping and hardscaping;
- 9. 7. Exterior color change to Benjamin Moore "Frostine" (white); and,
- 10. 8. Reconfiguration of the existing non-conforming parking area.

A variance was also approved at this meeting to allow two new 65 sq. ft. additions to encroach 7.5' into the required 15' side interior setback on the South side of the property.

The subject COA includes installation of 2 new white aluminum-framed pergolas on the east and west sides of the existing structure. The COA request is now before the Board for consideration.

Staff supported the Certificate of Appropriateness request.

Board Comments:

The Board comments were supportive.

Appealable Item Report

Public Comments:

No members of the public spoke for or against the project.

<u>Associated Actions:</u> All required actions were taken.

Next Action: HPB action is final.

HISTORIC PRESERVATION BOARD CITY OF DELRAY BEACH STAFF REPORT

MEETING DATE:November 7, 2018ITEM:126 SE 7th Avenue, Marina Historic District – Certificate of Appropriateness
(2018-218) for the installation of 2 new aluminum pergolas to the existing
historic structure.

RECOMMENDATION: Approve the Certificate of Appropriateness

GENERAL DATA:

Owner/Applicant	HIDEAWAY BY THE SEA, LLC
Agent:	Roger Cope, Cope Architecture, Inc.
Location:	West side of SE 7 th Avenue, between SE 1 st Street and SE 2 nd Street
Property Size:	0.16 Acres
Historic District:	Marina Historic District
Zoning:	RM (Multiple Family Residential Medium Density)
Adjacent Zoning: North: East: South: West:	RM
Existing Future Land Use Designation:	MD (Medium Density 5-12 DU/Acre)
Water Service:	Public water service is provided on site.
Sewer Service:	Public sewer service is provided on site.



ITEM BEFORE THE BOARD

The item before the Board is approval of a Certificate of Appropriateness (2018-218) for the installation of 2 new aluminum pergolas on the east and west sides of the structure located at **126 SE 7th Avenue**, **Marina Historic District**, pursuant to Land Development Regulation (LDR) Section 2.4.6(H).

BACKGROUND & PROJECT DESCRIPTION

The property is located within the RM (Multi-Family Residential) zoning district. The 0.16-acre lot measures 50' wide x 135' deep and contains a 1,660 sq. ft. existing duplex. The historic Post-World War II, Mid-Century Modern style structure was built in 1949 and is classified as contributing to the Marina Historic District. According to the City Property cards, the historic structure had a floorplan consisting of six rooms, flat roof and composition shingle roof, concrete block construction, stucco exterior walls, plaster interior finish, and terrazzo flooring.

In 2003, a Certificate of Appropriateness (2003-053) was administratively approved for rebuilding of the flat roof over the existing enclosed porch on the front façade (East Elevation) with modified bitumen.

At its June 13, 2018 meeting the Historic Preservation Board approved a COA request for exterior renovations and additions to the existing duplex including:

- 1. Construction of two (2) 65 sq. ft. bathroom additions on the south side of the structure, one bathroom for each dwelling unit of the duplex;
- 2. Construction of two new pools (one on the east side of the property and one on the west side of the property);
- 3. Installation of dark anodized bronze aluminum impact-resistant windows and doors;
- 4. Installation of a new bitumen sloped roof to match the existing roof over the enclosed porch on each dwelling unit;
- 5. Removal of wood-framed washer/dryer exterior enclosure on the North side of the property;
- 6. Installation of new fencing, landscaping and hardscaping;
- 7. Exterior color change to Benjamin Moore "Frostine" (white); and,
- 8. Reconfiguration of the existing non-conforming parking area.

A variance was also approved at this meeting to allow two new 65 sq. ft. additions to encroach 7.5' into the required 15' side interior setback on the South side of the property.

The subject COA includes installation of 2 new white aluminum-framed pergolas on the east and west sides of the existing structure. The COA request is now before the Board for consideration.

ANALYSIS OF PROPOSAL

Pursuant to Land Development Regulation (LDR) Section 2.4.6(H)(5), prior to approval, a finding must be made that any Certificate of Appropriateness which is to be approved is consistent with Historic Preservation purposes pursuant to Objective A-4 of the Land Use Element of the Comprehensive Plan and specifically with provisions of Section 4.5.1, the Delray Beach Historic Preservation Design Guidelines, and the Secretary of the Interior's Standards for Rehabilitation.

ZONING AND USE REVIEW

Pursuant to LDR Section 4.3.4(K), <u>Development Standards</u>, properties located within the RM (Medium Density Residential) zoning district shall be developed according to the requirements noted in the chart below. As illustrated, the proposal is in compliance with the applicable requirements; therefore, positive findings can be made.

Development	Required	Proposed	
Setbacks (Minimum): Front (East)		25'	40'
	15'	15'	
	15'	No Change	
	25'	28'	

LDR SECTION 4.5.1, HISTORIC PRESERVATION, DESIGNATED DISTRICTS, SITES, AND BUILDINGS

Pursuant to LDR Section 4.5.1(E) - <u>Development Standards</u>: all new development or exterior improvements on individually designated historic properties and/or properties located within historic districts shall, comply with the goals, objectives, and policies of the Comprehensive Plan, the Delray Beach Historic Preservation Design Guidelines, the Secretary of the Interior's Standards for Rehabilitation, and the Development Standards of this Section.

Standard 2

The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.

Standard 9

New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.

Standard 10

New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

The pergolas will provide a covered area on the subject property adjacent to the new pool and patio areas, creating an exterior living space for each of the units. The white, aluminum-framed pergola structures are differentiated from the duplex yet are compatible with the massing, size scale, and architectural features of Mid-Century Modern style structures. The pergolas will be attached to the residential structure in a manner that if removed in the future will not compromise the integrity of the historic building.

The proposal meets the applicable standards noted above and their intent as the proposed changes ensure an appropriate exterior alteration of the historic property and duplex structure, protecting the historic integrity of the duplex and its environment by allowing the modernization of the exterior living spaces with durable materials.

Pursuant to LDR Section 4.5.1(E)(7) - <u>Visual Compatibility Standards</u>: new construction and all improvements to both contributing and noncontributing buildings, structures and appurtenances thereto within a designated historic district or on an individually designated property shall be visually compatible. In addition to the Zoning District Regulations, the Historic Preservation Board shall apply the visual compatibility standards provided for in this Section with regard to height, width, mass, scale, façade, openings, rhythm, material, color, texture, roof shape, direction, and other criteria set forth elsewhere in Section 4.5.1. Visual compatibility for minor and major development as referenced in Section 4.5.1(E)(2) shall be determined by utilizing criteria contained in (a)-(m). Visual compatibility for all development on individually designated properties outside the district shall be determined by comparison to other structures within the site.

Applicable Visual Compatibility Standards

- (a) <u>Height</u>: The height of proposed buildings or modifications shall be visually compatible in comparison or relation to the height of existing structures and buildings in a historic district for all major and minor development. For major development, visual compatibility with respect to the height of residential structures, as defined by 4.5.1(E)(2)(a), shall also be determined through application of the Building Height Plane.
- (b)<u>Front Facade Proportion</u>: The front facade of each building or structure shall be visually compatible with and be in direct relationship to the width of the building and to the height

of the front elevation of other existing structures and buildings within the subject historic district.

(g) <u>Relationship of Materials, Texture, and Color</u>: The relationship of materials, texture, and color of the facade of a building and/or hardscaping shall be visually compatible with the predominant materials used in the historic buildings and structures within the subject historic district.

The proposed exterior alterations to the existing, historic duplex are appropriate and compatible with the Marina Historic District. The height of the 2 new pergolas (9') does not exceed the highest element of the existing residence. The proposed pergolas are compatible with the existing proportion of the front façade. The pergolas continue the flat roof line of the original Florida Rooms that characterized the original structure. The white aluminum frame of the pergolas is a durable material that is compatible with the Mid-Century Modern style of the historic duplex. The proposal meets the intent of the review criteria above; thus, positive findings are made with respect to the sections indicated above.

ALTERNATIVE ACTIONS


- A. Continue with direction.
- B. Approve Certificate of Appropriateness (2018-218) for the property located at **126 SE 7th Avenue**, Marina Historic District by adopting the findings of fact and law contained in the staff report, and finding that the request and approval thereof is consistent with the Comprehensive Plan and meets the criteria set forth in Land Development Regulation Section 2.4.6(H)(5).
- C. Deny Certificate of Appropriateness (2018-218) for the property located at **126 SE 7th Avenue**, **Marina Historic District**, by adopting the findings of fact and law contained in the staff report, and by finding that the request and approval thereof is inconsistent with the Comprehensive Plan and does not meet the criteria set forth in Land Development Regulation Section 2.4.6(H)(5).

RECOMMENDATIONS

Approve Certificate of Appropriateness 2018-218 for **126 SE 7th Avenue, Marina Historic District**, by adopting the findings of fact and law contained in the staff report, and finding that the request and approval thereof meets the criteria set forth in the Land Development Regulations Section 2.4.6(H)(5).

Attachments:

Site plan, elevations, and survey



DESCRIPTION:

PARCEL A:

PART OF LOT 7, RESUBDIVISION OF BLOCK 118, DELRAY BEACH, FLORIDA ACCORDING TO THE PLAT THEREOF, RECORDED IN PLAT BOOK 2, PAGE 8, PALM BEACH COUNTY, PUBLIC RECORDS, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SAID LOT 7; THENCE RUN WESTERLY ALONG THE SOUTH LINE OF SAID LOT 7, A DISTANCE OF 20.00 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE WESTERLY ALONG SAID SOUTH LINE OF SAID LOT 7, A DISTANCE OF 54.27 FEET TO A POINT; THENCE RUN NORTHERLY MAKING AN ANGLE OF 89°54'50" THROUGH THE NORTHWEST FROM THE PREVIOUS COURSE, A DISTANCE OF 39.90 FEET TO A POINT; THENCE RUN EASTERLY ALONG A LINE PARALLEL TO AND 10.10 FEET SOUTH OF THE NORTH LINE OF SAID LOT 7, A DISTANCE OF 53.74 FEET TO A POINT; THENCE RUN SOUTHERLY ALONG A LINE PARALLEL TO AND 20.00 FEET WEST OF THE EAST LINE OF SAID LOT 7, A DISTANCE OF 39.50 FEET TO THE POINT OF BEGINNING.

AND AN UNDIVIDED ONE-HALF INTEREST IN AND TO THE FOLLOWING DESCRIBED:

PARCEL C:

PART OF LOT 7, RESUBDIVISION OF BLOCK 118, DELRAY BEACH, FLORIDA ACCORDING TO THE PLAT THEREOF, RECORDED IN PLAT BOOK 2, PAGE 8, PALM BEACH COUNTY, PUBLIC RECORDS, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE SOUTHEAST CORNER OF SAID LOT 7; THENCE RUN WESTERLY ALONG THE SOUTH LINE OF SAID LOT 7, A DISTANCE OF 20.00 FEET TO A POINT; THENCE RUN NORTHERLY, ALONG A LINE PARALLEL TO AND 20.00 FEET WEST OF THE EAST LINE OF SAID LOT 7, A DISTANCE OF 39.90 FEET TO A POINT; THENCE RUN WESTERLY ALONG A LINE PARALLEL TO AND 10.10 FEET SOUTH OF THE NORTH LINE OF SAID LOT 7, A DISTANCE OF 115.00 FEET TO A POINT IN THE WEST LINE OF LOT 7; THENCE RUN NORTHERLY, ALONG THE SAID WEST LINE OF LOT 7, A DISTANCE OF 10.10 FEET TO THE NORTHWEST CORNER OF SAID LOT 7; THENCE RUN EASTERLY, ALONG THE SAID NORTH LINE OF LOT 7, A DISTANCE OF 135.00 FEET TO THE NORTHEAST CORNER OF SAID LOT 7; THENCE RUN SOUTHERLY, ALONG THE SAID EAST LINE OF LOT 7, A DISTANCE OF 50.00 FEET TO THE SOUTHEAST CORNER OF LOT 7 AND THE POINT OF BEGINNING.

PARCEL: B

PART OF LOT 7, RESUBDIVISION OF BLOCK 118, DELRAY BEACH, FLORIDA ACCORDING TO THE PLAT THEREOF, RECORDED IN PLAT BOOK 2, PAGE 8, PALM BEACH COUNTY, PUBLIC RECORDS, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SAID LOT 7; THENCE RUN WESTERLY ALONG THE SOUTH LINE OF SAID LOT 7, A DISTANCE OF 74.27 FEET TO THE POINT OF BEGINNING; THENCE RUN NORTHERLY. MAKING AN ANGLE OF 89°54'50" THROUGH THE NORTHWEST FROM THE PREVIOUS COURSE, A DISTANCE OF 39.90 FEET TO A POINT; THENCE RUN WESTERLY, ALONG A LINE PARALLEL TO AND 10.1 FEET SOUTH OF THE NORTH LINE OF SAID LOT 7, A DISTANCE OF 61.26 FEET TO A POINT IN THE WEST LINE OF SAID LOT 7, A DISTANCE OF 39.90 FEET TO THE SOUTHWEST CORNER OF LOT 7; THENCE RUN EASTERLY, ALONG THE SAID SOUTH LINE OF LOT 7, A DISTANCE OF 60.73 FEET TO THE POINT OF BEGINNING.

AND AN UNDIVIDED ONE-HALF INTEREST IN AND TO THE FOLLOWING DESCRIBED:

PARCEL C:

PART OF LOT 7, RESUBDIVISION OF BLOCK 118, DELRAY BEACH, FLORIDA ACCORDING TO THE PLAT THEREOF, RECORDED IN PLAT BOOK 2, PAGE 8, PALM BEACH COUNTY, PUBLIC RECORDS, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE SOUTHEAST CORNER OF SAID LOT 7; THENCE RUN WESTERLY ALONG THE SOUTH LINE OF SAID LOT 7, A DISTANCE OF 20.00 FEET TO A POINT; THENCE RUN NORTHERLY, ALONG A LINE PARALLEL TO AND 20.00 FEET WEST OF THE EAST LINE OF SAID LOT 7, A DISTANCE OF 39.90 FEET TO A POINT; THENCE RUN WESTERLY ALONG A LINE PARALLEL TO AND 10.10 FEET SOUTH OF THE NORTH LINE OF SAID LOT 7, A DISTANCE OF 115.00 FEET TO A POINT IN THE WEST LINE OF LOT 7; THENCE RUN NORTHERLY, ALONG THE SAID WEST LINE OF LOT 7, A DISTANCE OF 10.10 FEET TO THE NORTHWEST CORNER OF SAID LOT 7; THENCE RUN EASTERLY, ALONG THE SAID NORTH LINE OF LOT 7. A DISTANCE OF 135.00 FEET TO THE NORTHEAST CORNER OF SAID LOT 7; THENCE RUN SOUTHERLY, ALONG THE SAID EAST LINE OF LOT 7, A DISTANCE OF 50.00 FEET TO THE SOUTHEAST CORNER OF LOT 7 AND THE POINT OF BEGINNING.

<u>LEGEND:</u>

 $\varphi = CENTERLINE$

FH = FIRE HYDRANT

W.M. = WATER METER

S.S.M.H. = SANITARY SEWER MANHOLE C.O. = SANITARY SEWER CLEAN OUT

----- - = OVERHEAD UTILITY LINES

I.R. = 5/8" IRON ROD WITH CAP #LB 353 $P.O.B. \stackrel{\prime}{=} POINT OF BEGINNING$

P.O.C. = POINT OF COMMENCEMENT

DESC. = DESCRIPTION

+5.80 = ELEVATION BASED ON NORTHAMERICAN VERTICAL DATUM 1988. SOURCE: STATE ROAD DEPARTMENT BENCH MARK IN ATLANTIC AVENUE BRIDGE OVER INTRACOASTAL WATERWAY

FLOOD ZONE: X COMMUNITY PANEL NO. 125102 0979 SUFFIX F EFFECTIVE DATE: OCTOBER 5, 2017

NOTE: ALL BOUNDARY LINES AND ANGULAR DIMENSIONS ARE PLAT AND SURVEY UNLESS STATED OTHERWISE.

ALL DIMENSIONS SHOWN HEREON ARE BASED ON THE STANDARD U.S. FOOT.

THIS SURVEY HAS ACHIEVED A MINIMUM LEVEL OF CLOSURE OF 1 FOOT IN 10,000 FEET AS REQUIRED FOR COMMERCIAL/HIGH RISK PROPERTY CLOSURE WAS ÁCHIEVED BASED ON A REDUNDANCY OF MEASUREMENTS FOR VERTICAL, HORIZONTAL AND ANGULAR DIMENSIONS.

NO TITLE WAS REVIEWED OR SEARCH OF THE PUBLIC RECORDS WAS MADE IN REGARD TO EASEMENTS THAT MAY AFFECT SUBJECT PARCEL

NO SUBSURFACE SEARCH WAS MADE FOR UTILITIES OR UNDERGROUND FOOTERS

MAP OF BOUNDARY SURVEY SITE ADDRESS: 126 S.E. 7TH AVENUE, DELRAY BEACH, FLORIDA 33483

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J–17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES.


Paul D. rIIA YH PAUL D. ENGLE

NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

O'BRIEN,	SUITER	& (O'BRIEN,	INC.
	LAND SUF	RVEYOR	7 <i>S</i>	
SURVEYOR AND M 955 N.W. 17TH AVE		NSIBLE (DELRAY	CHAR̈́GE: PAUL L ′BEACH. FLORIDA	

DATE OF SURVEY					
MAY 30,	2018				
FIELD BOOK	PAGE NO.				
D.319	8				

| SCALE: 1'' = 10'ORDER NO.: 18–27db





												27, 2018)9, 2018 6, 2018	٦
												APRIL 27,		Date
													ADDED SIDEWALK EASEMENT TAC COMMENTS DATED 01/10/2018	
NDERGR												S	ADDED SIDEWALK EASEMENT TAC COMMENTS DATED 01/10	
NDERGR	OUND)											TAC COMMENTS	ED SIDEW COMMENT	REVISIONS
СЕ ТО М	ATCH EXISTIN	NG, TYP.										3 TAC		No. REV
														z
RMIT														
											t Seal			
VIEW)											Consultant			
)											ပိ 			
	LOCATED EMAIN & ONE BE INTERNAL	E (1) TO BE	RELOCATED								SEA"			
NELS TO	BE INTERNAL	.)										4		
GATE												VENUE , FLORIDA		,
EPLACED) WITH 4' HIG	H BLACK C	COATED CHAIN	LINK FENCE	ТО МАТСН, ТҮР.							AVEI CH, FL	PLAN	Ì
	LOCATED										WAY	SE /IH AV Y BEACH,	ļμ	1
	DE OF UNIT										A-A-	126 S ELRAY	SIT)
) W/ NEW 4' H	IIGH BLAC	K COATED CHA	AINLINK FEN	CE TO MATCH SOUT	H PL, TYP.					DE-	DE	<u>e</u>	
VIEW)											"HIDE		Drawing Title	
												13		_
) MATCH	WINDOW HE	AD									INC	4-37	jmail.com	
RMIT											TS,	A 3344 INTERIORS	copearchitectsinc@gmail.com	
4' MAX. \	WITHIN FRON	T YARD, TY	ſP.								TEC		pearchite	
											CHI		email cc	
TIONS											AR(SEACI ECTURE	789-3791	
											COPE	DELRAY ARCHI	561	
											Ŭ	DE	ce	_
														_
P	OSEI	D F	ROJ	ECT	CHAR	<u> 21:</u>							lse No.	
MIN. FLOOR AREA (sq. ft.)	MIN. LOT FRONTAGE (ft.)	MIN. OPEN SPACE (%)	MAX. LOT COVERAGE (%)	MIN. FRONT SETBACK (ft.)	MIN. SIDE INTERIOR SETBACK	MIN. SIDE STREET SETBACK	MIN. REAR SETBACK (ft.)	MAX. BUILDING HEIGHT (ft.)	PERVIOUS AREA (sq. ft.)	IMPERVIOUS AREA (sq. ft.)			ida Licer	AR0013552
1,000	60	LDR 40	LDŔ NA	25/30	(ft.) LDR 15/30	(ft.) NA	25	35	2,700	4,050	Drawn		Flor	ARO
1,790	50	25	NA	40.5	15/30	NA	27.1	21.25	1,687	5,063	RW CC Project 2017 (No.	ONCOP	Ť
1,660	50	60	NA	40.5	10.1 @ NORTH	NA	27.1	23.25	4,480	2,270	CAD File SITEPL	e No.		-
					7.5 @ SOUTH						Date SEPTE	MBER :	14, 201	8
											SEPTEI Drawing		<u>14, 201</u>	8
														•

C COPE ARCHITECTS, INC., 2018 THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF COPE ARCHITECTS, INC. AND SHALL NOT BE REPRODUCED WITHOUT THE AUTHORIZED WRITTEN CONSENT OF COPE ARCHITECTS, INC.

of

	1 2		
		-	/
Ν			-10'
М			
_			
		<u>↓</u>	
L			
	ŭ P	NEW ALUMINUM TRELLIS SYSTEM: INCLUDES ONE (1) 4"X4" ALUMINUM COLUMN CENTERED ON COLUMNS OF THE EXISTING BLDG., TYP. BOTH UNITS	
	-	₩ B 449 52	
K			
	-	A6	
-			
J	-		
_	A5 A5.0		
	A6		
Н	A5.0		
	EXISTING 2X4, LOAD BEARING WOOD STUD PARTI	TITION TO REMAIN (ADD ONE (1) LAYER 5/8' DRYWALL TO EACH SIDE	
	NEW 4' 20 GA. STEEL STUD @ 16' O.C. PARTITION U	W/ ONE (1) LAYER OF 5/8" DRYWALL EACH SIDE	
G	NEW 8' CMU WALL W/ 2'X2' P.T. WD. FURRING @ 16' 0	O.C. & ONE (1) LAYER OF 5/8' DRYWALL EACH SIDE	
	NEW 8' CMU WALL W/ 2'X2' P.T. WD. FURRING @ 16' 0 1 1/2' RIGID INSULATION BOARD BETWEEN FURRING	O.C. & ONE (1) LAYER OF 5/8" DRYWALL (GREEN BOARD IN WET AREAS), NG	-A3
_	EXISTING 8' CMU WALL W/ 2'X2' WD. FURRING @ 16' NEW 2'X2' P.T. WD. FURRING @ 16' O.C. & ONE (1) NE	5' O.C. TO REMAIN & ONE (1) NEW LAYER OF 5/8' DRYWALL ONE SIDE & IEW LAYER OF 5/8' DRYWALL ON OPPOSITE SIDE	
_			
F	A4 SAWCUT & REMOVE EXISTING CMU WALL FROM TO A3 SAWCUT & REMOVE EXISTING CMU WALL FROM WIN	NDOW SILL DOWN TO FINISH FLOOR (NON-STRUCTURAL)	
_	A2 NEW INFILL (WHERE 6'-8' TALL DOOR IS REMOVE		-43
	AI EXISTING, NON-LOAD BEARING, FULL HEIGHT, 8' C INTERIOR PLASTER TO REMAIN), SUPPLEMENTED W/ SOUND ATTENUATING RIGID INSULATION BOARD LAYERS 5/8' TYPE 'X' DRYWALL EACH SIDE - FU		
E		RD BETWEEN STUDS, THEN TWO (2) FULL HEIGHT 5' O.C. TO REMAIN & ONE (1) NEW LAYER OF 5/8' DRYWALL	
	i 1/2" RIGID INSULATION BOARD BETWEEN FURRING		
	WALL TYPES		
D			
	-		
_			. '/
C	بة <u>0</u>		
_			
		$\begin{array}{c} & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & &$	
В	- -		
	۵ ۳	NEW ALUMINUM TRELLIS SYSTEM: INCLUDES ONE (1) 4"X4" ALUMINUM COLUMN CENTERED ON COLUMNS OF THE EXISTING BLDG., TYP. BOTH UNITS	
	-		
А		¢ OF NEW	
		3'-2' 3'-2' 6'-4'	'-4 •
_	1 2	3 4 5	6





	A TAC COMMENTS APR. 27, 2018 A TAC COMMENTS APR. 27, 2018 A TAC COMMENTS APR. 27, 2018 No. REVISIONS Date
EXISTING ELECTRICAL OVERHEAD SERVICE TO BE PLACED UNDERGROUND EXISTING WOOD OUTLOOKERS TO REMAIN, TYPICAL	Consultant Seal
EXISTING CLEAR ANODIZED ALUM., NON-IMPACT RESISTANT, PROJECTED AWNING WINDOWS TO BE REMOVED, TYP. EXISTING WASHER/DRYER SHED TO BE REMOVED EXISTING SMOOTH STUCCO FINISH TO REMAIN, TYPICAL EXISTING 4' HIGH CHAINLINK FENCE/GATE (BEYOND) TO BE REMOVED, TYPICAL EXISTING CONCRETE SILL TO REMAIN, TYPICAL EXISTING FINISH GRADE TO REMAIN, TYPICAL	"HIDEAWAY-BY-THE-SEA" 126 SE 7TH AVE. DELRAY BEACH, FLORIDA 33483 Title Title Title Title EXTERIOR ELEVATIONS
EXISTING WOOD OUTLOOKERS TO REMAIN, TYPICAL	COPE ARCHITECTS, INC. 114 1/2 N.E. 1ST AVENUE DELRAY BEACH, FLORIDA 33444-3713 ARCHITECTURE - PLANNING - INTERIORS PHO 561 274-6706 FAX 561 274-6707
NEW BRONZE ANODIZED ALUM., IMPACT RESISTANT, PROJECTED AWNING WINDOWS, TYPICAL NEW LIGHT FIXTURE, TYPICAL EXISTING SMOOTH STUCCO FINISH TO REMAIN, TYPICAL (RAKED TOP TO MATCH SLOPE OF ROOF) NEW CMU/STUCCO PRIVACY WALL EXISTING CONCRETE SILL TO REMAIN, TYPICAL EXISTING FINISH GRADE TO REMAIN, TYPICAL	Sea Sea Drawn RW COPE Project No.
COPE ARCHITECTS, INC., 2018 THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF COPE ARCHITECTS, INC. AND SHALL NOT BE REPRODUCED WITHOUT THE AUTHORIZED WRITTEN CONSENT OF COPE ARCHITECTS, INC.	2017.82PATTONCOPE CAD File No. EAST ELEVATIONS Date SEPTEMBER 14, 2018 Drawing No. A44.0




			Image: No. Image: Second sec
NC	XISTING FLAT ROOF TO BE REINVENTED, TYPICAL D SILL @ THESE EXISTING WINDOWS , TYPICAL XISTING 4' HIGH CHAINLINK FENCE/GATE (FOREGROUND) TO BE REMOVE XISTING FINISH GRADE TO REMAIN, TYPICAL	D, TYPICAL	Image: Mark and the set of the set
NE (R NE NE	EW MODIFIED BITUMEN ROOF (SLOPED 1/4"/FT.) TO MATCH EXISTING, T W ALUM. TRELLIS SYSTEM W/ COLUMN, TYP. BOTH UNITS AKED TOP TO MATCH SLOPE OF ROOF) EW LIGHT FIXTURE, TYPICAL EW BRONZE ANODIZED ALUM., IMPACT RESISTANT, "SLIDER" WINDOWS DNCRETE SILL TO MATCH EXISTING EW IPE WOOD CLADDING, TYP. @ NEW APPENDAGE ONLY	/Ρ.	COPE ARCHITECTS, INC. 114 1/2 N.E. 1ST AVENUE DELRAY BEACH, FLORIDA 33444-3713 ARCHITECTURE - PLANNING - INTERIORS PHO 561 274-6706 FAX 561 274-6707 Drg
Ex	THIS DOCUMENT AND SHALL NOT	ARCHITECTS, INC., 2018 SI THE EXCLUSIVE PROPERTY OF COPE ARCHITECTS, INC. BE REPRODUCED WITHOUT THE AUTHORIZED WRITTEN CONSENT OF COPE ARCHITECTS, INC.	Image: series







