



GEM PAVER SYSTEMS

Manufacturers of Interlocking Brick Pavers.

305.805.0000

9845 NW 118th Way, Medley, FL 33177

HOME ABOUT PRODUCTS COLORS FEATURES GALLERY CONTACT

COLORS

White Cement Colors

Gray Cement Colors

COLORS: GRAY CEMENT

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

SOLID COLORS:


BROWN
CAMEL
CHARCOAL
CHOCOLATE
DARK ORANGE
GOLDENROD
GREY
HUNTINGTON
RED
TAN
TAUPE

MIXED COLORS:


DK. ORANGE/TAN
DK. ORANGE/TAN/CHARCOAL
MIX I (red/tan)
MIX II (red/charcoal)
MIX III (red/tan/charcoal)
SLATE (gray/charcoal)
TAN/CHARCOAL
TAN/CHOCOLATE
TAN/BROWN
TAN/GOLDENROD
TAN/GRAY

Actual colors will vary from showroom samples, brochure and website.


Size: 12" x 12"



White Vinyl PVC Fence



TONGUE AND GROOVE PRIVACY



NOTE:

All P.V.C. resin ASTM D1784

Extruded D638

Flex Str. 9600psi D790

Tensile Str. = 6439 psi

All to conform to ASTM F 954

for rigid poly vinyl profiles.

Column sizes, rails, & pickets

Dimensions may vary depending

on individual fence design.

DESIGN: 2017FBC (1616.2.1)

Based on wind loads per

ASCE 7-10 and the



following criteria:

73 mph Fastest Mile




1 3/4" x 5 1/2" HOLE
FOR RAIL IN POST
LOCATE AS SHOWN

5" x 5" POST
150 WALL MIN
275 WALL MAX



Rick Boyette Consulting, Inc
 C.E.N. 9700
 Richard Boyette, P.E. 42485
 5031 Coconut Boulevard
 Royal Palm Beach, Florida 33411
 (561) 790-5700



Fence Height	Exposure	Min. Footing Req'd	
		Depth	Diameter
Up to 48"	B	24"	12"
	C	30"	12"
49" to 72"	B	34"	16"
	C	36"	12"

ALLSTAR PVC PRODUCTS, INC.
 2470 BOYNTON BEACH BLVD
 BOYNTON BEACH, FL 33472
 888-735-8842