



CONSULTANT
GREGORY B. MEDINA
FL REG. # AR 93534
DATE 03-04-19

ARCHITECTURE
MASTER PLANNING
345635353

CBM
ARCHITECTURE PA

5001 S.W. 32nd Avenue, Unit F-5
Fort Lauderdale, Florida 33319
T: 954.713.6101
C: 954.812.6680
E: greg@cbmarchitecture.com
WWW.CBMARCHITECTURE.COM

GRIECO DELRAY FORD
2501 SOUTH FEDERAL HIGHWAY
DELRAY BEACH, FL 33483
PALM BEACH COUNTY

DRAWING ISSUE DATES:

FORTH FLOOR:
LIFE SAFETY PLAN

SHEET
A-1.4

PROJECT 161020
PERMIT SET 03-04-19

**4th FLOOR
INVENTORY GARAGE PARKING
TIER = 49,102 SF
GROUP "S-2"
(246 OCCUPANTS BY AREA)
202 INVENTORY PARKING STALLS**

MEANS OF EGRESS:
TWO MEANS OF EXIT REQUIRED.
TWO MEANS OF EXIT PROVIDED WITH DIRECT EXIT TO PUBLIC WAY (STAIR #2 & STAIR #4).
THIRD STAIR CASE PROVIDED FOR PARKING ATTENDANT USE WITH KEY ACCESS PAD (STAIR #1).

- INDICATES 2-HR. FIRE RATED PARTITION
- EGRESS ANGLE
INDICATES REQUIRED MEANS OF EGRESS
- EX/EM WALL MOUNTED EMERGENCY LIGHT W/ BACK-UP BATTERY AND EXIT
- WALL MOUNTED FIRE EXTINGUISHER
INDICATES REQUIRED MEANS OF EGRESS
- IFE WALL MOUNTED FIRE EXTINGUISHER (6 LOCATIONS
1ST FLOOR (4 LOCATIONS AT 2ND FLOOR) 12 PROVIDED

