

## GENERAL NOTES

1. ANY DOOR SHOWN IN RATED ASSEMBLIES SHALL ALSO BE RATED AS REQUIRED. REFERENCE DOOR SCHEDULE.
2. ANY SIZES INDICATED ON THIS PLAN ARE FOR LIFE SAFETY REVIEW ONLY AND SHOULD NOT BE USED FOR CONSTRUCTION PURPOSES OR SIZES.
3. ALL LIFE SAFETY DEVICES SHOWN ARE REQUIRED, BUT PRODUCT TYPES, DETAILS, MEANS, AND METHODS MUST BE FULLY COORDINATED BY THE CONTRACTOR.
4. MINIMUM SETBACKS SHOWN FOR REFERENCE ONLY IN THESE DRAWINGS. FOR ADDITIONAL REQUIRED SETBACKS REFER TO APPROVED SPRAB DRAWINGS SUBMITTED BY HODGES ARCHITECTURE.
5. REFER TO SERIES A1.03 FOR ACCESSIBLE ROUTES.
6. DO NOT SCALE DIMENSIONS FROM DRAWINGS. ANY UNKNOWN DIMENSIONS SHALL BE OBTAINED FROM DESIGN PROFESSIONALS.
7. ROOM AND DOOR NUMBERS ARE FOR CONSTRUCTION & DESIGN COORDINATION. FINAL ROOM NAMES AND NUMBERS SHALL BE CONFIRMED PRIOR TO FABRICATION OF SIGNAGE.
8. FURNITURE SHOWN IS BY OTHERS AND IS FOR PLANNING PURPOSES ONLY.
9. FIRE EXTINGUISHERS SHALL BE INSTALLED PER NFPA 10.

## GRAPHICS LEGEND

GRAPHICS: REFER TO SHEET 00.01 FOR GRAPHIC STANDARDS



- 1 HOUR UL RATED ASSEMBLY (CONTINUOUS)
- 2 HOUR UL RATED ASSEMBLY (CONTINUOUS)

### SYMBOLS:

- CLR - CLEAR DOOR EGRESS WIDTH PROVIDED
- STR - CLEAR STAIR EGRESS WIDTH PROVIDED
- 160 MAX - MAX ALLOWED OCCUPANTS (FACTOR X EGRESS WIDTH)
- 27 OCC - CALCULATED OCCUPANTS
- FE - WALL MOUNTED FIRE EXTINGUISHER
- FE-K - WALL MOUNTED TYPE K FIRE EXTINGUISHER AT KITCHEN
- FEC-R - FIRE EXTINGUISHER CABINET (FULLY RECESSED) REF. TO DETAIL 1/A0.101
- FEC-S - FIRE EXTINGUISHER CABINET (SEMI-RECESSED) REF. TO DETAIL 1/A0.101
- FEC - FIRE EXTINGUISHER CABINET (SURFACE MOUNTED)
- CEILING MOUNTED EXIT SIGN
- WALL MOUNTED EXIT SIGN

## LIFE SAFETY KEYNOTES

NUMBER	DESCRIPTION
LS.02	2 HOUR RATED STAIR AND ELEVATOR CORES. REFER TO PARKING GARAGE DRAWINGS UNDER SEPARATE PERMIT
LS.04	PERFORMANCE BASED WATER CURTAIN PER NFPA 105 CHAPTER 5 TO ACHIEVE RATING AT STOREFRONT. WINDOW SPRINKLERS PER ESR-2397 SHALL BE USED WITH FIXED GLASS WALL ASSEMBLY BETWEEN BUSINESS AND ASSEMBLY OCCUPANCIES



OVERALL FOURTH LEVEL LIFE SAFETY PLAN 3/32" = 1'-0" 1

CLIENT

**4<sup>th</sup> & 5<sup>th</sup> DELRAY**  
Delray Beach Holdings, LLC  
433 Plaza Real, Suite 335  
Boca Raton, FL 33432  
[T] 561 988 4002  
[F] 561 988 3002  
PGAL LLC, No. AA 0003337  
www.pgal.com

ARCHITECT



791 Park of COMMERCE BLVD.  
SUITE 400  
BOCA RATON, FLORIDA 33487  
[T] 561 988 4002  
[F] 561 988 3002  
PGAL LLC, No. AA 0003337  
www.pgal.com

PROJECT NAME  
iPic Fourth Level  
Office Fit Out

PROJECT LOCATION  
City of Delray Beach  
Palm Beach County, FL

DOCUMENT STAGE  
CONSTRUCTION  
DOCUMENTS

DRAWING HISTORY  
NO. DESCRIPTION DATE  
A. Construction Documents 2018-11-02

REGISTRATION  
Copyright © 2018



PROJECT NUMBER  
1003096

SHEET TITLE  
OVERALL FOURTH  
LEVEL LIFE SAFETY  
PLAN

SHEET NUMBER

G2.40R