

Luminaire Schedule						
Symbol	Qty	Label	Description	LLF	Lum. Watts	Total Watts
	14	A	WILLIAMS 6DR-TL-L20-835-DIM-UNV-0-W-OF-CS	0.900	19	266
	4	B	FC LIGHTING FCD609R-VOLT-LED-4K-1300-CRI85-SS-NFL	0.900	14	56
	138	C	COLOR KINETICS 523-000080-10_120-000190-01_108-000056-03_108-000057-00 SHOWN IN 1' INCREMENTS	0.900	13.4	1849.2
	180	D	TMB FLOPPY FLEX 160 FRONT TO BACK-FLAT WHITE SHOWN IN 1' INCREMENTS	0.900	3.65	657
	4	SA	GARDCO P26-48L-400-NW-G2-BLC POLE MOUNT 15' AFG	0.900	60	240
	2	SB	GARDCO P26-48L-400-NW-G2-4-HIS POLE MOUNT 15' AFG	0.900	60	120
	5	W	GARDCO 121-16L-700-NW-G4-3	0.900	39	195
	1	W1	GARDCO 121-16L-700-NW-G4-4	0.900	39	39

Calculation Summary					
Label	Avg	Max	Min	Avg/Min	Max/Min
COVERED SIDEWALK COVERED SIDE	11.82	20	1	11.82	20.00
NORTH PARK & DRIVE	2.60	5.9	1.0	2.60	5.90
SOUTH PARK & DRIVE	2.94	8.7	1.0	2.94	8.70
SPILL - HORIZONTAL 6' AG	0.04	0.24	0.00	N.A.	N.A.
SPILL - VERTICAL 6' AG	0.06	0.25	0.00	N.A.	N.A.

Delray Park Plaza
Class III Site Plan Modification
Level 2 Alterations
for Delray Park Plaza LLC
1311-1319 N. Federal Hwy
Delray Beach
Florida
RBA: PN.15618.12

2-12-20: SPRAB Set
8-13-20: G.C. Bid Set
8-26-20: Permit Set
Owner Review
Plan Set

REVISIONS
7-24-20: SPRAB Comm
10-2-20: SPRAB Comm

DELRAY PARK PLAZA							
LIGHTING FIXTURE SCHEDULE							
TYPE	MANUFACTURER	CATALOG NUMBER	DESCRIPTION	LAMPS		VOLTS	MOUNTING
				Type	Total Wattage		
A	HE WILLIAMS	6DR-TL-L20-840-DIM-UNV-0-W-OF-CS-MVWALF1	6" LED DOWN LIGHT	LED4K	19W	UNV	RECESSED
B	FC LTO	FCD609R-UNV-LED-4K-1300-CRI85-SS-NFL	6" LED INGRADE	LED4K	14W	UNV	INGRADE
C	COLOR KINETICS	523-000080-10/120-000190-01/108-000056-03/108-000057-00	LED LINEAR FOR DOMES	LED4K	15W/LF	UNV	SURFACE
D	TMB	FLOPPY FLEX 160 FRONT TO BACK-FLAT-WHITE	LED LINEAR EDGE OF BLDG	LED4K	3.3W/LF	24V	SURFACE
F	HACO	BROCH	LED UPLIGHT	LED4K	33W/MAX	UNV	GROUND
SA	GARDCO	P26-48L-400-NW-G2-AR4-HS-UNV-TL-DT-PH8-FINISH-PTF2-P26-1-80-110220AH, 15' MTG HT	LED SITE ASSEMBLY	LED4K	60W	UNV	POLE
SB	GARDCO	P26-48L-400-NW-G2-AR4-HS-UNV-TL-DT-PH8-FINISH-PTF2-P26-1-80-110220AH, 15' MTG HT	LED SITE ASSEMBLY	LED4K	60W	UNV	POLE
SC	GARDCO	P26-48L-700-NW-G2-AR4-HS-UNV-TL-DT-PH8-FINISH-PTF2-P26-1-80-110220AH, 15' MTG HT	LED SITE ASSEMBLY	LED4K	101W	UNV	POLE
W	GARDCO	121-16L-700-NW-G4-3-UNV-11	LED WALL PACK	LED4K	38W	UNV	WALL
W1	GARDCO	121-16L-700-NW-G4-4-UNV-11	LED WALL PACK	LED4K	38W	UNV	WALL
LIGHTING SCHEDULE NOTES:							
1. CONTACT SESCO LIGHTING (PATTY@SESCOLIGHTING.COM) @ 561-433-4192 OR pssaw@secolighting.com							
2. THE ABOVE FIXTURE SCHEDULE IS PREDICATED ON PERFORMANCE AND IS DESIGNED TO MEET CERTAIN AESTHETIC CRITERIA. ALL ALTERNATIVE SELECTIONS MUST BE SUBMITTED TO THE ARCHITECT FOR APPROVAL TEN (10) DAYS PRIOR TO BID DATE.							
3. SUBMITTAL MUST INCLUDE FL CERTIFIED PHOTOMETRIC FILES FOR REVIEW OF EQUALITY							
4. NO SUBSTITUTIONS ALLOWED.							
				SESCO LIGHTING			

Photometrics Plan, Calcs &
Light Fixture Schedule 1"=10' SC