



Legislation Details

File #: 24-733 **Version:** 1 **Name:**

Type: Advisory Board Agenda Item **Status:** Agenda Ready

File created: 5/13/2024 **In control:** Board of Adjustment

On agenda: 6/6/2024 **Final action:**

Title: 227 Palm Trail (2024-131): Consideration of two variance requests from Section 7.9.7(C) and 7.9.11 (A) of the Land Development Regulations (LDR), to allow a finger pier to extend 32.3 feet from the bulkhead into the Intracoastal Waterway, whereas a maximum of 25 feet is allowed, and to allow a boatlift in the raised position to be located 37 feet, one inch from the bulkhead, whereas a maximum of 20 feet is allowed.
 Address: 227 Palm Trail
 PCN: 12-43-46-16-09-000-0100
 Property Owner: Thomas R Speno and Laura Speno
 Authorized Agent: Matthew Scott, Esq., Greenspoon Marder, Matthew.Scott@gmlaw.com
 Planner: Amy Alvarez, Assistant Development Services Dir.; alvarez@mydelraybeach.com

Sponsors:

Indexes:

Code sections:

Attachments: 1. 227 Palm Trail - Staff Report, 2. 227 Palm Trail - Variance Request, 3. 227 Palm Trail - US Army Corps Approval Letter, 4. 227 Palm Trail - Plans, 5. 227 Palm Trail - Property Survey, 6. 227 Palm Trail - Bathymetric Survey

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------